

cerno®



D E S I G N E D A N D M A D E I N C A L I F O R N I A



BELIEF

With no backyards but access to beaches and idyllic doses of salt and sun, our business story began with the adventures of three boys. Laguna Beach's creative culture and natural environment shaped our professional and aesthetic ideals. Looking back it's now clear that our childhood projects and experiments grew into our best adventure yet: building Cerno.

THE BEGINNING



Cerno founders, 1998. Left to right: Nick Sheridan, Dan Wacholder, Bret Englander.

Our drive and influences come from many different sources. One source that influenced all of us is Daniel's late grandfather, Steve. Steve grew up on a remote homestead where the existence of most objects depended on people's ability to create and fix them. For all of his 101 years, he embodied the saying "where there's a will, there's a way." On the California coast we were raised with this mentality and today we share it with the rest of the Cerno team.

CERNO

- Verb (Latin)

1. To resolve, distinguish, decide, sift, determine, to perceive.





OUR TEAM


Each finished product is a celebration of the inventive minds and industrious hands that brought it to life. Dreams do not manifest themselves; skilled people bring dreams to life. The passion of our steadily growing team and their commitment to the product is inspiring. We are grateful for every individual that is part of our collaborative creative process.

Table of Contents

Floor	9	Outdoor Sconces	55
Fons 8 / Fons 10	10	Tersus Outdoor	56
Valeo	11	Calx Outdoor	57
Nauta Floor	14	Ansa Outdoor	58
Silva Floor	15	Acuo Outdoor	59
Forma	16	Sconces	61
Altus	17	Talea	63
Silva Giant	18	Via	64
Linear Pendants	21	Calx	65
Lenis	23	Penna Sconce	66
Arca	24	Vesper	67
Camur	25	Acuo	68
Aeris 30 / Aeris 54	27	Capio S	70
Vix 34 / Vix 48	29	Capio L	70
Penna Pendant	30	Tersus	74
Vix 82	31	Sedo	75
Virga	32	Ansa	77
Brevis 28 / Brevis 42	33	Fortis	78
Pendants	35	Claudo	79
Muto	36	Cubo	80
Imber 17 / Imber 24	38	Libri	81
Ignis 17 / Ignis 24	39	Levo	83
Ico	41	Levo Shelf Option	83
Calx 10 / Calx 19	42	Table	85
Calx 36	43	Forma Table	86
Abeo	44	Nauta Table	87
Claudo	45	Silva	88
Mica	47	Macto	89
Mica L	47	Revelite AL	91
Levis	48	Accessories	92
Levis L	48	Motus Swing Arm Bracket	92
Salix	49	Canopy Accessories	92
Plura Pendant	51	Finish and Material Options	93
Plura Flush Mount	53		



Floor



Fons Family



Valeo



Silva Giant



Silva Floor




Forma



Altus

Fons 8 / Fons 10
floor



Dimensions: 25" Ø shade, 7'-4"
Materials: solid wood, metal, linen shade
Product weight: 65 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
Input voltage: 120 V AC max
Includes 6'-0" clear silver cord with
inline foot switch 24" from base
Bottom diffuser included (CM-051)
Wood grain will vary
Specifications subject to change



Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Fons part # 05-600-	A	W	L
Boom Arm brushed aluminum (CM-006)	A		
Wood Body walnut (CM-001)		W	
Fabric Shade white linen (CM-016)			L
Arm Length 8' 10'			E T

Includes
stainless steel tension cable (CM-053)
black powder coated steel base (CM-049)
frosted polymer diffuser (CM-051)

Alternate voltage/plug styles are available




ARM LENGTH
Available in 10'-8" and 8'-4" arm lengths
Arm length is from back of base to center of shade
Arm lengths are not adjustable

SHADE HEIGHT
Shade height (floor to bottom edge of shade)
can be adjusted between 6'-2" maximum and
3'-9" minimum.


The goal with the Fons was to minimize the structure and visual massing of the fixture while maximizing the reach or cantilever. The delicate boom arm, upheld by a tension cable, gently bends while reaching out to almost horizontal where it suspends the light. The structural design is an extremely effective way to resolve the forces associated with such a long reach. It is so effective and efficient that it seems to float with a weightlessness at the tip.

Nick Sheridan
Designer



When reaching such a distance with a fixture, it is important that it feels visually efficient in its form but is still far from fragile, inviting one to linger under it. The adjustability in the reach and the height of the shade make it possible to custom fit the piece to its surroundings - an important characteristic for such a large piece.


Nick Sheridan
Designer



ARM LENGTH
Arm length (from back of base to center of shade) can be adjusted between 9'-6" maximum and 6'-6" minimum.

SHADE HEIGHT
Shade height (floor to bottom edge of shade) can be adjusted between 6'-7" maximum and 3'-11" minimum.

Valeo
floor



Dimensions: 8'11" H max, 25" Ø shade
Materials: solid wood, metal, linen shade
Product weight: 95 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
Input voltage: 120 V AC max
Includes 72" clear silver cord with
inline foot switch 24" from base
Bottom diffuser included (CM-051)
Wood grain will vary
Specifications subject to change



Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Valeo part # 05-400-	A	W	L
Boom Arm brushed aluminum (CM-006)	A		
Wood Body walnut (CM-001)		W	
Fabric Shade white linen (CM-016)			L


Includes
black powder coated steel base (CM-049)
frosted polymer diffuser (CM-051)


Alternate voltage/plug styles are available



in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE

Nauta Floor
floor



Dimensions: 17" Ø, 59"
Materials: solid wood, aluminum, fabric shade
Product weight: 8 lb
Light source: medium base E26 socket
Lamping: E26 base, 60 W max
Input voltage: 250 V AC max
Includes 8' clear silver cord with white plug
On/Off rocker switch on socket
Wood grain will vary
Specifications subject to change
SHELF IS OPTIONAL

Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Nauta Floor part #: 05-110-

Metal Finish

brushed aluminum (CM-006)
brushed brass (CM-008)*

Wood Body

walnut (CM-001)
dark stained walnut (CM-002)
white washed oak (CM-095)

Shade

black amaretto (CM-018)
white linen (CM-016)
burlap (CM-017)

Optional Shelf Accessory

no shelf
matching wood shelf -
exposed wood top surface
matching wood shelf -
black HPL top surface (CM-092)
matching wood shelf -
white HPL top surface (CM-093)


*Brass shade support arms feature wood plug
in end of arm
**Shelf is optional and cannot be
removed by customer



walnut, brushed aluminum, burlap



walnut, brushed aluminum, white linen




walnut, brushed aluminum, black amaretto



walnut, brushed aluminum, black amaretto, black shelf

Efficiency and simplicity guided the design process for the Nauta table lamp. We designed the Forma
several years ago with Frank Carfaro of Desiron, which profoundly influenced the Nauta's form.
Our goal was to distill the Forma design without compromising it. The Nauta is clean, modern,
and priced competitively.

Nick Sheridan
Designer



Silva Floor, walnut body, ebony eco veneer shade



Silva Floor, walnut, beech wood veneer shade





Silva Floor, walnut, white linen shade

The Silva Floor is slender, elegant, and poised while delivering great functionality. The tri-leg
base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It
feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan
Designer

Silva Floor
floor



Dimensions: 16" x 15", 4'-4"
Materials: solid wood, aluminum, bent shade
Articulating head
Product weight: 4 lb
Light source: integrated LED
Light output: 565 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 7 W
Input voltage: 12V DC (adapter included)
Includes 72" white braided cord
Dimmable on fixture
Wood grain will vary
Specifications subject to change


MATERIAL & FINISH OPTIONS

Silva Floor part # 05-100- A W

Metal Finish

brushed aluminum (CM-006)


Wood Body

walnut (CM-001)

Bent Shade


beech wood veneer (CM-019)
ebony eco veneer (CM-020)
white linen (CM-058)

Alternate voltage/plug styles are available
Also available in larger version, see page 14, and
smaller version, see page 74.



in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE

Forma
floor



Dimensions: 22" Ø shade, 6'
Materials: solid wood, aluminum, fabric shade
Product weight: 15 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
Input voltage: 120 V AC max
Dimmable on fixture
Wood grain will vary
Specifications subject to change



Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Forma Floor part # 05-300-

Metal Finish

brushed aluminum (CM-006) A
black anodized aluminum (CM-007) B

Wood Body

walnut (CM-001) W
dark stained walnut (CM-002) D
maple (CM-005) M


Fabric Shade

burlap (CM-017) N
white linen (CM-016) L
black amaretto (CM-018) A

Alternate voltage/plug styles are available
Also available in smaller version, see page 73.




Forma, brushed aluminum, walnut, burlap shade




Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma.

Nick Sheridan
Co-Designer



Altus, walnut body, distressed brass metal finish, white linen shade




The Altus is a robust fixture that also carries an air of elegance and subtle proportion. It has the mass and impact to anchor a space while still showing balance and grace. It is always exciting to see how the solid wood trunk comes out; admiring the wood grain all the way through.

Nick Sheridan
Co-Designer

in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE

Altus
floor



Dimensions: 6'-8" H, 22" Ø shade
Materials: solid wood, metal, fabric shade
Product weight: 45 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
120 V AC max
Dimmable on fixture
Wood grain will vary
Specifications subject to change



Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Altus part # 05-700-

Metal Finish

brushed brass (CM-008) R
distressed brass (CM-009) D
oiled bronze (CM-010) Z


Wood Body

walnut (CM-001) W
dark stained walnut (CM-002) D



Fabric Shade

burlap (CM-017) N
white linen (CM-016) L
black amaretto (CM-018) A

Alternate voltage/plug styles are available



Silva Giant
floor



walnut
(CM-001)



dark stained walnut
(CM-002)

Dimensions: 32" x 26", 7", 16" Ø shade
Materials: solid wood, aluminum, linen shade
Product weight: 60 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
Input voltage: 120 V AC max
Includes 72" clear silver cord with
inline foot switch 24" from base
Bottom diffuser included (CM-057)
Wood grain will vary
Specifications subject to change



Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS

	Silva Giant part # 05-200-	A	L
Metal Finish			
brushed aluminum (CM-006)	A		
Wood Body			
walnut (CM-001)	W		
dark stained walnut (CM-002)	D		
Fabric Shade			
white linen (CM-058)	L		


Alternate voltage/plug styles are available
Also available in 2 smaller versions
See pages 15 and 74.




Silva Giant, brushed aluminum, walnut body, white linen shade

The Silva Giant, as the name suggests, is a giant version of our Silva table fixture. Its scale gives it a strong presence even in very large spaces, while its distilled form gives it a simplicity that can be seen from across the room. A fun piece with a huge personality.

Nick Sheridan
Designer



Linear Pendants



Lenis




Lenis



Vix




Vix




Arca



Camur




Vix 82



Vix 82



Penna Pendant



Aeris



Virga



Brevis




Lenis, brushed aluminum



Bret, Dan and I have always loved the ocean and boats. In fact, the first project we built together as young boys was a sailboat. Our appreciation for the beauty of a well-designed craft is what initially inspired the Lenis fixture; the form is created by bending wood stringers over a series of bulkheads. The organic and sculptural structure deviates from our mostly rectilinear forms, which introduced many new challenges, yet it also breathed new life into the design process for us. Ultimately, we were searching for that balance between the curved fluidity of its lines and the twisting movement. Thanks to our team's determination, after countless studies and prototypes, we found the balance we were looking for.

Nick Sheridan,
Designer

Lenis linear pendant




Dimensions: 5'-4.5" x 10", 8.75"
Materials: aluminum, stretch fabric
Product weight: 10 lb
Light source: integrated LED
Light output: 5000 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 70 W
Dimmable (see driver below)
Brushed Aluminum (CM-006)
linear canopy included
Canopy dimensions: 20.6" x 4", 1.3"
Wood canopy covers are available:
Walnut (CM-001) cover:
part # 60-130-005W
Dark stained walnut (CM-002) cover:
part # 60-130-005D
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change
Patent pending



MATERIAL & FINISH OPTIONS

Lenis part # 07-220-		
Shade		
white fabric (CM-079)	L	
End Detail		
brushed aluminum (CM-006)	A	
dark stained walnut (CM-002)	D	
walnut (CM-001)	W	
Lamping		
2700 K LED	27	
3500 K LED	35	
Driver		
120 V AC input voltage	P1	
TRIAC, ELV & 0-10 V dimming		
277 V AC input voltage	P2	
TRIAC, ELV & 0-10 V dimming		

Includes
brushed aluminum (CM-006)



linear canopy,
brushed aluminum




brushed aluminum
(CM-006)





walnut
(CM-001)



dark stained walnut
(CM-002)



Arca
linear pendant



linear canopy,
brushed aluminum



brushed aluminum
(CM-006)



black anodized aluminum
(CM-007)



walnut
(CM-001)



dark stained walnut
(CM-002)

Dimensions: 4'-1" x 24", 17"
Materials: solid wood, aluminum, polymer
Product weight: 20 lb
Light source: integrated LED
Light output: 1720 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 16 W
Dimmable (see driver below)
Linear canopy included
Canopy dimensions: 20.6" x 4", 1.3"
Canopy finish matches fixture's metal finish
Wood canopy covers are available:
Walnut (CM-001) cover: part # 60-130-005W
Dark stained walnut (CM-002) cover:
part # 60-130-005D
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS


Arca part # 07-120-

Metal Finish	brushed aluminum (CM-006)	A
	black anodized aluminum (CM-007)	B
Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120-277 V AC input voltage	P1
	0-10V dimming TRIAC and ELV dimming at 120 V AC only	

Includes
polymer shade (CM-052)
frosted acrylic diffuser (CM-024)



Arca, walnut, brushed aluminum



Arca, walnut, brushed aluminum

The Arca is an experiment with density and mass. As one moves around the room, the fixture morphs from a commanding presence of solid walnut into a graceful bar of light surrounded by an elegant porous cage.

Nick Sheridan
Designer




Camur, walnut




Light and delicate, subtly unique while simple, the camur must be experienced to really be appreciated. The gentle curve appears from the bottom just the same as it does from the side: but the perspectives found between the two intrigue.

Nick Sheridan,
Designer

Camur
linear pendant



Dimensions: 5'-0" x 2.75", 2.75"
Materials: solid wood, polymer
Product weight: 6 lb
Light source: integrated LED
Light output: 2500 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 35 W
Dimmable (see driver below)
Brushed aluminum (CM-006) camur
canopy included
Canopy dimensions: 20.6" x 4", 1.3"
Wood camur canopy covers are available:
Walnut (CM-001) wood camur canopy cover:
part # 60-150-005W
Dark stained walnut (CM-002) wood camur
canopy cover: part # 60-150-005D
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



Camur canopy,
brushed aluminum



Camur canopy cover,
walnut



walnut
(CM-001)





dark stained walnut
(CM-002)

MATERIAL & FINISH OPTIONS

Camur part # 07-210-

Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120 V AC input voltage	P1
	TRIAC, ELV & 0-10V dimming 277 V AC input voltage TRIAC, ELV & 0-10V dimming	P2

The true beauty of the Camur is difficult to appreciate in print. When experiencing this fixture in person you begin to see the subtlety and grace of its vertical and horizontal movements. As you walk around this fixture the shape will morph from a beautiful curve to a straight line. We have created a video to help celebrate these details at www.cernogroup.com/camur






in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE



Aeris 54, walnut, brushed aluminum




Aeris 54, walnut, brushed aluminum

The Aeris was a collaboration with New York based designer Frank Carfaro of Desiron. The organic and often wild swirls of walnut grain are interrupted by rigorous slits and inlays that punctuate each face to create a beautiful juxtaposition, making each fixture unique. The glow of the illuminated wood seen through the cut slits creates a rich composition of light and shadow.

Nick Sheridan
Co-Designer


Aeris 30 / Aeris 54
linear pendant




Aeris 30 dimensions: 30" x 6", 8"
Aeris 54 dimensions: 54" x 6", 8"
Materials: solid wood, aluminum
Aeris 30 weight: 11 lb
Aeris 54 weight: 15 lb
Light source: integrated LED
Light output - total: 1720 Lumens (source)
Light output - downlight: 1030 Lumens (source)
Light output - uplight: 690 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 16 W
Dimmable (see driver below)
Linear canopy included
Canopy dimensions: 20.6" x 4", 1.3"
Canopy finish matches fixture's metal finish
Wood canopy covers are available:
Walnut (CM-001) cover: part # 60-130-005W
Dark stained walnut (CM-002) cover:
part # 60-130-005D
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS



Includes
polymer shade (CM-052)



linear canopy,
brushed aluminum




brushed aluminum
(CM-006)




black anodized aluminum
(CM-007)



walnut
(CM-001)




dark stained walnut
(CM-002)






Vix 34 / Vix 48
linear pendant



Vix 34 dimensions: 34" x 8", 0.75"
Vix 48 dimensions: 48" x 8", 0.75"
Materials: solid wood, polymer, aluminum
Vix 34 weight: 10 lb
Vix 48 weight: 15 lb
Light source: integrated LED
Light output - total: 1720 Lumens (source)
Light output - downlight: 1030 Lumens (source)
Light output - uplight: 690 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 16 W
Dimmable (see driver below)
Brushed aluminum (CM-006) linear canopy included
Canopy dimensions: 20.6" x 4", 1.3"
Wood canopy cover available:
Walnut (CM-001) cover: part # 60-130-005W
Dark stained walnut (CM-002) cover:
part # 60-130-005D
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



linear canopy,
brushed aluminum




walnut
(CM-001)



dark stained walnut
(CM-002)

MATERIAL & FINISH OPTIONS

Vix Part # 07 -	
Vix 34	140
Vix 48	130
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping	
2700 K LED	27
3500 K LED	35
Driver	
120-277 V AC input voltage	
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	P1





A clean, modern fixture finely executed. With multiple down and up lights, the Vix provides lots of usable light in a very unobtrusive design.

Nick Sheridan
Designer

Includes
polymer shade (CM-052)


Penna 40 / Penna 64
linear pendant



linear canopy,
matte black finish



brushed brass
(CM-008)



distressed brass
(CM-009)



walnut
(CM-001)



dark stained walnut
(CM-002)



brown leather
(CM-098)

Penna 40 dimensions: 40.5" x 7.7" , 3.0"
Penna 64 dimensions: 64.5" x 7.7" , 3.0"
Penna 40 weight: 7 lb
Penna 64 weight: 10 lb
Light source: integrated LED
Penna 40 light output: 1530 Lumens (source)
Penna 64 light output: 2550 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Penna 40 power usage: 21 W
Penna 64 power usage: 35 W
Dimmable (see driver below)
Linear canopy included
Canopy dimensions: 11.9" x 4.4", 1.7"
Canopy finish: matte black (CM-085)
See website for more canopy information
8'-0" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Penna pendant part # 07-150 -

Penna 40	40	B	-
Penna 64	64	B	-
brushed brass (CM-008)	R		
distressed brass (CM-009)	D		

Wood Body

walnut (CM-001)	W		
dark stained walnut (CM-002)	D		

Lamping

2700 K LED	27		
3500 K LED	35		

Driver

120 V AC input voltage	P1		
TRIAC, ELV & 0-10 V dimming			
277 V AC input voltage	P2		
TRIAC, ELV & 0-10 V dimming			

Includes
brown leather (CM-098)
frosted polymer (CM-057)



Penna 64, walnut, brushed brass



Penna 64, walnut, distressed brass



Penna 40, dark stained walnut, distressed brass

On our Cerno journey, we continue to evolve as designers and craftsman. The Penna is a celebration of us drawing and reflecting on our last ten years. This design is an embodiment of all the lessons that we have learned from designing and building thousands of lights. This fixture balances utility and sophisticated beauty well. The walnut, brass, and leather work in concert to compose a modern form with materials that have been used for thousands of years.

Nick Sheridan
Designer



Vix 82, walnut




Vix 82, walnut

A clean, modern fixture finely executed. With multiple down and up lights, the Vix provides lots of usable light in a very unobtrusive design.

Nick Sheridan
Designer

Vix 82
linear pendant



Dimensions: 82" x 8", 0.75"
Materials: solid wood, polymer, aluminum
Product weight: 19 lb
Light source: integrated LED
Light output - total: 3440 Lumens (source)
Light output - downlight: 2060 Lumens (source)
Light output - uplight: 1380 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 32 W
Dimmable (see driver below)
Brushed aluminum (CM-006) linear canopy included
Canopy dimensions: 20.6" x 4", 1.3"
See website for more canopy information
Drop length field adjustable: 0'-10" min, 8'-0" max
Suitable for a sloped ceiling
Wood grain will vary
Wood shade may slightly bow or twist
along 82" length
Specifications subject to change



MATERIAL & FINISH OPTIONS

Vix 82 part # 07 - 200 -

Wood Body			
walnut (CM-001)	W		
dark stained walnut (CM-002)	D		



Lamping

2700 K LED	27		
3500 K LED	35		

Driver

120-277 V AC input voltage	P1		
0-10 V dimming			
TRIAC and ELV dimming at 120 V AC only			

Includes
polymer shade (CM-052)



linear canopy,
brushed aluminum




walnut
(CM-001)



dark stained walnut
(CM-002)



Virga
linear pendant



Dimensions: 28" x 1.75", 0.5"

Materials: aluminum, polymer

Product weight: 6 lb

Light source: integrated LED

Light output: 1126 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 13 W

Dimmable (see driver below)

Extended-profile square canopy included,
required to house LED driver (3.25" x 2.25" x 1.25")

Canopy dimensions: 4.5" x 4.5", 1.63"


Canopy finish matches fixture's metal finish

See website for more canopy information

48" suspension tube (can be shortened in field)

Swivel option available for sloped ceilings,
see drawing below

Specifications subject to change




extended-profile
square canopy
brushed aluminum



brushed aluminum
(CM-006)



black anodized aluminum
(CM-007)



Lamping

2700 K LED

3500 K LED

Driver

120-277 V AC input voltage

0-10V dimming

TRIAC and ELV dimming at

120 V AC only

Includes

polymer shade (CM-052)

Available for sloped ceilings:
Sloped Extended-Profile Square Canopy



Virga, brushed aluminum



Virga, black anodized aluminum

A clean, minimal fixture executed without compromise. The very simple and sleek down light
bar can be installed in very close proximity to its user – and withstand close scrutiny.

Nick Sheridan
Designer



Brevis 28, brushed aluminum




Brevis 28, brushed aluminum

A clean, minimal fixture finely executed. With multiple down and up lights, the Brevis provides
lots of usable light in a very unobtrusive design

Nick Sheridan
Designer

Brevis 28 / Brevis 42
linear pendants



Brevis 28 dimensions: 28" x 2.5", 0.5"

Brevis 42 dimensions: 42" x 2.5", 0.5"

Materials: aluminum, polymer

Brevis 28 weight: 7 lb

Brevis 42 weight: 8 lb

Light source: integrated LED

Light output - total: 1720 Lumens (source)

Light output - downlight: 1030 Lumens (source)

Light output - uplight: 690 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 16 W

Dimmable (see driver below)

Linear canopy included

Canopy dimensions: 20.6" x 4", 1.3"

Canopy finish matches fixture's metal finish

Wood canopy covers are available:

Walnut (CM-001) cover: part # 60-130-005W

Dark stained walnut (CM-002) cover:


part # 60-130-005D

See website for more canopy information

72" drop length, field adjustable

Suitable for a sloped ceiling

Specifications subject to change



linear canopy,
brushed aluminum



brushed aluminum
(CM-006)



black anodized aluminum
(CM-007)

MATERIAL & FINISH OPTIONS

Brevis Part # 06-

Brevis 28

920

Brevis 42

910

Metal Finish

brushed aluminum

(CM-006)

black anodized aluminum

(CM-007)

Lamping

2700 K LED

3500 K LED

Driver

120-277 V AC input voltage

0-10 V dimming

TRIAC and ELV dimming at


120 V AC only

Includes

polymer shade (CM-052)



Brevis 28




Brevis 42

Pendants



Muto




Muto




Abeo




Claudo



Imber



Ignis




Mica



Mica Family



Ico




Ico




Levis Family




Salix



Calx 10/19



Calx 36




Plura Pendant




Plura Pendant



Muto
large pendant



Dimensions: 32" x 32", 14.5"
Materials: solid wood, polymer
Product weight: 17 lb
Light source: integrated LED
Light output - total: 2626 Lumens (source)
Light output - ambient: 1376 Lumens (source)
Light output - downlight: 1250 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 25 W
Dimmable (see driver below)
Brushed aluminum (CM-006) 8" square canopy
with black mesh cables included
See instructions for additional canopy
details at cernogroup.com
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



8" square canopy with
black mesh cables



walnut
(CM-001)



dark stained walnut
(CM-002)

MATERIAL & FINISH OPTIONS

Muto part # 06-140-

Wood Body
walnut (CM-001)
dark stained walnut (CM-002)

Lamping

2700 K LED
3500 K LED

Driver

120-277 V AC input voltage
0-10 V dimming
TRIAC and ELV dimming at
120 V AC only

Includes

frosted polymer diffuser (CM-024)



Muto, walnut




Muto, walnut




The way the walnut planes in the Muto both block and bounce light makes for a very dynamic composition of light and shadow, from any vantage point. While the pinwheel form with its repeating elements is symmetric, it appears very sculptural from any one view. The modern floating ideal is realized in the Muto. By holding each walnut element away from its neighbor, so each plane floats, the whole fixture feels weightless as if it were floating itself.

Nick Sheridan
Designer



Imber 17 / Imber 24
pendant



Imber 17 dimensions: 17" Ø, 17.75"
Imber 24 dimensions: 24" Ø, 22"
Materials: solid wood, metal
Imber 17 weight: 7 lb
Imber 24 weight: 12 lb
Wood grain will vary
Specifications subject to change



Lamping
Integrated LED Specifications
Light output: 1250 Lumens (source)
Light color: 2700 K
Additional color temperatures as well as sunset dimming are available upon request.
Color accuracy: 90+ CRI
Power usage: 13 W
Input voltage: 120-277 V AC
Dimmable: 0-10 V dimming at 120-277 V AC TRIAC and ELV dimming at 120 V AC only

Medium Base E26 Specifications
Imber 17 lamping:
1x E26 base, type A lamp, 75 W max
Imber 24 lamping:
3x E26 base, type A lamp, 75 W max each
Bulbs not included
Input voltage: 250 V AC max

Suspension Type
Corded
96" length of SVT wire is used. Wire is field adjustable and suitable for a sloped ceiling.
Rigid
Stem comes 6' long and is field cuttable to length (0.38" Ø).


Suspension and Hardware Finish
Standard Combinations
Come with either black or satin nickel suspension, canopy, and sockets:
Black: DW, DD, RW, GD
Satin Nickel: AW, AM, WM
Corded Versions
White cord: satin nickel hardware
Black cord: black hardware
24" Imber corded uses a .06" Ø steel cable for suspension



Diffuser
Frosted white diffuser (CM-024)
Diffuser is recommended when fixture location may allow for direct glare.
Integrated LED option always comes with a diffuser



Imber 24, distressed brass, walnut




Imber/Ignis 24 with LED lamping
Extended-profile round canopy, braided cord with steel cable included, required to house the LED driver (3.25" x 2.25" x 1.25")
Canopy dimensions: 5.5"Ø, 2" deep

Imber/Ignis 17 with LED lamping
Low-profile round canopy, braided cord included
Canopy dimensions: 5"Ø, 0.3" deep




Ignis 24, brass, walnut



Imber/Ignis 24 with Medium base socket
Low-profile round canopy, SPT with steel cable
Canopy dimensions: 5"Ø, 0.3" deep

Imber/Ignis 17 with Medium base socket
Low-profile round canopy, SVT included
Canopy dimensions: 5"Ø, 0.3" deep

Ignis 17 / Ignis 24
pendant



Ignis 17 dimensions: 17" Ø, 11.5"
Ignis 24 dimensions: 24" Ø, 14.75"
Materials: solid wood, metal
Ignis 17 weight: 7 lb
Ignis 24 weight: 11 lb
Wood grain will vary
Specifications subject to change



Lamping
Integrated LED Specifications
Light output: 1250 Lumens (source)
Light color: 2700 K
Additional color temperatures as well as sunset dimming are available upon request.
Color accuracy: 90+ CRI
Power usage: 13 W
Input voltage: 120-277 V AC
Dimmable: 0-10 V dimming at 120-277 V AC TRIAC and ELV dimming at 120 V AC only

MATERIAL & FINISH OPTIONS

Ignis part # 06-220-	
Fixture Size	
17" Ø	17
24" Ø	24
<i>Standard Combinations (Shade, Frame)</i>	
distressed brass, walnut	DW
distressed brass, dark stained walnut	DD
brushed brass, walnut	RW
brushed aluminum, walnut	AW
brushed aluminum, maple	AM
brushed rose gold, dark stained walnut	GD
gloss white, maple	WM
<i>Suspension Type</i>	
corded	C
rigid	R
<i>Lamping</i>	
integrated LED with diffuser	L
medium base socket without diffuser	S
medium base socket with diffuser	D

Medium Base E26 Specifications
Ignis 17 lamping:
1x E26 base, type A lamp, 75 W max
Ignis 24 lamping:
3x E26 base, type A lamp, 75 W max each
Bulbs not included
Input voltage: 250 V AC max



Suspension Type
Corded
8'-0" length of SVT wire is used. Wire is field adjustable and suitable for a sloped ceiling.
Rigid
Stem comes 6' long and is field cuttable to length (.038" Ø).

Suspension and Hardware Finish
Standard Combinations
Come with either black or satin nickel suspension, canopy, and sockets:
Black: DW, DD, RW, GD
Satin Nickel: AW, AM, WM
Corded Versions
White cord: satin nickel hardware
Black cord: black hardware
24" Ignis corded uses a 1/16" Ø steel cable for suspension

Diffuser
Frosted white diffuser (CM-024)
Diffuser is recommended when fixture location may allow for direct glare. Integrated LED option always comes with a diffuser (see previous page).


The Ignis and Imber were inspired by the same design principles that make Cerno and ICRAVE well suited to collaborate. Honesty, simplicity, elemental, timeless and quality are words that sit at the core of both companies' design ethos and we believe these light fixtures embrace these qualities well. Each fixture was reduced to its essential parts – frame and shade – highlighting the interplay of the components, and accentuating the clean lines of the form.

ICRAVE / Cerno






Ico
pendant



Dimensions: 20" Ø, 9.5"
 Materials: solid brass
 Product weight: 6 lb
 Light source: medium base E26 socket
 Lamping: 1x E26 base, 60 W max
 Bulbs not included
 Input voltage: 250 V AC max
 Textured Black Powdercoat (CM-049)
 low profile round canopy with Black Cloth
 Covered Cord (CM-090)
 Canopy dimensions: 5" Ø, 0.3"
 See website for more canopy information
 Field adjustable drop length: 0'9" min - 8'0" max
 Suitable for a sloped ceiling
 Specifications subject to change



low-profile round canopy



MATERIAL & FINISH OPTIONS


	Ico part # 06-240-20	R	-	C
Fixture Size	20"	20		
Shade Finish	spun solid brass (CM-091)	R		
Suspension	corded (CM-008)		C	

Includes
brushed brass (CM-008)




After working with drum cymbals on a few custom projects, we grew to appreciate the design and engineering that goes into these beautiful objects. Cymbals have a simple form, rich texture, and a beautiful brass finish. Modernism is often about utilizing what already exists and repurposing things, which is what we did with this fixture. The Ico looks excellent when paired with a simple light bulb.

Nick Sheridan
Designer



Calx 10
accent pendant



Dimensions: 6.75" x 6.75", 6.4"
Materials: wood, metal, polymer
Product weight: 2 lb
Light source: integrated LED
Light output: 345 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 3.2 W
Dimmable (see driver below)
Driver location: must be housed in J-box
Driver dimensions: 2" x 1.3" x 1", included
White (CM-060) low-profile round canopy with
white braided cord included
Canopy dimensions: 5"Ø, 0.3"
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 10 part # 06-200-10

Metal Finish

brushed aluminum (CM-012)
brushed rose gold (CM-046)
brushed brass (CM-047)

Wood Finish

walnut (CM-055)
dark stained walnut (CM-056)


Lamping

2700 K LED
3500 K LED


Driver

120VAC input voltage
ELV dimming only

Calx sconce also available. Click here.



Calx 19
pendant



Dimensions: 13" x 13", 12.75"
Materials: wood, metal, polymer
Product weight: 7 lb
Suitable for a sloped ceiling

Integrated LED Specifications
Light output: 1250 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
White (CM-060) extended-profile round canopy with
white braided cord and steel cable included
Canopy dimensions: 5"Ø, 2"
Canopy required to house LED driver
(3.3" x 1.6" x 1.0")
See below for more canopy information
72" drop length, field adjustable

Medium Base Specifications

Lamping: 1x E26 base, type A lamp, 60 W max
Bulb not included
Input voltage: 250 V AC max
White (CM-060) low-profile round canopy with
white SPT cord and steel cable included
Canopy dimensions: 5"Ø, 0.3"
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 19 part # 06-200-19

Metal Finish

brushed aluminum (CM-012)
brushed rose gold (CM-046)
brushed brass (CM-047)

Wood Finish

walnut (CM-055)
dark stained walnut (CM-056)

Lamping

2700 K LED
3500 K LED
medium base E26 socket

Driver (LED version only)


120-277 V AC input voltage
0-10 V dimming
TRIAC and ELV dimming at
120 V AC only

Includes

frosted polymer diffuser (CM-057)



Calx 10, walnut, brushed brass



Calx 19, walnut, brushed brass




The Calx is an example of modern design where the methods and the materials themselves are integral to its very conception, aligning form and function, which creates a synergy that is evident. The fixture ultimately forms a square aperture but enjoys a beautifully simple faceted structure.

Nick Sheridan,
Designer



Calx 36, walnut, brushed brass

Calx 36
pendant



Dimensions: 25" x 25", 22.75"
Materials: wood, metal, polymer
Product weight: 18 lb
Light source: 4x GU-24 base socket
Lamping: 4x GU-24 base, 18 W max each
Bulbs not included
Input voltage: 300 V AC max
White (CM-060) 8" round canopy included
Canopy dimensions: 8"Ø, 1.25"
See page left and website for more canopy information
96" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 36 part # 06-200-36

Metal Finish

brushed aluminum (CM-012)
brushed rose gold (CM-046)
brushed brass (CM-047)

Wood Finish

walnut (CM-055)
dark stained walnut (CM-056)

A
G
R

W
D



brushed brass
(CM-047)




brushed aluminum
(CM-012)



brushed rose gold
(CM-046)



walnut
(CM-055)




dark stained walnut
(CM-056)

Includes

frosted polymer diffuser (CM-057)

Calx sconce also available. Click here.



Calx 10
low-profile round canopy
with braided cord



Calx 19 E26
low-profile round
canopy with white SPT
with steel cable




Calx 19 Integrated LED
extended-profile round
canopy braided cord
with steel cable





Calx 36
8" round canopy
clear SPT with
four 1/16" Ø steel cables

Abeo
pendant



Dimensions: 15" Ø, 11.5"
Materials: solid wood, polymer
Product weight: 7 lb
Light source: integrated LED
Light output: 1250 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
White (CM-060) extended-profile round canopy with white braided cord and steel cable included
Canopy dimensions: 5.5"Ø, 2"
Canopy required to house LED driver (3.3" x 1.6" x 1.0")
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



Extended-profile round canopy



walnut (CM-001)



dark stained walnut (CM-002)

MATERIAL & FINISH OPTIONS

Abeo part # 06-190-		-
Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120-277 V AC input voltage	P1
	0-10 V dimming TRIAC and ELV dimming at 120 V AC only	
Includes frosted polymer (CM-024)		



Abeo, walnut

I wanted to create a simple geometric sculpture that lets the light inside just sneak out around the floating walnut planes: letting the natural wood fall in and out of the light. It is this play with contrast and light and shadow that makes the Abeo such a dynamic piece.

Nick Sheridan
Designer




Claudio, walnut




The Claudio showcases the beautiful natural walnut wood grain and sets it against the rigorous slits cut in each face as they wrap around the simple, clean shade form. A beautiful glow emanates from each slit, showing the striking rectilinear composition, in which all four sides are unique.

Nick Sheridan
Designer

Claudio
accent pendant




Dimensions: 5" x 5", 7.25"
Materials: solid wood, polymer
Product weight: 3 lb
Light source: integrated LED
Light output: 345 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 3.2 W
Dimmable (see driver below)
Driver location: must be housed in J-box
Driver dimensions: 2" x 1.3" x 1", included
Brushed aluminum (CM-006) low-profile square canopy with white braided cord included
Canopy dimensions: 4.5" x 4.5", 0.38"
Must use included external LED driver (2.25" x 1.5" x 1")
Accent pendants can be clustered by using multi-point round canopy or multi-point linear canopy
See website for more canopy information
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



low-profile square canopy



walnut (CM-001)



dark stained walnut (CM-002)

MATERIAL & FINISH OPTIONS

Claudio part # 06-110-		-
Wood Body	walnut (CM-050)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120 V AC input voltage	P1
	ELV dimming only	

Includes
frosted polymer (CM-024)

Also available in a sconce version





Mica L
pendant

Dimensions: 16" Ø, 13.5"
Materials: solid wood, polymer
Product weight: 8 lb
Suitable for a sloped ceiling


Integrated LED Specifications
Light output: 1250 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
Brushed aluminum (CM-006) extended-profile square canopy with white braided cord included
Canopy dimensions: 4.5" x 4.5", 1.63"
Canopy required to house LED driver (3.3" x 1.6" x 1.0")
See website for more canopy information
6'-0" drop length, field adjustable

Medium Base Specifications
Lamping: E26 base, type A lamp, 60 W max
Bulb not included
Input voltage: 250 V AC max
White (CM-060) low-profile round canopy with clear SVT cord included
Canopy dimensions: 5"Ø, 0.3"
6'-0" drop length, field adjustable

Mica
accent pendant

Dimensions: 9" Ø, 5.75"
Materials: solid wood, polymer
Product weight: 3 lb
Light source: integrated LED
Light output: 345 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 3.2 W
Dimmable (see driver below)
Driver location: must be housed in J-box
Driver dimensions: 2" x 1.3" x 1", included
Brushed aluminum (CM-006) low-profile square canopy with white braided cord included
Canopy dimensions: 4.5" x 4.5", 0.38"
External LED driver (2.25" x 1.5" x 1")
Accent pendants can be clustered by using multi-point round canopy or multi-point linear canopy
See website for more canopy information
6'-0" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change

Wood grain will vary
Specifications subject to change

 **MATERIAL & FINISH OPTIONS**

Mica L part # 06-180-


Wood Body walnut (CM-001) dark stained walnut (CM-002)	W D
Lamping 2700 K LED 3500 K LED medium base E26 socket	27 35 MB
Driver (LED version only) 120-277 V AC input voltage 0-10 V dimming TRIAC and ELV dimming at 120 V AC only	P1

Includes
frosted polymer (CM-024)

Mica part # 06-160-

Wood Body walnut (CM-001) dark stained walnut (CM-002)	W D
Lamping 2700 K LED 3500 K LED	27 35
Driver 120 V AC input voltage ELV dimming only	P1


Includes
frosted polymer (CM-024)



The Mica is simply a cube, which has been carefully deconstructed to a sculptural state. By way of the fixture's orientation and petal material composition, it exudes a certain organic symmetry. The Mica accent pendant acts as a beautiful node, creating a sense of space marked with an ambient glow.

Nick Sheridan
Designer


Levis
accent pendant



Dimensions: 5.3" Ø, 5.5" H
Materials: polymer, veneer and aluminum options
Product weight: 1 lb
Energy efficient LED light source
Light output: 345 Lumens (source)
Light color: 2700 K (warm) or 3500 K (cool)
Color accuracy: 90+ CRI
LED power consumption: 3.2W
Dimmable (see driver below)
Driver location: must be housed in J-box
Driver dimensions: 2" x 1.3" x 1", included
Brushed aluminum (CM-006) Low-Profile Square Canopy included
Canopy dimensions: 4.5" x 4.5", 0.38"
Must use included external LED driver (2.25" x 1.5" x 1")
Accent pendants can be clustered by using Multi-Point Round Canopy or Multi-Point Linear Canopy
See website for more canopy information
6'-0" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



Levis L
pendant



Dimensions: 10.6" Ø, 11.1"
Materials: polymer, veneer and aluminum options
Product weight: 7 lb
Suitable for a sloped ceiling

Integrated LED Specifications
Light output: 1250 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
Brushed aluminum (CM-006) extended-profile square canopy with white braided cord included
Canopy dimensions: 4.5" x 4.5", 1.63"
Canopy required to house LED driver (3.3" x 1.6" x 1.0")
See website for more canopy information
6'-0" drop length, field adjustable


Medium Base Specifications
Lamping: E26 base, type A lamp, 60 W max
Input voltage: 250 V AC Max
White (CM-060) low-profile round canopy with clear SVT cord included
Canopy dimensions: 5"Ø, 0.3"
6'-0" drop length, field adjustable

Specifications subject to change




MATERIAL & FINISH OPTIONS

Levis accent part # 06-100-		-
<i>Shade</i> frosted polymer (CM-024) beech wood veneer (CM-019) brushed aluminum (CM-012)	F	
	B	
	A	
<i>Lamping</i> 2700 K LED 3500 K LED	27	
	35	
<i>Driver</i> 120 V AC input voltage ELV dimming only	P1	



MATERIAL & FINISH OPTIONS

Levis L part # 06-170-		-
<i>Shade</i> frosted polymer (CM-024) beech wood veneer (CM-019) brushed aluminum (CM-012)	F	
	B	
	A	
<i>Lamping</i> 2700 K LED 3500 K LED medium base E26 socket	27	
	35	
<i>Driver (LED version only)</i> 120-277 V AC input voltage 0-10 V dimming TRIAC and ELV dimming at 120 V AC only	P1	




The Levis is simple and clean at first glance: complex upon closer review. The rhythm in the facets gives a dynamic feel from different vantage points, creating a sophistication to its presence.

Nick Sheridan
Designer




Salix, brushed aluminum

Salix
accent pendant



Dimensions: 7.5" x 7.5", 9.0"
Materials: solid wood, polymer, aluminum
Product weight: 3 lb
Light source: integrated LED
Light output: 345 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 3.2 W
Dimmable (see driver below)
Driver location: must be housed in J-box
Driver dimensions: 2" x 1.3" x 1", included
Brushed aluminum (CM-006) low-profile square canopy with white braided cord included
Canopy dimensions: 4.5" x 4.5", 0.38"
Must use included external LED driver (2.25" x 1.5" x 1")
Accent pendants can be clustered by using multi-point round canopy or multi-point linear canopy
See website for more canopy information
6'-0" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



low-profile square canopy

MATERIAL & FINISH OPTIONS

Salix part # 06-120-W		A	-
<i>Wood Body</i> walnut (CM-001)	W		
<i>Metal Finish</i> brushed aluminum (CM-012)	A		
<i>Lamping</i> 2700 K LED 3500 K LED	27		
	35		
<i>Driver</i> 120VAC input voltage ELV dimming only	P1		

Includes
frosted polymer (CM-024)






The Plura is a simple, straight forward fixture that is excellently executed. With the Plura it was about resolving the seams and edges and their relationships to one another. The result is a scalable fixture that has a sharp, sophisticated feel.

Nick Sheridan
Designer


BOBBY BERK INTERIORS AND DESIGN




Plura 36 Pendant, walnut



Plura 18 and Plura 24 low-profile round canopy with white SVT
Plura 30 GU-24 Base Sockets low-profile round canopy clear SPT with steel cable
Plura 30 Integrated LED extended round canopy, clear SPT with steel cable
Plura 36 8" round canopy clear SPT with four 1/16" Ø steel cables



Plura
pendant



Dimensions:
Plura 18: 18" Ø, 6.4"
Plura 24: 24" Ø, 6.4"
Plura 30: 30" Ø, 8.4"
Plura 36: 36" Ø, 10.4"
Materials: solid wood, polymer
Product weight:
Plura 18: 5 lb
Plura 24: 6 lb
Plura 30: 9 lb
Plura 36: 13 lb

Integrated LED Specifications
Light output:
Plura 18 & 24: 1690 Lumens (source)
Plura 30 & 36: 2815 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage:
Plura 18 & 24: 19.5 W
Plura 30 & 36: 32.5 W
Dimmable (see driver below)
Plura 18 & 24 driver location: must be housed in J-box
Driver dimensions: 3.3" x 1.6" x 1", included
Plura 30 & 36 driver location: housed in canopy


GU-24 Base Specifications
Light source:
Plura 18 & 24: 2x GU-24 base socket
Plura 30 & 36: 4x GU-24 base socket
Lamping:
Plura 18 & 24: 2x GU-24 base, 18 W max each
Plura 30 & 36: 4x GU-24 base, 18 W max each
Bulbs not included
Input voltage: 300 V AC max

96" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Plura pendant part # 06-230-			
Ø:			
18" Ø	18		
24" Ø	24		
30" Ø	30		
36" Ø	36		
Wood Body			
walnut (CM-001)	W		
dark stained walnut (CM-002)	D		
white washed oak (CM-095)	O		
Shade Material			
frosted polymer (CM-051)	F		
matte black (CM-085)	B		
with matte white interior			
brushed aluminum (CM-012)	A		
brushed rose gold (CM-046)	G		
brushed brass (CM-047)	R		
distressed brass (CM-096)	D		
gloss white (CM-054)	W		
Lamping			
2700 K LED	27		
3500 K LED	35		
GU-24 base sockets	GU		
Driver (LED version only)			
120-277 V AC input voltage			
0-10 V dimming			
TRIAC and ELV dimming at 120 V AC only	P1		
Includes			
frosted polymer (CM-051)			








Plura 36 flush mount, walnut

The Plura is a simple, straight forward fixture that is excellently executed. With the Plura it was about resolving the seams and edges and their relationships to one another. The result is a scalable fixture that has a sharp, sophisticated feel.

Nick Sheridan
Designer

 white washed oak (CM-095)	 frosted polymer (CM-051)	 brushed rose gold (CM-046)	 gloss white (CM-054)
 walnut (CM-001)	 matte black (CM-085) with matte white interior	 brushed brass (CM-047)	
 dark stained walnut (CM-002)	 brushed aluminum (CM-012)	 distressed brass (CM-096)	

Plura
flush mount



Dimensions:
Plura 18: 18" Ø, 7.8"
Plura 24: 24" Ø, 7.8"
Plura 30: 30" Ø, 9.8"
Plura 36: 36" Ø, 11.8"
Materials: solid wood, metal, polymer
Product weight:
Plura 18: 5 lb
Plura 24: 6 lb
Plura 30: 9 lb
Plura 36: 13 lb

Integrated LED Specifications
Light output:
Plura 18 & 24: 1690 Lumens (source)
Plura 30 & 36: 2815 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage:
Plura 18 & 24: 19.5 W
Plura 30 & 36: 32.5 W
Dimmable (see driver below)

GU-24 Base Specifications
Light source:
Plura 18 & 24: 2x GU-24 base socket
Plura 30 & 36: 4x GU-24 base socket
Lamping:
Plura 18 & 24: 2x GU-24 base, 18 W max each
Plura 30 & 36: 4x GU-24 base, 18 W max each
Bulbs not included
Input voltage: 300 V AC max

Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



Emergency backup option available upon request
Also available in a pendant version

MATERIAL & FINISH OPTIONS

Plura flush mount part # 08-100-

Ø:	
18" Ø	18
24" Ø	24
30" Ø	30
36" Ø	36


Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
white washed oak (CM-095)	O

Shade Material	
frosted polymer (CM-051)	F
matte black (CM-085)	B
with matte white interior	
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
brushed brass (CM-047)	R
distressed brass (CM-096)	D
gloss white (CM-054)	W

Lamping	
2700 K LED	27
3500 K LED	35
GU-24 base sockets	GU

Driver (LED version only)	
120-277 V AC input voltage	
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	P1

Includes
frosted polymer (CM-051)



Outdoor Sconces



Tersus Outdoor



Calx Outdoor




Ansa Outdoor



Acuo Outdoor



Tersus Outdoor
sconce



Dimensions: 10.75" x 7.25" x 2.75" (3.5" concrete)
Product weight: 4 lb (9 lb concrete)
Light source: integrated LED
Light output: see options below
Light color options: 2700 K, 3000K, 3500 K, or 4000 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see options below)
UL listed for wet locations, suitable for use indoor and outdoors
Antique bronze and concrete finishes will vary
Antique bronze is a living finish and will change over time depending
on environmental conditions
Custom backlit address or room numbers available
Specifications subject to change
J-box centered behind fixture



MATERIAL & FINISH
OPTIONS

Tersus part # 03-242-

Shade Material		
white concrete (CM-104)	W	
black concrete (CM-105)	B	
marine grade brushed stainless steel (CM-102)	S	
antique bronze (CM-103)	R	
textured black powdercoat (CM-099)	K	
textured white powdercoat (CM-100)	Y	
matte grey powdercoat (CM-101)	G	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
Light Distribution and Driver Options		
Uplight & Downlight		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	P1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	PR	
Nondimmable		
Downlight Only - Dark Sky Compliant		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	D1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	DR	
Nondimmable		

Includes
marine grade brushed stainless steel (CM-102)
(except for Antique Bronze version)
2700 K & 3000 K downlight only options are dark sky compliant



Tersus Outdoor, antique bronze



Textured white powdercoat




Black concrete

Cerno's Tersus Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan
Designer

Calx Outdoor
sconce



Dimensions: 9.07" x 7.75" x 3.88"
Product weight: 2 lb
Light source: integrated LED
Light output: see options below
Light color options: 2700 K, 3000K, 3500 K, or 4000 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see options below)
UL listed for wet locations, suitable for use indoor and outdoors
Antique bronze finishes will vary
Antique bronze is a living finish and will change over time
depending on environmental conditions
Custom backlit address or room numbers available
Specifications subject to change
J-box centered behind fixture



MATERIAL & FINISH
OPTIONS


Calx Outdoor Sconce part # 03-244-

Shade Material		
marine grade brushed stainless steel (CM-102)	S	
antique bronze (CM-103)	R	
textured black powdercoat (CM-099)	K	
textured white powdercoat (CM-100)	Y	
matte grey powdercoat (CM-101)	G	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
Light Distribution and Driver Options		
Uplight & Downlight		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	P1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	PR	
Nondimmable		
Downlight Only - Dark Sky Compliant		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	D1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	DR	
Nondimmable		

2700 K & 3000 K downlight only options are dark sky compliant



textured white powdercoat



antique bronze



marine grade brushed stainless steel

Cerno's Calx Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan
Designer



marine grade brushed stainless steel (CM-102)



antique bronze (CM-103)




textured black powdercoat (CM-099)




textured white powdercoat (CM-100)



matte grey powdercoat (CM-101)



Ansa Outdoor
sconce



Dimensions: 19.25" x 6" x 3"
Product weight: 5 lb
Light source: integrated LED
Light output: see options below
Light color options: 2700 K, 3000K, 3500 K, or 4000 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see options below)
UL listed for wet locations, suitable for use indoor and outdoors
Antique bronze finishes will vary
Antique bronze is a living finish and will change over time
depending on environmental conditions
Custom backlit address or room numbers available
Specifications subject to change
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Ansa Outdoor part # 03-243-



marine grade brushed stainless steel (CM-102)



antique bronze (CM-103)



textured black powdercoat (CM-099)



textured white powdercoat (CM-100)



matte grey powdercoat (CM-101)

Shade Material

marine grade brushed stainless steel (CM-102) S
antique bronze (CM-103) R
textured black powdercoat (CM-099) K
textured white powdercoat (CM-100) Y
matte grey powdercoat (CM-101) G

Lamping

2700 K LED 27
3000 K LED 30
3500 K LED 35
4000 K LED 40


Light Distribution and Driver Options

Uplight & Downlight

120-277 V AC input voltage
Standard output - 1130 Lumens (source) P1
0-10 V dimming
TRIAC and ELV dimming at 120 V AC only
Reduced output - 540 Lumens (source) PR
Nondimmable



antique bronze



matte grey powdercoat




white powdercoat

Cerno's Ansa Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan
Designer

Acuo Outdoor
sconce



Dimensions: 16.5" x 7.06" x 4"
Product weight: 6 lb
Light source: integrated LED
Light output: see options below
Light color options: 2700 K, 3000K, 3500 K, or 4000 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see options below)
UL listed for wet locations, suitable for use indoor and outdoors
Specifications subject to change
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Acuo Outdoor part # 03-241-

Shade Material

textured black powdercoat (CM-099) K
textured white powdercoat (CM-100) Y
matte grey powdercoat (CM-101) G

Lamping

2700 K LED 27
3000 K LED 30
3500 K LED 35
4000 K LED 40

Light Distribution and Driver Options

Uplight & Downlight


120-277 V AC input voltage
Standard output - 1130 Lumens (source) P1
0-10 V dimming
TRIAC and ELV dimming at 120 V AC only
Reduced output - 540 Lumens (source) PR
Nondimmable

Includes

frosted polymer (CM-024)



textured black powdercoat (CM-099)



textured white powdercoat (CM-100)



matte grey powdercoat (CM-101)



Powdercoat Black





matte grey powdercoat




powdercoat white

Cerno's Acuo Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.


Nick Sheridan
Designer




Sconces




Talea



Talea




Tersus




Sedo



Via




Calx Sconce




Ansa




Ansa



Vesper




Vesper




Fortis



Claudo Sconce



Acuo




Acuo




Cubo



Libri



Capiro family



Oris




Tersus Outdoor



Levo



Talea, burlap shade, walnut body, textured black powdercoat



white linen shade, dark stained walnut, brushed aluminum




black amaretto shade, dark stained walnut, textured black powdercoat



The adaptive and interactive features of the Talea introduced exciting challenges to the design process. I believe we found a balance that allows this fixture to thrive in a range of spaces and different applications. I am really pleased with how the design language turned out, specifically how the expressive hinge suggests its ability to swing, and how the wood to metal arm detailing suggests the arm can telescope. It's a beautiful mixture of utility and elegance.

Nick Sheridan
Designer

Talea articulate wall sconce



Dimensions: 18.38" x 5" x 34.75", 15" Ø shade
Materials: solid wood, metal
Product weight: 5 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
Bulb not included
Input voltage: 250 V AC max
Clear SVT-3 cord included
Top and bottom diffusers included (CM-051)
Wood grain will vary
Specifications subject to change
Patent No.: US D846,180 S



SWING ARM LENGTH

Arm length (from the wall to center of shade)
can be adjusted between 18" and 27"

DROP LENGTH

Max drop length from tip of extended arm to top
of shade is 36"

SWING ARM ROTATION

Adjustable resistance in pivot hinge

MATERIAL & FINISH OPTIONS

Talea part # 03-210-

Metal Finish

brushed aluminum (CM-006) A
textured black powdercoat (CM-049) B

Wood Body

walnut (CM-001) W
dark stained walnut (CM-002) D

Fabric Shade

burlap (CM-017) N
white linen (CM-016) L
black amaretto (CM-018) A


Includes

frosted polymer diffuser (CM-051)

For additional products that utilize the swing arm
bracket, please see our Motus Swing Arm Bracket
on page 78




brushed aluminum
(CM-006)



textured black
(CM-049)



walnut
(CM-001)



dark stained walnut
(CM-002)




burlap
(CM-017)




white linen
(CM-016)



black amaretto
(CM-018)



Via
sconce or ceiling flush mount



Dimensions: 18" x 6" x 4"
Materials: solid wood, polymer
Product weight: 2 lb

Integral LED Specifications
Light output: 500 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 7 W
Dimmable (see driver below)
Input voltage: 24 V DC (driver included)
Driver location: must be housed in J-box
Driver dimensions: 3" x 1.5" x 1"
Mounting: ceiling or wall

Candelabra Base Specifications
Lamping: 2x candelabra E12 base sockets,
10 W max each (bulbs not included)
Select bulbs can achieve over 500 lumens each
Input voltage: 120 V AC max
Mounting: wall only



MATERIAL & FINISH OPTIONS

Via part # 03-190-	
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping	
2700 K LED	27
3500 K LED	35
Candelabra E12 socket	CB
Driver (LED version only)	
120 V AC input voltage	P1
TRIAC, ELV & 0-10V dimming	
277 V AC input voltage	P2
TRIAC, ELV & 0-10V dimming	

Includes
frosted polymer (CM-051)

Inquire about other input voltages
Emergency backup option available upon request



Via, walnut, candelabra E12 socket



Via, walnut, LED




Via ceiling flushmount, walnut, LED

*The Via has an understated geometry with sophisticated detailing and proportion
The substantial glowing volume of the Via is punctuated by a thin plane of rich American
walnut striking a balance and harmony.*

Nick Sheridan
Designer

Calx
sconce



Dimensions: 8" x 9" x 4"
Materials: wood, metal
Product weight: 2 lb
Light source: integrated LED
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx sconce part # 03-138-	
Metal Finish	
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
brushed brass (CM-047)	R
Wood Finish	
walnut (CM-055)	W
dark stained walnut (CM-056)	D
Lamping	
2700 K LED	27
3500 K LED	35
Driver	
120-277 V AC input voltage	P1
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	

Calx pendants also available. [Click here.](#)



brushed aluminum
(CM-012)



brushed rose gold
(CM-046)



brushed brass
(CM-047)



walnut
(CM-055)



dark stained walnut
(CM-056)




Calx, walnut, brushed brass




*Inspired by the Calx pendant, the materials and method inform the design greatly. While the
Calx sconce is clean and simple, it also offers a beautiful texture and subtle complexity to a wall.*

Nick Sheridan
Designer



* LED version only

Penna 16 / Penna 40 / Penna 64
sconce



Penna 16 dimensions: 16.5" x 7.7" x 3.5"
Penna 40 dimensions: 40.5" x 7.7" x 3.5"
Penna 64 dimensions: 64.5" x 7.7" x 3.5"

Penna 16 weight: 4 lb
Penna 40 weight: 6 lb
Penna 64 weight: 9 lb

Light source: integrated LED

Penna 16 light output: 510 Lumens (source)

Penna 40 light output: 1530 Lumens (source)

Penna 64 light output: 2550 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Penna 16 power usage: 7 W

Penna 40 power usage: 21 W

Penna 64 power usage: 35 W

Dimmable (see driver below)

Wood grain will vary

Specifications subject to change



MATERIAL & FINISH OPTIONS

Penna sconce part # 03-220-

Penna 16
Penna 40
Penna 64

Metal Finish

brushed brass (CM-008)

distressed brass (CM-009)

Wood Body

walnut (CM-001)

dark stained walnut (CM-002)

Lamping

2700 K LED

3500 K LED

Driver

120 V AC input voltage

TRIAC, ELV & 0-10 V dimming

277 V AC input voltage

TRIAC, ELV & 0-10 V dimming

Includes

frosted polymer (CM-057)



brushed brass
(CM-008)



walnut
(CM-001)



distressed brass
(CM-009)





dark stained walnut
(CM-002)



On our Cerno journey, we continue to evolve as designers and craftsman. The Penna is a celebration of us drawing and reflecting on our last ten years. This design is an embodiment of all the lessons that we have learned from designing and building thousands of lights. This fixture balances utility and sophisticated beauty well. The walnut, brass, and leather work in concert to compose a modern form with materials that have been used for thousands of years.


Nick Sheridan
Designer



The Vesper is a very simple geometric sculpture composed of brushed aluminum, American black walnut, and white polymer. The light not only washes up and down the wall but also filters out through the composition, exhibiting the fixture's depth in three dimensions.

Nick Sheridan
Designer

Vesper
sconce



Dimensions: 15" x 8" x 4"

Materials: solid wood, polymer, aluminum

Product weight: 4 lbs

Light source: integrated LED

Light output: 1130 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

LED power consumption: 13W

Dimmable (see driver below)

ADA compliant hotel room signage with tactile numbering and corresponding braille available

Wood grain will vary

Specifications subject to change



walnut
(CM-001)



dark stained walnut
(CM-002)

MATERIAL & FINISH OPTIONS

Vesper part # 03-132-

Wood Body

walnut (CM-001)

dark stained walnut (CM-002)

Lamping

2700 K LED

3500 K LED

Driver

120-277 V AC input voltage

0-10V dimming



TRIAC and ELV dimming at

120 V AC only


Includes

frosted polymer (CM-024)


brushed aluminum (CM-006)



Acuo
sconce



walnut
(CM-001)



dark stained walnut
(CM-002)



brushed aluminum
(CM-006)

Dimensions: 16.5" x 6" x 4"
Materials: solid wood, polymer, aluminum
Product weight:
3 lb (CM-001/CM-002)
5 lb (CM-006)
Integrated LED Specifications
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)

GU-24 Base Specifications
Lamping: 2x GU-24 base sockets, 18 W max each
Input voltage: 300 V AC max

ADA compliant hotel room signage with tactile
numbering and corresponding braille available

Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Acuo part # 03-130-	
<i>Body</i>	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
brushed aluminum (CM-006)	A
<i>Lamping</i>	
2700 K LED	27
3500 K LED	35
GU-24 base sockets	GU
<i>Driver (LED version only)</i>	
120-277 V AC input voltage	
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	P1

Includes
frosted polymer (CM-024)

J-box centered behind wood/aluminum body



Acuo, walnut



Acuo, walnut



Acuo, brushed aluminum

It's a 3 sided box, which has been carefully deconstructed to a sculptural state. The careful composition of overlap and void create interest and complexity to a very straightforward, well-functioning wall sconce. The tectonic disconnection in form allows you to witness the solid American black walnut's grain as it travels through each solid block.


Nick Sheridan
Designer

Emergency backup option available upon request, requires oversized J-box.




Acuo, walnut

SARAH GALLOP INTERIOR DESIGN PHOTO BY PAUL GRDINA



Capio S
sconce



Dimensions: 17" x 6" x 4"
Materials: solid wood, polymer
Product weight: 4 lb
Light source: integrated LED
Light output: 500 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 7 W
Dimmable (see driver below)
Input voltage: 24 V DC (driver included)
Driver location: must be housed in J-box
Driver dimensions: 2.6" x 1.3" x 0.8"ADA
compliant hotel room signage with tactile
numbering and corresponding braille available
Wood grain will vary
Specifications subject to change




MATERIAL & FINISH OPTIONS

Capio S part # 03-180- S

Wood Body

walnut (CM-001)
dark stained walnut (CM-002)
maple (CM-005)



Lamping

2700 K LED
3500 K LED


Driver

120 V AC input voltage
TRIAC, ELV & 0-10 V dimming
277 V AC input voltage
TRIAC, ELV & 0-10 V dimming

Includes

frosted polymer (CM-024)

Capio L
sconce



Dimensions: 28.5" x 6" x 4"
Materials: solid wood, polymer
Product weight: 7 lb
Light source: integrated LED
Light output: 1000 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 14 W
Dimmable (see driver below)
Input voltage: 24 V DC (driver included)
Driver location: must be housed in J-box
Driver dimensions: 3" x 1.5" x 1"
ADA compliant hotel room signage with tactile
numbering and corresponding braille available
Wood grain will vary
Specifications subject to change




MATERIAL & FINISH OPTIONS

Capio L part # 03-180- L

Wood Body

walnut (CM-001)
dark stained walnut (CM-002)
maple (CM-005)



Lamping

2700 K LED
3500 K LED

Driver


120 V AC input voltage
TRIAC, ELV & 0-10 V dimming
277 V AC input voltage
TRIAC, ELV & 0-10 V dimming

Includes

frosted polymer (CM-024)



Capio S, Capio L, walnut



dark stained walnut
(CM-002)



walnut
(CM-001)



maple
(CM-005)



Capio L, maple Capio L, walnut

The Capio is an exercise in restraint and efficiency consisting of just two solid wood sides that capture a single light diffusing lens. The clean and simple design allows for horizontal or vertical mounting as well as compelling compositions when used in multiples.

Nick Sheridan
Designer

Emergency backup option available upon request, requires oversized J-box.



Oris, walnut



Oris, walnut




walnut
(CM-001)



dark stained walnut
(CM-002)


Oris
sconce



Dimensions: 24" x 10.5" x 4"
Materials: solid wood, polymer, aluminum
Product weight: 6 lbs
Light source: integrated LED
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
LED power consumption: 13W
Dimmable (see driver below)
ADA compliant hotel room signage with tactile
numbering and corresponding braille available
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS



Metal Finish

brushed aluminum (CM-006)

Wood Body

walnut (CM-001)
dark stained walnut (CM-002)

Lamping

2700 K LED
3500 K LED

Driver

120-277 V AC input voltage
0-10V dimming
TRIAC and ELV dimming at
120 V AC only



Includes

frosted polymer (CM-024)

The Oris has a strong and commanding presence with its highly architectonic form. The thick solid stock walnut and solid aluminum central fin give the Oris a feeling of permanence and integration into the surrounding architecture. The simple asymmetrical composition adds an understated complexity, as well as excellent illumination, to any wall.


Nick Sheridan
Designer

Emergency backup option available upon request, requires oversized J-box.





Tersus
sconce



Dimensions: 10.75" x 7.25" x 2.75" (*3.13" marble)
Materials: solid wood, polymer, metal option, stone option
Product weight: 2 lb (5 lb marble)
Light source: integrated LED
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
Wood grain and stone will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Tersus part # 03-136-

WOOD		walnut (CM-001)	W
		dark stained walnut (CM-002)	D
		maple (CM-005)	M
METAL VENEER		brushed rose gold, walnut	
		brushed rose gold, dark stained walnut	
		brushed rose gold, maple	
METAL VENEER		brushed brass, walnut	
		brushed brass, dark stained walnut	
		brushed brass, maple	
CARRARA		brushed aluminum, walnut	
		brushed aluminum, dark stained walnut	
		brushed aluminum, maple	
CARRARA		carrara marble, walnut	
		carrara marble, dark stained walnut	
		carrara marble, maple	

Optional Face Material
brushed aluminum (CM-012) A
brushed rose gold (CM-046) G
brushed brass (CM-047) R
carrara marble (CM-078) C
none (leave blank)

Lamping
2700 K LED 27
3500 K LED 35

Driver
120-277 V AC input voltage
0-10V dimming
TRIAC and ELV dimming at 120 V AC only P1

Includes
frosted polymer (CM-024)


J-box centered behind fixture

The Tersus is an example of the simplest form unlocking a myriad of design possibilities. The long reaching light pattern cast on the wall coupled with the numerous finishes and materials offered makes the Tersus well versed for all kinds of compositions and applications.


Nick Sheridan
Designer



Tersus, walnut, carrara marble




Tersus, walnut, rose gold



Tersus, dark stained walnut

Sedo
sconce



Dimensions: 36" x 14" x 4"
Materials: solid wood, polymer
Product weight: 6 lbs
Light source: integrated LED
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
ADA compliant hotel room signage with tactile numbering and corresponding braille available
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Sedo part # 03-133-

Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120-277 V AC input voltage 0-10 V dimming TRIAC and ELV dimming at 120 V AC only	P1

Includes
frosted polymer (CM-024)



walnut (CM-001)



dark stained walnut (CM-002)




Sedo, walnut

The Sedo is composed of just three floating planes all kept parallel to the wall. This simple composition cloaks the light engine from view and filters the light as it is delivered far up and down the wall. It's this wall grazing and diffuser glow that gives the Sedo a strong architectural presence.

Nick Sheridan
Designer

Emergency backup option available upon request, requires oversized J-box.





Ansa, distressed brass




Ansa, distressed brass



brushed aluminum brushed brass distressed brass oiled bronze

Ansa
sconce





Dimensions: 15.5" x 5" x 2.4"
Materials: metal, polymer
Product weight: 3 lbs
Light source: integrated LED
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
Specifications subject to change



MATERIAL & FINISH OPTIONS


Ansa part # 03-137 -		-
Body		
brushed aluminum (CM-006)	A	
brushed brass (CM-008)	R	
distressed brass (CM-009)	D	
oiled bronze (CM-010)	Z	
Lamping		
2700 K LED	27	
3500 K LED	35	
120-277 V AC input voltage		
0-10V dimming		
TRIAC and ELV dimming at 120 V AC only	P1	

Includes
frosted polymer (CM-024)
J-box centered behind fixture



in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE

Fortis
sconce



Dimensions: 12.5" x 7.5" x 3.75"
Materials: solid wood, metal,
artisan glass option, marble option
Product weight: 10 lb
Light source: integrated LED
Light output: 565 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 7 W
Dimmable (see driver below)
Wood grain, bubbles in glass, and stone will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Fortis part # 03-170-

Metal Finish

brushed brass (CM-008) R
distressed brass (CM-009) D
oiled bronze (CM-010) Z
brushed aluminum (CM-006) A

Wood Finish

walnut (CM-001) W
dark stained walnut (CM-002) D

Diffuser

artisan bubble glass (CM-059) B
carrara marble (CM-078) C

Lamping

2700 K LED 27
3500 K LED 35

Driver

120 V AC input voltage
TRIAC & ELV dimming P1
277 V AC input voltage
0-10V dimming P2

J-box centered behind metal plate



Fortis, dark stained walnut, carrara marble, oiled bronze



dark stained walnut, artisan glass, brushed brass



dark stained walnut, artisan glass, oiled bronze

The Fortis wall sconce is a great example of the collaborative design process. The initial concept from the New York based Desiron was refined over many iterations. We then worked with the local Southern California artisan glass company Siemon & Salazar to achieve a very specific bubbled glass lens that diffuses the light. It is a strong and sophisticated display of three elements: a piece of metal, a piece of wood, and a piece of glass all beautifully showcased in light.

Nick Sheridan
Co-Designer




Claudio, walnut

The Claudio sconce showcases the beautiful natural walnut wood grain and sets it against the rigorous slits cut in each face as they wrap around the simple, clean shade form. A beautiful glow emanates from each slit, showing the striking rectilinear composition, in which all three sides are unique.

Nick Sheridan
Designer

Claudio
sconce



Dimensions: 8.5" x 5.5" x 3.75"
Materials: solid wood, polymer
Product weight: 4 lb
Light source: integrated LED
Light output: 1130 Lumens (source)
Light color: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Claudio sconce part # 03-150-

Wood Body

walnut (CM-050) W
dark stained walnut (CM-002) D

Lamping

2700 K LED 27
3500 K LED 35

120-277 V AC input voltage
0-10V dimming
TRIAC and ELV dimming at
120 V AC only P1

Includes


frosted polymer (CM-024)

J-box centered behind fixture



Also available in a pendant version, see page 41



walnut
(CM-050)




dark stained walnut
(CM-002)



Necessity is the mother of invention, and in this case illuminated activities in bed need highly controlled light — provided here without compromise, while still delivering a simple, clean wall sconce with ambient light — all in one fixture! — and it leaves your nightstand clutter free! Now that is modern.

Nick Sheridan
Designer


Cubo
bedside wall sconce/reading lamp hybrid



Dimensions: 18" x 9" x 3", 22.5" articulating arm
Materials: solid wood, aluminum, polymer
Product weight: 3 lb
Full arm and light head articulation
Light source: integrated LED
Light output: 345 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 3.2 W
Dimmable on fixture
Input voltage: 12 V DC (adapter included)
Hardwired and corded versions available
Hardwired model includes an external power adapter (3" x 1.63" x 1.25")
Requires space in J-box for included power adapter
Wood grain will vary
Specifications subject to change




OPTIONS



Includes
solid walnut body (CM-001)
aluminum arms (CM-006)
frosted polymer shade

Alternate voltage / plug styles available

*Hardwired installation uses a standard 3" round plaster ring and requires room in the j box for the included external power supply.
Get installation instructions at www.cernogroup.com



Cubo, right model



Libri, right model



Left model, aluminum fixture, hardwired with walnut wall mount plug-in backplate mounting kit




Left model, aluminum fixture, hardwired with walnut J-box plug-in backplate mounting kit



Left model, aluminum fixture, hardwired with aluminum J-box plug-in backplate mounting kit


Libri
bedside sconce reading light



Dimensions: 10.5" x 1.5" x 1.2"
Materials: aluminum, polymer, optional solid wood mounting
Product weight: 1 lb
Light source: integrated LED
Light output: 160 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 2 W
Automatic ON/OFF when arm is pulled away from wall
Specifications subject to change




MATERIAL & FINISH OPTIONS



Alternate voltage / plug styles available
J-box centered behind fixture

DIRECTION



INSTALLATION


*Hardwired installation requires room in the J-box for the included external power adapter (2" x 1" x 1.25"). Typically mounting kit is used.
See mounting options on this page

The Libri is about function and ease: an extremely articulate directional task light in a discrete and sturdy form that is very intuitive to use.

Nick Sheridan,
Designer

MOUNTING OPTIONS

Mounting kits are sold separately from the Libri fixture.
No Mounting kit is required if the Libri fixture is to be installed using the Direct Mount option.




Direct Mount


Direct mount option is used when mounting directly to a headboard. There is no backplate and the cord must be fed through a hole in the headboard directly behind where the fixture is mounted and plugged into a wall outlet using the included AC adapter.

Libri Mounting Kit
sconce backplate


J-box Backplate: Mounting Kit (3)
J-box backplate is typically used when mounting to a J-box. Hardwired installation requires room in the J-box for the included external power adapter (2" x 1" x 1.25").



Wall Mount Plug-in Backplate: Mounting Kit (1, 2)
Wall mount plug-in backplate is used when mounting directly to the wall and plugging into a wall outlet. The wall mount is an elongated rectangle that allows the cord to exit discreetly below the fixture.



MOUNTING KIT OPTIONS






Levo, walnut

REDDYMADE ARCHITECTURE AND DESIGN



Levo
bedside wall sconce/reading
lamp hybrid with USB charger




Dimensions: 10" x 16" x 3.25"
Materials: solid wood, aluminum, polymer
Product weight: 3 lb
Light source: 2x integrated LED
Static sconce light + swim arm
with rotating head light
Light output of static sconce source:
565 Lumens (source)
Light output of swing arm source:
160 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 20 W total (10 W USB charger)
USB charge current: 2 A
Fully dimmable static sconce light with
Automatic ON/OFF swing arm light source
Swing arm light is not dimmable
Input voltage: 12 V DC (adapter included)
Hardwired and corded versions available
Hardwired model includes an external power
supply (2.75" x 1.63" x 1.13")
Requires space in J-box for included power adapter
Alternate voltage/plug styles available
Hardwired adapter input voltage: 120-277 V AC
Corded adapter input voltage: 120 V AC
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Levo part # 03-120-


Direction
left model
right model



Installation
hardwired
corded

Includes
solid walnut body (CM-001)
brushed aluminum (CM-006)
frosted polymer (CM-024)

Alternate voltage / plug styles available



Levo Shelf Option




The introduction of the optional shelf for the Levo increases the utility of this fixture without compromising any aspect of the design. The shelf provides a perfect place to rest your phone or tablet while charging it. It is important to note that shelf is purchased separately from the Levo and can be retrofitted on existing Levos.


MATERIAL & FINISH OPTIONS

Levo Shelf part # 60-220-

Direction
left model
right model



Includes
solid walnut shelf (CM-001)
brushed aluminum (CM-006)



left model with shelf option


The goal for the Levo was to create a bedside wall fixture with great task lighting articulation that was intuitive enough to be used without prior knowledge of the fixture: all the while making it slender, sexy, and very robust.

Nick Sheridan,
Designer

Table



Forma



Nauta



Silva




Macto




in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE

Forma Table
desk/table



Dimensions: 15" Ø shade, 31"
Materials: solid wood, aluminum, fabric shade
Product weight: 10 lb
Light source: medium base E26 socket
Lamping: E26 base, type A lamp, 60 W max
Input voltage: 120 V AC max
Dimmable on fixture
Wood grain will vary
Specifications subject to change

 Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Forma Table part # 02-150-		
<i>Metal Finish</i>		
brushed aluminum (CM-006)	A	
black anodized aluminum (CM-007)	B	
<i>Wood Body</i>		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
<i>Shade</i>		
black amaretto (CM-018)	A	
white linen (CM-016)	L	
burlap (CM-017)	N	

Alternate voltage / plug styles available
Also available as a Floor Lamp, See page 16



Forma Table, walnut, black anodized aluminum,white linen




Being our most traditional fixture, Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma table, and its likeness to the Forma floor lamp.

Nick Sheridan
Co-Designer




walnut, brushed brass,burlap



Efficiency and simplicity guided the design process for the Nauta table lamp. We designed the Forma several years ago with Frank Carfaro of Desiron, which profoundly influenced the Nauta's form. Our goal was to distill the Forma design without compromising it. The Nauta is clean, modern, and priced competitively.

Nick Sheridan
Designer

Nauta Table
desk/table



Dimensions: 12" Ø, 28"
Materials: solid wood, aluminum, fabric shade
Product weight: 3 lb
Light source: medium base E26 socket
Lamping: E26 base, 60 W max
Input voltage: 250 V AC max
Includes 8' clear silver cord with white plug
On/Off rocker switch on socket
Wood grain will vary
Specifications subject to change



Included dimmable LED A19 bulb
Light output: 800 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 11 W

MATERIAL & FINISH OPTIONS


Nauta Table part # 02-160-		
<i>Metal Finish</i>		
brushed aluminum (CM-006)	A	
brushed brass (CM-008)*	R	
<i>Wood Body</i>		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
<i>Shade</i>		
black amaretto (CM-018)	A	
white linen (CM-016)	L	
burlap (CM-017)	N	

*Brass shade support arms feature wood plug in end of arm

in collaboration with
DESIRON FRANK CARFARO
HAND CRAFTED AMERICAN FURNITURE



Silva
desk/table



Dimensions: 12" x 9.5", 21.5"
Materials: solid wood, aluminum, bent shade
Articulating head
Product weight: 2 lb
Light source: integrated LED
Light output: 565 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 7 W
Input voltage: 12V DC (adapter included)
White braided cord
Dimmable on fixture
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Silva part # 02-100- A

Metal Finish
brushed aluminum (CM-006)

Wood Body
walnut (CM-001)
dark stained walnut (CM-002)

Bent Shade
beech wood veneer (CM-019)
ebony eco veneer (CM-020)
white linen (CM-058)

Alternate voltage / plug styles available
Also available in two larger versions



Silva Table, walnut, white linen



dark stained walnut,
ebony eco veneer


walnut,
white linen

dark stained walnut,
beech wood veneer

The structural connection between metal and wood was the inspiration here, where the fixture's stance is only strengthened by gravity. The tri-leg base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan
Designer

Macto
desk/task



Dimensions: 3.5" x 3.5", 17" arm reach
Materials: solid wood, aluminum arm
Product weight: 5 lb
Light source: integrated LED
Light output: 345 Lumens (source)
Light color: 2700 K
Color accuracy: 90+ CRI
Power usage: 3.2 W
Input voltage: 12V DC (adapter included)
Black braided cord
Dimmable on fixture
Wood grain will vary
Specifications subject to change



MATERIAL & FINISH OPTIONS

Macto part # 02-140- A

Metal Finish
brushed aluminum (CM-006)

Wood Body
walnut (CM-001)
dark stained walnut (CM-002)

Alternate voltage / plug styles available



walnut
(CM-001)



dark stained walnut
(CM-002)



Macto, walnut

The Macto showcases the breathtaking natural beauty of the solid walnut base. Only in a truly solid piece of wood can you see the fascinating way that the grain changes as it passes from face to face. Great reach and articulation make the Macto an extremely functional and versatile fixture: while its form and composition are kept remarkably simple.


Nick Sheridan
Designer



Artist: Roy Nachum

STACI RUIZ LIGHTING CONSULTANT PHOTO BY ARI BURLING

Revelite AL art light



The Revelite AL brings art to life. A challenge resolved by a slim luminaire that discreetly and evenly illuminates an artwork surface with beautiful color rendering accuracy.

CUSTOMIZED

Each AL is custom built and factory calibrated for an artwork's specific dimensions, distributing even illumination across the full width and height of the surface.

HIGH COLOR ACCURACY

To accurately reflect the artist's vision, the LED light source was designed to provide full color spectrum lighting with a color rendering index over 90 and an R9 value of 83.

ART SAFE

Revelite AL's LED technology provides a much safer alternative to legacy sources that emit excessive and damaging UV and heat.

LOW PROFILE

The minimal form virtually disappears against the frame or wall and pairs well with various styles of art, including contemporary, photographs behind glass and more traditional works.

VISIT

www.revelite.com for detailed specifications and options.

US Patent # 7,070,293 and 9,134,004.

Other US and International Patents Pending.

These lights revealed subtleties in paintings you just don't see with ordinary lights. I think we are seeing, truly for the first time, what the artist really wanted us to see.

*Pat Trenton, Ph.D.
Art expert, curator and writer*



Guy Rose, Impressionist



Wolfgang Bloch, Contemporary




Tom Lamb, Photograph (behind glass)

Accessories



Motus Swing Arm Bracket
accessory



Dimensions: 18.38" x 5" x 26.8"
Materials: solid wood, metal
Product weight: 3 lb
Max suspension weight: 5 lb
Swing arm length can be adjusted from 18" to 27"
Max drop length from tip of extended arm to top of pendant is 36"
Swing arm rotation has adjustable resistance in pivot hinge
Wood grain will vary
Specifications subject to change
Patent No. : US D846,180 S



MATERIAL & FINISH OPTIONS

Motus Swing Arm Bracket part # 60-210-




brushed aluminum (CM-006)



textured black powder coat (CM-049)



walnut (CM-001)



dark stained walnut (CM-002)

Metal Finish
brushed aluminum (CM-006)
textured black powdercoat (CM-049)

Wood Body
walnut (CM-001)
dark stained walnut (CM-002)

Please see the Talea on page 51

How it works: Build your own fixture

Pick one of the pendants listed below and pair it with the Motus Swing Arm Bracket for a unique and versatile light fixture. To order, you will need to select a SKU for the pendant that you choose and a SKU for the Motus Swing Arm Bracket. The SKU builder for the Motus Swing Arm Bracket is above, and the SKU builders for the pendants are located on their respective tear sheets.



Motus with Levis Pendant



Motus with Plura 18



Motus with Calx 10



Motus with Claudio



Motus with Mica



Motus with Salix

Canopy Accessories



Multi-Point Round Canopy

For 3 accent pendants

Dimensions: 12"Ø, 1.25" H

MATERIAL & FINISH OPTIONS

12" Round Canopy part # 60-120-R

Finish
brushed aluminum (CM-006)
black anodized (CM-007)



Multi-Point Linear Canopy

For linear pendants or 2 or 3 accent pendants


Dimensions: 20.6" x 4", 1.3" H

MATERIAL & FINISH OPTIONS

Multi-Point Linear Canopy part # 60-130-

Finish
brushed aluminum (CM-006)
black anodized (CM-007)

Number of Holes
2 Holes (linear pendant) leave blank
3 Holes (pendant cluster)



Wood Canopy Cover

Fits over linear canopies except for Camur canopy (Camur wood canopy is on page 23)

Dimensions: 21" x 4.6", 1.75" H

MATERIAL & FINISH OPTIONS

Wood Canopy Cover part # 60-130-005

Finish
walnut (CM-001)
dark stained walnut (CM-002)

Number of Holes
2 Holes (linear pendant) leave blank
3 Holes (pendant cluster)



Hard Surface Shade



Beech Wood Veneer (CM-019)
Beech Wood Veneer



Ebony Eco Veneer (CM-020)
Ebony Eco Veneer

Fabric Shade



White Linen (CM-016)
White Linen w/ Lamp Shade Backer



White Linen (CM-058)
White Linen w/ Frosted Backer



Burlap (CM-017)
Burlap w/ Lamp Shade Backer



Black Amaretto (CM-018)
Black Amaretto Fabric w/ Lamp Shade Backer

Brushed Aluminum (CM-006)
Brushed Aluminum




Brushed Aluminum (CM-012)
Brushed Anodized Aluminum Veneer



Black Anodized Aluminum (CM-007)
Black Anodized Aluminum



Brushed Rose Gold (CM-046)
Brushed Rose Gold Anodized Aluminum Veneer



Brushed Brass (CM-047)
Brushed Brass Anodized Aluminum Veneer



Distressed Brass (CM-009)
Distressed Brass - Patina




Brushed Brass (CM-008)
Brushed Brass




Oiled Bronze (CM-010)
Oiled Bronze - Patina



Textured Black Powdercoat (CM-049)
Textured Black Powdercoat



Textured White Powdercoat (CM-060)
Textured White Powdercoat



Gloss White (CM-054)
White Powdercoat Aluminum Sheet




Metal


Wood




Walnut (CM-001)
Solid Oiled Walnut




Walnut (CM-055)
Oiled Walnut Veneer



Dark Stained Walnut (CM-002)
Solid Dark Stained Oiled Walnut



Dark Stained Walnut (CM-056)
Dark Stained Oiled Walnut Veneer



Double Dark Stained Walnut (CM-048)
Solid Lacquered Double Dark Stained Walnut




Maple (CM-005)
Solid Oiled Maple




White Washed Oak (CM-095)
Solid White Washed Oak


Polymer




Frosted Polymer (CM-051)
Frosted White Polycarbonate



Frosted Polymer (CM-057)
Frosted Polycarbonate



Frosted Polymer (CM-024)
Frosted Acrylic





Polymer (CM-052)
Natural Polyethylene

Stone

Artisan Bubble Glass

Carrara marble (CM-078)
carrara marble



artisan bubble glass (CM-059)

⚠ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

cerno®

D E S I G N E D A N D M A D E I N C A L I F O R N I A



cerno®
DESIGNED AND MADE IN CALIFORNIA

CERNO, 1751 MCGAW AVE, IRVINE, CA 92614 | 949.715.1534 | WWW.CERNOGROUP.COM