

cerno®



D E S I G N E D   A N D   M A D E   I N   C A L I F O R N I A





## BELIEF

With no backyards but access to beaches and idyllic doses of salt and sun, our business story began with the adventures of three boys. Laguna Beach's creative culture and natural environment shaped our professional and aesthetic ideals. Looking back it's now clear that our childhood projects and experiments grew into our best adventure yet: building Cerno.



## THE BEGINNING



*Cerno founders, 1998. Left to right: Nick Sheridan, Dan Wacholder, Bret Englander.*

Our drive and influences come from many different sources. One source that influenced all of us is Daniel's late grandfather, Steve. Steve grew up on a remote homestead where the existence of most objects depended on people's ability to create and fix them. For all of his 101 years, he embodied the saying "where there's a will, there's a way." On the California coast we were raised with this mentality and today we share it with the rest of the Cerno team.

## CERNO

- Verb (Latin)

1. To resolve, distinguish, decide, sift, determine, to perceive.







## OUR TEAM

Each finished product is a celebration of the inventive minds and industrious hands that brought it to life. Dreams do not manifest themselves; skilled people bring dreams to life. The passion of our steadily growing team and their commitment to the product is inspiring. We are grateful for every individual that is part of our collaborative creative process.


# Table of Contents

<b>Floor</b>	<b>9</b>	Plura Pendant	61
Fons 8 / Fons 10	10	<b>Flush Mount</b>	<b>63</b>
Valeo	11	Casia	65
Nauta Floor	14	Plura Flush Mount	69
Silva Floor	15	<b>Outdoor Sconces</b>	<b>71</b>
Forma	16	Tersus Outdoor	72
Altus	17	Calx Outdoor	73
Silva Giant	18	Ansa Outdoor	74
<b>Linear Pendants</b>	<b>21</b>	Acuo Outdoor	75
Lenis	23	<b>Vanity</b>	<b>77</b>
Arca	24	Allavo	78
Camur	25	Merus	79
Aeris 30 / Aeris 54	27	<b>Sconces</b>	<b>81</b>
Vix 34 / Vix 48	29	Talea	83
Penna Pendant	30	Via	84
Vix 82	31	Calx	85
Virga	32	Penna Sconce	86
Brevis 28 / Brevis 42	33	Vesper	87
<b>Pendants</b>	<b>35</b>	Acuo	88
Casia Pendant 14	36	Capio S	90
Casia Pendant 18	37	Capio L	90
Casia Pendant 22	39	Tersus	94
Cano	40	Sedo	95
Bimar	41	Ansa	97
Muto	42	Fortis	98
Astrum 11	43	Claudo	99
Astrum 17	45	Cubo	100
Imber 17 / Imber 24	46	Libri	101
Ignis 17 / Ignis 24	47	Levo	103
Ico	49	Levo Shelf Option	103
Calx 10 / Calx 19	50	<b>Table</b>	<b>105</b>
Calx 36	51	Forma Table	106
Veris 12	52	Nauta Table	107
Veris 22	53	Silva	108
Veris 34	55	Macto	109
Mica	57	<b>Revelite AL</b>	<b>111</b>
Mica L	57	Accessories	112
Levis	58	Motus Swing Arm Bracket	112
Levis L	58	Canopy Accessories	112
Salix	59	Finish and Material Options	113





## Floor



Fons Family



Valeo



Silva Giant



Silva Floor




Forma



Altus



Fons 8 / Fons 10  
floor



Dimensions: 25" Ø shade, 7'-4"  
Materials: solid wood, metal, linen shade  
Product weight: 65 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Includes 6'-0" clear silver cord with  
inline foot switch 24" from base  
Bottom diffuser included (CM-051)  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Fons part # 05-600-	A	W	L
Boom Arm brushed aluminum (CM-006)	A		
Wood Body walnut (CM-001)		W	
Fabric Shade white linen (CM-016)			L
Arm Length 8' 10'			E T

Includes  
stainless steel tension cable (CM-053)  
black powder coated steel base (CM-049)  
frosted polymer diffuser (CM-051)

Alternate voltage/plug styles are available




**ARM LENGTH**  
Available in 10'-8" and 8'-4" arm lengths  
Arm length is from back of base to center of shade  
Arm lengths are not adjustable

**SHADE HEIGHT**  
Shade height (floor to bottom edge of shade)  
can be adjusted between 6'-2" maximum and  
3'-9" minimum.


*The goal with the Fons was to minimize the structure and visual massing of the fixture while maximizing the reach or cantilever. The delicate boom arm, upheld by a tension cable, gently bends while reaching out to almost horizontal where it suspends the light. The structural design is an extremely effective way to resolve the forces associated with such a long reach. It is so effective and efficient that it seems to float with a weightlessness at the tip.*

Nick Sheridan  
Designer



*When reaching such a distance with a fixture, it is important that it feels visually efficient in its form but is still far from fragile, inviting one to linger under it. The adjustability in the reach and the height of the shade make it possible to custom fit the piece to its surroundings - an important characteristic for such a large piece.*


Nick Sheridan  
Designer



**ARM LENGTH**  
Arm length (from back of base to center of shade) can be adjusted between 9'-6" maximum and 6'-6" minimum.

**SHADE HEIGHT**  
Shade height (floor to bottom edge of shade) can be adjusted between 6'-7" maximum and 3'-11" minimum.

Valeo  
floor



Dimensions: 8'1" H max, 25" Ø shade  
Materials: solid wood, metal, linen shade  
Product weight: 95 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Includes 72" clear silver cord with  
inline foot switch 24" from base  
Bottom diffuser included (CM-051)  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Valeo part # 05-400-	A	W	L
Boom Arm brushed aluminum (CM-006)	A		
Wood Body walnut (CM-001)		W	
Fabric Shade white linen (CM-016)			L

Includes  
black powder coated steel base (CM-049)  
frosted polymer diffuser (CM-051)

Alternate voltage/plug styles are available









in collaboration with  
**DESIRON FRANK CARFARO**  
HAND CRAFTED AMERICAN FURNITURE

**Nauta Floor**  
floor



Dimensions: 17" Ø, 59"  
Materials: solid wood, aluminum, fabric shade  
Product weight: 8 lb  
Light source: medium base E26 socket  
Lamping: E26 base, 60 W max  
Input voltage: 250 V AC max  
Includes 8' clear silver cord with white plug  
On/Off rocker switch on socket  
Wood grain will vary  
Specifications subject to change  
**SHELF IS OPTIONAL**  
  
Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

**MATERIAL & FINISH OPTIONS**

Nauta Floor part #: 05-110-

**Metal Finish**

brushed aluminum (CM-006)  
brushed brass (CM-008)\*

**Wood Body**

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

**Shade**

black amaretto (CM-018)  
white linen (CM-016)  
burlap (CM-017)

**Optional Shelf Accessory**

no shelf  
matching wood shelf -  
exposed wood top surface  
matching wood shelf -  
black HPL top surface (CM-092)  
matching wood shelf -  
white HPL top surface (CM-093)


\*Brass shade support arms feature wood plug  
in end of arm  
\*\*Shelf is optional and cannot be  
removed by customer



walnut, brushed aluminum, burlap



walnut, brushed aluminum, white linen




walnut, brushed aluminum, black amaretto



walnut, brushed aluminum, black amaretto, black shelf

Efficiency and simplicity guided the design process for the Nauta table lamp. We designed the Forma  
several years ago with Frank Carfaro of Desiron, which profoundly influenced the Nauta's form.  
Our goal was to distill the Forma design without compromising it. The Nauta is clean, modern,  
and priced competitively.

Nick Sheridan  
Designer



Silva Floor, walnut body, ebony eco veneer shade



Silva Floor, walnut, beech wood veneer shade





Silva Floor, walnut, white linen shade

The Silva Floor is slender, elegant, and poised while delivering great functionality. The tri-leg  
base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It  
feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan  
Designer

**Silva Floor**  
floor



Dimensions: 16" x 15", 4'-4"  
Materials: solid wood, aluminum, bent shade  
Articulating head  
Product weight: 4 lb  
Light source: integrated LED  
Light output: 565 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Input voltage: 12V DC (adapter included)  
Includes 72" white braided cord  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change  


**MATERIAL & FINISH OPTIONS**

Silva Floor part # 05-100- A W

**Metal Finish**

brushed aluminum (CM-006)


**Wood Body**

walnut (CM-001)

**Bent Shade**

beech wood veneer (CM-019)  
ebony eco veneer (CM-020)  
white linen (CM-058)


Alternate voltage/plug styles are available  
Also available in larger version, see page 14, and  
smaller version, see page 74.





in collaboration with  
**DESIRON FRANK CARFARO**  
HAND CRAFTED AMERICAN FURNITURE

**Forma**  
floor



Dimensions: 22" Ø shade, 6'  
Materials: solid wood, aluminum, fabric shade  
Product weight: 15 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Forma Floor part # 05-300-

*Metal Finish*

brushed aluminum (CM-006) A  
black anodized aluminum (CM-007) B

*Wood Body*

walnut (CM-001) W  
dark stained walnut (CM-002) D  
maple (CM-005) M


*Fabric Shade*

burlap (CM-017) N  
white linen (CM-016) L  
black amaretto (CM-018) A

Alternate voltage/plug styles are available  
Also available in smaller version, see page 73.




Forma, brushed aluminum, walnut, burlap shade




Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma.

Nick Sheridan  
Co-Designer



Altus, walnut body, distressed brass metal finish, white linen shade




The Altus is a robust fixture that also carries an air of elegance and subtle proportion. It has the mass and impact to anchor a space while still showing balance and grace. It is always exciting to see how the solid wood trunk comes out; admiring the wood grain all the way through.

Nick Sheridan  
Co-Designer

in collaboration with  
**DESIRON FRANK CARFARO**  
HAND CRAFTED AMERICAN FURNITURE

**Altus**  
floor



Dimensions: 6'-8" H, 22" Ø shade  
Materials: solid wood, metal, fabric shade  
Product weight: 45 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
120 V AC max  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Altus part # 05-700-

*Metal Finish*

brushed brass (CM-008) R  
distressed brass (CM-009) D  
oiled bronze (CM-010) Z


*Wood Body*

walnut (CM-001) W  
dark stained walnut (CM-002) D

*Fabric Shade*


burlap (CM-017) N  
white linen (CM-016) L  
black amaretto (CM-018) A

Alternate voltage/plug styles are available






Silva Giant  
floor



walnut  
(CM-001)



dark stained walnut  
(CM-002)

Dimensions: 32" x 26", 7", 16" Ø shade  
Materials: solid wood, aluminum, linen shade  
Product weight: 60 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Includes 72" clear silver cord with  
inline foot switch 24" from base  
Bottom diffuser included (CM-057)  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

	Silva Giant part # 05-200-	A	L
<b>Metal Finish</b>			
brushed aluminum (CM-006)	A		
<b>Wood Body</b>			
walnut (CM-001)	W		
dark stained walnut (CM-002)	D		
<b>Fabric Shade</b>			
white linen (CM-058)	L		


Alternate voltage/plug styles are available  
Also available in 2 smaller versions  
See pages 15 and 74.



Silva Giant, brushed aluminum, walnut body, white linen shade


*The Silva Giant, as the name suggests, is a giant version of our Silva table fixture. Its scale gives it a strong presence even in very large spaces, while its distilled form gives it a simplicity that can be seen from across the room. A fun piece with a huge personality.*

Nick Sheridan  
Designer





## Linear Pendants



Lenis



Lenis



Vix



Vix



Arca



Camur



Vix 82



Vix 82



Penna Pendant



Aeris



Virga




Brevis






Lenis, brushed aluminum



Bret, Dan and I have always loved the ocean and boats. In fact, the first project we built together as young boys was a sailboat. Our appreciation for the beauty of a well-designed craft is what initially inspired the Lenis fixture; the form is created by bending wood stringers over a series of bulkheads. The organic and sculptural structure deviates from our mostly rectilinear forms, which introduced many new challenges, yet it also breathed new life into the design process for us. Ultimately, we were searching for that balance between the curved fluidity of its lines and the twisting movement. Thanks to our team's determination, after countless studies and prototypes, we found the balance we were looking for.

Nick Sheridan,  
Designer

### Lenis linear pendant




Dimensions: 5'-4.5" x 10", 8.75"  
Materials: aluminum, stretch fabric  
Product weight: 10 lb  
Light source: integrated LED  
Light output: 5000 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 70 W  
Dimmable (see driver below)  
Brushed Aluminum (CM-006)  
linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Wood canopy covers are available:  
Walnut (CM-001) cover:  
part # 60-130-005W  
Dark stained walnut (CM-002) cover:  
part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change  
Patent No.: US D857,968 S



#### MATERIAL & FINISH OPTIONS

Lenis part # 07-220-	
Shade	
white fabric (CM-079)	L
End Detail	
brushed aluminum (CM-006)	A
dark stained walnut (CM-002)	D
walnut (CM-001)	W
Lamping	
2700 K LED	27
3500 K LED	35
Driver	
120 V AC input voltage	P1
TRIAC, ELV & 0-10 V dimming	
277 V AC input voltage	P2
TRIAC, ELV & 0-10 V dimming	

Includes  
brushed aluminum (CM-006)



linear canopy,  
brushed aluminum




brushed aluminum  
(CM-006)



walnut  
(CM-001)







dark stained walnut  
(CM-002)





Arca  
linear pendant



Dimensions: 4'-1" x 24", 17"  
Materials: solid wood, aluminum, polymer  
Product weight: 20 lb  
Light source: integrated LED  
Light output: 1720 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 16 W  
Dimmable (see driver below)  
Linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Canopy finish matches fixture's metal finish  
Wood canopy covers are available:  
Walnut (CM-001) cover: part # 60-130-005W  
Dark stained walnut (CM-002) cover: part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Arca part # 07-120-

Metal Finish	brushed aluminum (CM-006)	A
	black anodized aluminum (CM-007)	B
Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120-277 V AC input voltage	P1
	0-10V dimming	
TRIAC and ELV dimming at 120 V AC only		

Includes  
polymer shade (CM-052)  
frosted acrylic diffuser (CM-024)



The Arca is an experiment with density and mass. As one moves around the room, the fixture morphs from a commanding presence of solid walnut into a graceful bar of light surrounded by an elegant porous cage.


Nick Sheridan  
Designer



Light and delicate, subtly unique while simple, the camur must be experienced to really be appreciated. The gentle curve appears from the bottom just the same as it does from the side: but the perspectives found between the two intrigue.

Nick Sheridan,  
Designer

Camur  
linear pendant



Dimensions: 5'-0" x 2.75", 2.75"  
Materials: solid wood, polymer  
Product weight: 6 lb  
Light source: integrated LED  
Light output: 2500 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 35 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) camur canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Wood camur canopy covers are available:  
Walnut (CM-001) wood camur canopy cover: part # 60-150-005W  
Dark stained walnut (CM-002) wood camur canopy cover: part # 60-150-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change







MATERIAL & FINISH OPTIONS

Camur part # 07-210-

Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping	2700 K LED	27
	3500 K LED	35
Driver	120 V AC input voltage	P1
	0-10V dimming	
TRIAC, ELV & 0-10V dimming		

The true beauty of the Camur is difficult to appreciate in print. When experiencing this fixture in person you begin to see the subtlety and grace of its vertical and horizontal movements. As you walk around this fixture the shape will morph from a beautiful curve to a straight line. We have created a video to help celebrate these details at [www.cernogroup.com/camur](http://www.cernogroup.com/camur)








in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE



The Aeris was a collaboration with New York based designer Frank Carfaro of Desiron. The organic and often wild swirls of walnut grain are interrupted by rigorous slits and inlays that punctuate each face to create a beautiful juxtaposition, making each fixture unique. The glow of the illuminated wood seen through the cut slits creates a rich composition of light and shadow.

Nick Sheridan  
Co-Designer



**Aeris 30 / Aeris 54**  
linear pendant



Aeris 30 dimensions: 30" x 6", 8"  
Aeris 54 dimensions: 54" x 6", 8"  
Materials: solid wood, aluminum  
Aeris 30 weight: 11 lb  
Aeris 54 weight: 15 lb  
Light source: integrated LED  
Light output - total: 1720 Lumens (source)  
Light output - downlight: 1030 Lumens (source)  
Light output - uplight: 690 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 16 W  
Dimmable (see driver below)  
Linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Canopy finish matches fixture's metal finish  
Wood canopy covers are available:  
Walnut (CM-001) cover: part # 60-130-005W  
Dark stained walnut (CM-002) cover:  
part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**




linear canopy,  
brushed aluminum




brushed aluminum  
(CM-006)





black anodized aluminum  
(CM-007)



walnut  
(CM-001)




dark stained walnut  
(CM-002)









**Vix 34 / Vix 48**  
linear pendant




Vix 34 dimensions: 34" x 8", 0.75"  
Vix 48 dimensions: 48" x 8", 0.75"  
Materials: solid wood, polymer, aluminum  
Vix 34 weight: 10 lb  
Vix 48 weight: 15 lb  
Light source: integrated LED  
Light output - total: 1720 Lumens (source)  
Light output - downlight: 1030 Lumens (source)  
Light output - uplight: 690 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 16 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Wood canopy cover available:  
Walnut (CM-001) cover: part # 60-130-005W  
Dark stained walnut (CM-002) cover:  
part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



linear canopy,  
brushed aluminum





walnut  
(CM-001)



dark stained walnut  
(CM-002)

**MATERIAL & FINISH OPTIONS**

Vix Part # 07 -		
Vix 34	140	
Vix 48	130	
<b>Wood Body</b>		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
<b>Lamping</b>		
2700 K LED	27	
3500 K LED	35	
<b>Driver</b>		
120-277 V AC input voltage		
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only	P1	





Vix 48, walnut

A clean, modern fixture finely executed. With multiple down and up lights, the Vix provides lots of usable light in a very unobtrusive design.

Nick Sheridan  
Designer




Penna 40 / Penna 64  
linear pendant



linear canopy,  
matte black finish



brushed brass  
(CM-008)



distressed brass  
(CM-009)



walnut  
(CM-001)



dark stained walnut  
(CM-002)



brown leather  
(CM-098)

Penna 40 dimensions: 40.5" x 7.7" , 2.3"  
Penna 64 dimensions: 64.5" x 7.7" , 2.3"  
Penna 40 weight: 7 lb  
Penna 64 weight: 10 lb  
Light source: integrated LED  
Penna 40 light output: 1530 Lumens (source)  
Penna 64 light output: 2550 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Penna 40 power usage: 21 W  
Penna 64 power usage: 35 W  
Dimmable (see driver below)  
Linear canopy included  
Canopy dimensions: 11.9" x 4.4", 1.7"  
Canopy finish: matte black (CM-085)  
See website for more canopy information  
8'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Penna pendant part # 07-150 -

Penna 40	40
Penna 64	64

Metal Finish

brushed brass (CM-008)  
distressed brass (CM-009)

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)



Lamping

2700 K LED  
3500 K LED

Driver

120 V AC input voltage  
TRIAC, ELV & 0-10 V dimming  
277 V AC input voltage  
TRIAC, ELV & 0-10 V dimming

Includes  
brown leather (CM-098)  
frosted polymer (CM-057)



Penna 64, walnut, brushed brass



Penna 64, walnut, distressed brass



Penna 40, dark stained walnut, distressed brass

On our Cerno journey, we continue to evolve as designers and craftsmen. The Penna is a celebration of us drawing and reflecting on our last ten years. This design is an embodiment of all the lessons that we have learned from designing and building thousands of lights. This fixture balances utility and sophisticated beauty well. The walnut, brass, and leather work in concert to compose a modern form with materials that have been used for thousands of years.

Nick Sheridan  
Designer



Vix 82, walnut




Vix 82, walnut

A clean, modern fixture finely executed. With multiple down and up lights, the Vix provides lots of usable light in a very unobtrusive design.

Nick Sheridan  
Designer

Vix 82  
linear pendant



Dimensions: 82" x 8", 0.75"  
Materials: solid wood, polymer, aluminum  
Product weight: 19 lb  
Light source: integrated LED  
Light output - total: 3440 Lumens (source)  
Light output - downlight: 2060 Lumens (source)  
Light output - uplight: 1380 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 32 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
See website for more canopy information  
Drop length field adjustable: 0'-10" min, 8'-0" max  
Suitable for a sloped ceiling  
Wood grain will vary  
Wood shade may slightly bow or twist  
along 82" length  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Vix 82 part # 07 - 200 -

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)

Lamping


2700 K LED  
3500 K LED

Driver

120-277 V AC input voltage  
0-10 V dimming  
TRIAC and ELV dimming at  
120 V AC only

Includes


polymer shade (CM-052)



linear canopy,  
brushed aluminum



walnut  
(CM-001)




dark stained walnut  
(CM-002)





Virga  
linear pendant



Dimensions: 28" x 1.75", 0.5"

Materials: aluminum, polymer

Product weight: 6 lb

Light source: integrated LED

Light output: 1126 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 13 W

Dimmable (see driver below)

Extended-profile square canopy included,  
required to house LED driver (3.25" x 2.25" x 1.25")

Canopy dimensions: 4.5" x 4.5", 1.63"


Canopy finish matches fixture's metal finish

See website for more canopy information


48" suspension tube (can be shortened in field)

Swivel option available for sloped ceilings,  
see drawing below

Specifications subject to change




extended-profile  
square canopy  
brushed aluminum



brushed aluminum  
(CM-006)



black anodized aluminum  
(CM-007)



Lamping

2700 K LED

3500 K LED

Driver

120-277 V AC input voltage

0-10V dimming

TRIAC and ELV dimming at

120 V AC only

Includes

polymer shade (CM-052)

Available for sloped ceilings:

Sloped Extended-Profile Square Canopy



MATERIAL & FINISH OPTIONS

Virga part # 06-130-

Metal Finish

brushed aluminum (CM-006)

black anodized aluminum (CM-007)

Lamping

2700 K LED

3500 K LED

Driver

120-277 V AC input voltage

0-10V dimming

TRIAC and ELV dimming at

120 V AC only

Includes

polymer shade (CM-052)

Available for sloped ceilings:

Sloped Extended-Profile Square Canopy



Virga, brushed aluminum



Virga, black anodized aluminum

A clean, minimal fixture executed without compromise. The very simple and sleek down light  
bar can be installed in very close proximity to its user – and withstand close scrutiny.

Nick Sheridan  
Designer



Brevis 28, brushed aluminum




Brevis 28, brushed aluminum

A clean, minimal fixture finely executed. With multiple down and up lights, the Brevis provides  
lots of usable light in a very unobtrusive design

Nick Sheridan  
Designer

Brevis 28 / Brevis 42  
linear pendants



Brevis 28 dimensions: 28" x 2.5", 0.5"

Brevis 42 dimensions: 42" x 2.5", 0.5"

Materials: aluminum, polymer

Brevis 28 weight: 7 lb

Brevis 42 weight: 8 lb

Light source: integrated LED

Light output - total: 1720 Lumens (source)

Light output - downlight: 1030 Lumens (source)

Light output - uplight: 690 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 16 W

Dimmable (see driver below)

Linear canopy included

Canopy dimensions: 20.6" x 4", 1.3"

Canopy finish matches fixture's metal finish

Wood canopy covers are available:

Walnut (CM-001) cover: part # 60-130-005W

Dark stained walnut (CM-002) cover:


part # 60-130-005D

See website for more canopy information


72" drop length, field adjustable

Suitable for a sloped ceiling

Specifications subject to change



linear canopy,  
brushed aluminum



brushed aluminum  
(CM-006)



black anodized aluminum  
(CM-007)

MATERIAL & FINISH OPTIONS

Brevis Part # 06-

Brevis 28

920

Brevis 42

910

Metal Finish

brushed aluminum

(CM-006)

black anodized aluminum

(CM-007)

Lamping

2700 K LED

3500 K LED

Driver

120-277 V AC input voltage

0-10 V dimming

TRIAC and ELV dimming at


120 V AC only

Includes

polymer shade (CM-052)



Brevis 28



Brevis 42



## Pendants



Cano



Bimar



Abeo




Claudo



Muto



Astrum



Mica



Mica Family



Imber



Ignis




Levis Family



Salix



Ico



Ico



Veris



Plura Pendant



Calx




Casia Pendant





Casia 14  
pendant



walnut  
(CM-001)

dark stained  
walnut (CM-002)

white washed oak  
(CM-095)

matte black (CM-085)  
with matte white interior

distressed brass  
(CM-009)

gloss white  
(CM-054)



Dimensions: 14.25" Ø, 5.5"  
Product weight: 3 lb  
Light output: minimum 831 Lumens (source)  
See Lamping options below  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
Low profile round canopy with SVT-3 Cable  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Gloss White (CM-054) shade option ships with Textured  
White Powdercoat Canopy and SVT-3 Cable, White (CM-040)  
All other shade option ship with Textured Black Powdercoat  
(CM-049) and SVT-3 Cable, Black (CM-039)  
Wood grain will vary  
Specifications subject to change

MATERIAL & FINISH OPTIONS

Casia 14 pendant part # 06-280-14


**Shade Material**  
matte black (CM-085) with matte  
white interior  
distressed brass (CM-009)  
gloss white (CM-054)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

**Lamping**  
2700 K LED - 831 Lumens (source)  
3500 K LED - 873 Lumens (source)

**Power Option**  
120-277 V AC input voltage  
TRIAC and ELV dimming

Includes: white glass diffuser (CM-109)  
Available in flush mount version





Casia Pendant 14, white washed oak, gloss white



Casia detail

The Casia Pendant was a natural progression after releasing the Casia Flush Mount in early 2020. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a traditional space. Each carefully selected material plays an integral role in the aesthetic design and performance.

Casia 18  
pendant



walnut  
(CM-001)


dark stained  
walnut (CM-002)

white washed oak  
(CM-095)

matte black (CM-085)  
with matte white interior

distressed brass  
(CM-009)

gloss white  
(CM-054)



Dimensions: 18" Ø, 7.3"  
Product weight: 4 lb  
Light output: minimum 1310 Lumens (source)  
See Lamping options below  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 15 W  
Dimmable (see power options below)  
Low profile round canopy with SVT-3 Cable  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Gloss White (CM-054) shade option ships with Textured  
White Powdercoat Canopy and SVT-3 Cable, White (CM-040)  
All other shade option ship with Textured Black Powdercoat  
(CM-049) and SVT-3 Cable, Black (CM-039)  
Wood grain will vary  
Specifications subject to change

MATERIAL & FINISH OPTIONS

Casia 18 pendant part # 06-280-18


**Shade Material**  
matte black (CM-085) with matte  
white interior  
distressed brass (CM-009)  
gloss white (CM-054)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)


**Lamping**  
2700 K LED - 1310 Lumens (source)  
3500 K LED - 1378 Lumens (source)

**Power Option**  
120-277 V AC input voltage  
TRIAC and ELV dimming

Includes: white glass diffuser (CM-109)  
Available in flush mount version



Casia Pendant 18, dark stain walnut, matte black with matte white interior




Casia detail

The Casia Pendant was a natural progression after releasing the Casia Flush Mount in early 2020. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a traditional space. Each carefully selected material plays an integral role in the aesthetic design and performance.






Casia Pendant 22, dark stain walnut, distressed brass



Casia detail

The Casia Pendant was a natural progression after releasing the Casia Flush Mount in early 2020. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a traditional space. Each carefully selected material plays an integral role in the aesthetic design and performance.

Casia 22  
pendant



Dimensions: 21.5" Ø, 8.2"  
Product weight: 5 lb  
Light output: minimum 1981 Lumens (source)  
See Lamping options below  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 23 W  
Dimmable (see power options below)  
Low profile round canopy with SVT-3 Cable  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Gloss White (CM-054) shade option ships with Textured White Powdercoat Canopy and SVT-3 Cable, White (CM-040) (CM-049) and SVT-3 Cable, Black (CM-039)  
Wood grain will vary  
Specifications subject to change


MATERIAL & FINISH OPTIONS

Casia 22 pendant part # 06-280-22		
Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-009)	D	
gloss white (CM-054)	W	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Lamping		
2700 K LED - 1981 Lumens (source)	27	
3500 K LED - 2083 Lumens (source)	35	
Power Option		
120-277 V AC input voltage TRIAC and ELV dimming	P1	

low-profile round canopy with braided cord



walnut (CM-001)




dark stained walnut (CM-002)



white washed oak (CM-095)



matte black (CM-085) with matte white interior



distressed brass (CM-009)




gloss white (CM-054)





Cano  
pendant



Dimensions: 3.5" x 3.5", 6.75"  
Materials: solid wood  
Product weight: 2 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type G25 lamp, 20 W max  
Input voltage: 250 V AC max  
Suspension Details: Textured Black Powdercoat (CM-049) low profile round canopy with Grey Cloth Covered Cord (CM-106)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 6'0" max  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Optional dimmable LED G25 bulb  
Light output: 500 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 5.5 W

MATERIAL & FINISH OPTIONS

Cano part # 06-251- - MB

Wood Shade

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

Bulb Options

2700 K G25 LED bulb included  
no bulb included


W  
D  
O  
27  
00



Cano, white washed oak




Cano, dark stained walnut



Cano, walnut

Designing with LEDs often lends itself to hiding, or using a low profile light source. The Cano pendant does the opposite; the light bulb is an integral part of the design. The solid hardwood faceted body is enhanced when paired with a spherical glowing bulb.

Bimar  
pendant



Dimensions: 5" x 5", 7.75"  
Materials: solid wood  
Product weight: 3 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type G40 lamp, 20 W max  
Input voltage: 250 V AC max  
Textured Black Powdercoat (CM-049) low profile round canopy with Grey Cloth Covered Cord (CM-106)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 6'0" max  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Optional dimmable LED G40 bulb  
Light output: 1000 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Bimar part # 06-250- - MB

Wood Shade

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

Bulb Options

2700 K G40 LED bulb included  
no bulb included


W  
D  
O  
27  
00



Bimar, white washed oak




Bimar, dark stained walnut



Bimar, walnut


Built of one inch thick solid hardwood, the Bimar showcases the beauty of natural woodgrain. Eight faceted sides compose a design that works well in a modern or transitional space. The combination of natural wood and a glowing sphere bulb warms up any environment.



low-profile round canopy  
with braided cord





walnut  
(CM-001)



dark stained  
walnut (CM-002)




white washed oak  
(CM-095)






Muto  
large pendant



Dimensions: 32" x 32", 14.5"  
Materials: solid wood, polymer  
Product weight: 17 lb  
Light source: integrated LED  
Light output - total: 2626 Lumens (source)  
Light output - ambient: 1376 Lumens (source)  
Light output - downlight: 1250 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 25 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) 8" square canopy  
with black mesh cables included  
See instructions for additional canopy  
details at cernogroup.com  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



8" square canopy with  
black mesh cables



walnut  
(CM-001)



dark stained walnut  
(CM-002)

MATERIAL & FINISH OPTIONS

Muto part # 06-140-	-
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping	
2700 K LED	27
3500 K LED	35
Driver	
120-277 V AC input voltage	
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	P1
Includes	
frosted polymer diffuser (CM-024)	



Muto, walnut




Muto, walnut



The way the walnut planes in the Muto both block and bounce light makes for a very dynamic composition of light and shadow, from any vantage point. While the pinwheel form with its repeating elements is symmetric, it appears very sculptural from any one view. The modern floating ideal is realized in the Muto. By holding each walnut element away from its neighbor, so each plane floats, the whole fixture feels weightless as if it were floating itself.

Nick Sheridan  
Designer




Astrum 11, distressed brass



Astrum, detail

Inspiration for the Astrum dates back to the first light fixture the three of us ever made after starting Cerno. The varying depths of the flat panels strategically obstruct a direct view of the light source. Light reflects off the inside of the outer panels and bounces off the inner panels producing a halo washing effect. The oculus at the bottom functions to emit a useful amount of downlighting. This design manages to pay homage to past modern designs while also feeling a bit futuristic.

Astrum 11  
pendant



Dimensions: 11" x 11", 10.25"  
Product weight: 2 lb  
Suitable for a sloped ceiling

Integrated LED Specifications

Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box  
Driver dimensions: 3.3" x 1.6" x 1", included

E26 Medium Base Specifications


Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Astrum 11 part # 06-270-11	-
Shade Material	
matte black (CM-085) with matte white interior	B
distressed brass (CM-096)	D
gloss white (CM-054)	W
Lamping	
2700 K LED	27
3000 K LED	30
3500 K LED	35
4000 K LED	40
medium base E26 socket	MB
Driver (LED version only)	
120-277 V AC input voltage	
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	P1



low-profile round canopy  
with braided cord



matte black (CM-085)  
with matte white interior



distressed brass  
(CM-096)



gloss white  
(CM-054)








Inspiration for the Astrum dates back to the first light fixture the three of us ever made after starting Cerno. The varying depths of the flat panels strategically obstruct a direct view of the light source. Light reflects off the inside of the outer panels and bounces off the inner panels producing a halo washing effect. The oculus at the bottom functions to emit a useful amount of downlighting. This design manages to pay homage to past modern designs while also feeling a bit futuristic.

**Astrum 17**  
pendant



Dimensions: 17.25" x 17.25", 16"  
Product weight: 4 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box  
Driver dimensions: 3.3" x 1.6" x 1", included

**E26 Medium Base Specifications**  
Lamping: 2x E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change




**MATERIAL & FINISH OPTIONS**

Astrum 17 part # 06-270-17

**Shade Material**  
matte black (CM-085) with  
matte white interior  
distressed brass (CM-096)  
gloss white (CM-054)

**Lamping**  
2700 K LED  
3000 K LED  
3500 K LED  
4000 K LED  
medium base E26 socket


**Driver (LED version only)**  
120-277 V AC input voltage  
0-10 V dimming  
TRIAC and ELV dimming at  
120 V AC only



low-profile round canopy  
with braided cord





matte black (CM-085)  
with matte white interior



distressed brass  
(CM-096)




gloss white  
(CM-054)





Imber 17 / Imber 24
 pendant



Imber 17 dimensions: 17" Ø, 17.75"  
 Imber 24 dimensions: 24" Ø, 22"  
 Materials: solid wood, metal  
 Imber 17 weight: 7 lb  
 Imber 24 weight: 12 lb  
 Wood grain will vary  
 Specifications subject to change



Lamping  
 Integrated LED Specifications  
 Light output: 1250 Lumens (source)  
 Light color: 2700 K or 3500 K  
 Additional color temperatures as well as sunset  
 dimming are available upon request.  
 Color accuracy: 90+ CRI  
 Power usage: 13 W  
 Input voltage: 120-277 V AC  
 Dimmable: 0-10 V dimming at 120-277 V AC  
 TRIAC and ELV dimming at 120 V AC only

MATERIAL & FINISH OPTIONS

Imber part # 06-210-	
Fixture Size	
17" Ø	17
24" Ø	24
Standard Combinations	
(Shade, Frame)	
distressed brass, walnut	DW
distressed brass,	
dark stained walnut	DD
brushed brass, walnut	RW
brushed rose gold,	
dark stained walnut	GD
matte black with matte white	BD
interior, dark stained walnut	
matte black with matte white	BO
interior, white washed oak	
matte black with matte white	BW
interior, walnut	
gloss white, white washed	WO
oak	
Suspension Type	
corded	C
rigid	R
Lamping	
integrated LED	L-27
with diffuser - 2700k	P1
integrated LED	L-35
with diffuser - 3500k	P1
medium base socket	
without diffuser	S
medium base socket	
with diffuser	D

Medium Base E26 Specifications

Imber 17 lamping:  
 1x E26 base, type A lamp, 75 W max  
 Imber 24 lamping:  
 3x E26 base, type A lamp, 75 W max each  
 Bulbs not included  
 Input voltage: 250 V AC max

Suspension Type

Corded  
 96" length of SVT wire is used. Wire is field  
 adjustable and suitable for a sloped ceiling.  
 Rigid  
 Stem comes 6' long and is field  
 cuttable to length (0.38" Ø).

Suspension and Hardware Finish



Standard Combinations  
 Come with either black or satin nickel  
 suspension, canopy, and sockets:  
 Black: DW, DD, RW, GD, BD, BO, BW  
 Satin Nickel: WO  
 Corded Versions  
 White cord: satin nickel hardware  
 Black cord: black hardware  
 24" Imber corded uses a .06" Ø  
 steel cable for suspension




Diffuser  
 Frosted white diffuser (CM-024)  
 Diffuser is recommended when fixture  
 location may allow for direct glare.  
 Integrated LED option always comes with a diffuser



Imber 24, distressed brass, walnut



Ignis 17 / Ignis 24
 pendant



Ignis 17 dimensions: 17" Ø, 11.5"  
 Ignis 24 dimensions: 24" Ø, 14.75"  
 Materials: solid wood, metal  
 Ignis 17 weight: 7 lb  
 Ignis 24 weight: 11 lb  
 Wood grain will vary  
 Specifications subject to change



MATERIAL & FINISH OPTIONS

Ignis part # 06-220-	
Fixture Size	
17" Ø	17
24" Ø	24
Standard Combinations	
(Shade, Frame)	
distressed brass, walnut	DW
distressed brass,	
dark stained walnut	DD
brushed brass, walnut	RW
brushed rose gold,	
dark stained walnut	GD
matte black with matte white	BD
interior, dark stained walnut	
matte black with matte white	BO
interior, white washed oak	
matte black with matte white	BW
interior, walnut	
gloss white, white washed	WO
oak	
Suspension Type	
corded	C
rigid	R
Lamping	
integrated LED	L-27
with diffuser - 2700K	P1
integrated LED	L-35
with diffuser - 3500K	P1
medium base socket	
without diffuser	S
medium base socket	
with diffuser	D

Lamping  
 Integrated LED Specifications  
 Light output: 1250 Lumens (source)  
 Light color: 2700 K or 3500 K  
 Additional color temperatures as well as sunset  
 dimming are available upon request.  
 Color accuracy: 90+ CRI  
 Power usage: 13 W  
 Input voltage: 120-277 V AC  
 Dimmable: 0-10 V dimming at 120-277 V AC  
 TRIAC and ELV dimming at 120 V AC only

Medium Base E26 Specifications

Ignis 17 lamping:  
 1x E26 base, type A lamp, 75 W max  
 Ignis 24 lamping:  
 3x E26 base, type A lamp, 75 W max each  
 Bulbs not included  
 Input voltage: 250 V AC max

Suspension Type


Corded  
 8'-0" length of SVT wire is used. Wire is field  
 adjustable and suitable for a sloped ceiling.  
 Rigid  
 Stem comes 6' long and is field cuttable  
 to length (.038" Ø)

Suspension and Hardware Finish

Standard Combinations  
 Come with either black or satin nickel  
 suspension, canopy, and sockets:  
 Black: DW, DD, RW, GD, BD, BO, BW  
 Satin Nickel: WO  
 Corded Versions  
 White cord: satin nickel hardware  
 Black cord: black hardware  
 24" Ignis corded uses a 1/16" Ø steel  
 cable for suspension

The Ignis and Imber were inspired by the same design principles that make Cerno and ICRAVE well  
 suited to collaborate. Honesty, simplicity, elemental, timeless and quality are words that sit at the  
 core of both companies' design ethos and we believe these light fixtures embrace these qualities well.  
 Each fixture was reduced to its essential parts – frame and shade – highlighting the interplay of the  
 components, and accentuating the clean lines of the form.


ICRAVE / Cerno








Ico  
pendant



Dimensions: 20" Ø, 9.5"  
Materials: solid brass  
Product weight: 6 lb  
Light source: medium base E26 socket  
Lamping: 1x E26 base, 60 W max  
Bulbs not included  
Input voltage: 250 V AC max  
Textured Black Powdercoat (CM-049)  
low profile round canopy with Black Cloth Covered Cord (CM-090)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'9" min - 8'0" max  
Suitable for a sloped ceiling  
Specifications subject to change



low-profile round canopy



MATERIAL & FINISH OPTIONS


	Ico part # 06-240-20	R	-	C
Fixture Size	20"	20		
Shade Finish	spun solid brass (CM-091)	R		
Suspension	corded (CM-008)		C	

Includes  
brushed brass (CM-008)




After working with drum cymbals on a few custom projects, we grew to appreciate the design and engineering that goes into these beautiful objects. Cymbals have a simple form, rich texture, and a beautiful brass finish. Modernism is often about utilizing what already exists and repurposing things, which is what we did with this fixture. The Ico looks excellent when paired with a simple light bulb.

Nick Sheridan  
Designer





Calx 10  
accent pendant



Dimensions: 6.75" x 6.75", 6.4"  
Materials: wood, metal, polymer  
Product weight: 2 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
White (CM-060) low-profile round canopy with  
white braided cord included  
Canopy dimensions: 5"Ø, 0.3"  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 10 part # 06-200-10


**Metal Finish**  
brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
brushed brass (CM-047)

**Wood Finish**  
walnut (CM-055)  
dark stained walnut (CM-056)

**Lamping**  
2700 K LED  
3500 K LED

**Driver**  
120VAC input voltage  
ELV dimming only

Calx sconce also available. Click here.



MATERIAL & FINISH OPTIONS

Calx 19 part # 06-200-19

**Metal Finish**  
brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
brushed brass (CM-047)


**Wood Finish**  
walnut (CM-055)  
dark stained walnut (CM-056)

**Lamping**  
2700 K LED  
3500 K LED  
medium base E26 socket

**Driver (LED version only)**  
120-277 V AC input voltage  
0-10 V dimming  
TRIAC and ELV dimming at  
120 V AC only

**Includes**  
frosted polymer diffuser (CM-057)

Calx 19  
pendant



Dimensions: 13" x 13", 12.75"  
Materials: wood, metal, polymer  
Product weight: 7 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1250 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
White (CM-060) extended-profile round canopy  
with white braided cord and steel cable included  
Canopy dimensions: 5"Ø, 2"  
Canopy required to house LED driver  
(3.3" x 1.6" x 1.0")  
See below for more canopy information  
72" drop length, field adjustable

**Medium Base Specifications**  
Lamping: 1x E26 base, type A lamp, 60 W max  
Bulb not included  
Input voltage: 250 V AC max  
White (CM-060) low-profile round canopy with  
white SPT cord and steel cable included  
Canopy dimensions: 5"Ø, 0.3"  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Calx 10, walnut, brushed brass



Calx 19, walnut, brushed brass




*The Calx is an example of modern design where the methods and the materials themselves are integral to its very conception, aligning form and function, which creates a synergy that is evident. The fixture ultimately forms a square aperture but enjoys a beautifully simple faceted structure.*

Nick Sheridan,  
Designer



Calx 36, walnut, brushed brass

Calx 36  
pendant



Dimensions: 25" x 25", 22.75"  
Materials: wood, metal, polymer  
Product weight: 18 lb  
Light source: 4x GU-24 base socket  
Lamping: 4x GU-24 base, 18 W max each  
Bulbs not included  
Input voltage: 300 V AC max  
White (CM-060) 8" round canopy included  
Canopy dimensions: 8"Ø, 1.25"  
See page left and website for more canopy information  
96" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 36 part # 06-200-36


**Metal Finish**  
brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
brushed brass (CM-047)

**Wood Finish**  
walnut (CM-055)  
dark stained walnut (CM-056)

A  
G  
R  
  
W  
D



brushed brass  
(CM-047)




brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)




walnut  
(CM-055)



dark stained walnut  
(CM-056)

**Includes**  
frosted polymer diffuser (CM-057)


Calx sconce also available. Click here.



Calx 10  
low-profile round canopy  
with braided cord



Calx 19 E26  
low-profile round canopy  
with white SPT  
with steel cable




Calx 19 Integrated LED  
extended-profile round  
canopy braided cord  
with steel cable



Calx 36  
8" round canopy  
clear SPT with  
four 1/16" Ø steel cables



Veris 12  
pendant



Dimensions: 12.75" Ø, 8.75"  
Product weight: 2 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box

**E26 Medium Base Specifications**  
Driver dimensions: 3.3" x 1.6" x 1", included  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile  
round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Veris part # 06-260-12

**Shade Material**

matte black (CM-085) with  
matte white interior B  
brushed aluminum (CM-012) A  
brushed rose gold (CM-046) G  
brushed brass (CM-047) R  
distressed brass (CM-096) D  
gloss white (CM-054) W

**Lamping**


2700 K LED 27  
3000 K LED 30  
3500 K LED 35  
4000 K LED 40  
medium base E26 socket MB

**Driver (LED version only)**

120-277 V AC input voltage  
0-10 V dimming  
TRIAC and ELV dimming at  
120 V AC only P1




Veris 12, matte black with matte white interior



Veris, details

Veris was a concept we started exploring ten years ago. Two offset layers of petals simultaneously shield the light source while allowing reflected light to wash the inside petals, creating a dramatic ambient luminaire. The form materializes through a series of processes that utilize cutting edge CNC laser technology but still rely on skilled hand-rolling and bending of the aluminum petals.

Veris 22  
pendant



Dimensions: 21.75" Ø, 15"  
Product weight: 4 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box

**E26 Medium Base Specifications**  
Driver dimensions: 3.3" x 1.6" x 1", included  
Lamping: 2x E26 base, type A lamp, 60 W max each  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile  
round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Veris part # 06-260-22

**Shade Material**

matte black (CM-085) with  
matte white interior B  
brushed aluminum (CM-012) A  
brushed rose gold (CM-046) G  
brushed brass (CM-047) R  
distressed brass (CM-096) D  
gloss white (CM-054) W

**Lamping**


2700 K LED 27  
3000 K LED 30  
3500 K LED 35  
4000 K LED 40  
medium base E26 socket MB

**Driver (LED version only)**

120-277 V AC input voltage  
0-10 V dimming  
TRIAC and ELV dimming at  
120 V AC only P1





Veris 22, matte black with matte white interior



Veris, details


Veris was a concept we started exploring ten years ago. Two offset layers of petals simultaneously shield the light source while allowing reflected light to wash the inside petals, creating a dramatic ambient luminaire. The form materializes through a series of processes that utilize cutting edge CNC laser technology but still rely on skilled hand-rolling and bending of the aluminum petals.








Veris 34, matte black with matte white interior



Veris, details

Veris was a concept we started exploring ten years ago. Two offset layers of petals simultaneously shield the light source while allowing reflected light to wash the inside petals, creating a dramatic ambient luminaire. The form materializes through a series of processes that utilize cutting edge CNC laser technology but still rely on skilled hand-rolling and bending of the aluminum petals.

Veris 34  
pendant



Dimensions: 33.5" Ø, 23"  
Product weight: 8 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 2815 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 32.5 W  
Dimmable (see driver below)  
Driver housed in extended canopy  
Driver dimensions: 3.3" x 2.4" x 1", included

**E26 Medium Base Specifications**  
Lamping: 3x E26 base, type A lamp, 60 W max each  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) extended round canopy with SVT-3 Cable, Black (CM-039) and 1/16" Stainless Steel Cables (CM-053)  
Canopy dimensions: 5" Ø, 2"  
See website for more canopy information  
Field adjustable drop length: 1'0" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Veris part # 06-260-34		
Shade Material		
matte black (CM-085) with matte white interior	B	
brushed aluminum (CM-012)	A	
brushed rose gold (CM-046)	G	
brushed brass (CM-047)	R	
distressed brass (CM-096)	D	
gloss white (CM-054)	W	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
medium base E26 socket	MB	
Driver (LED version only)		
120-277 V AC input voltage		
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only	P1	



matte black (CM-085)  
with matte white interior



brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)




brushed brass  
(CM-047)



distressed brass  
(CM-096)



gloss white  
(CM-054)







**Mica L**  
pendant


Dimensions: 16" Ø, 13.5"  
Materials: solid wood, polymer  
Product weight: 8 lb  
Suitable for a sloped ceiling

*Integrated LED Specifications*  
Light output: 1250 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) extended-profile square canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 1.63"  
Canopy required to house LED driver (3.3" x 1.6" x 1.0")  
See website for more canopy information  
6'-0" drop length, field adjustable


*Medium Base Specifications*  
Lamping: E26 base, type A lamp, 60 W max  
Bulb not included  
Input voltage: 250 V AC max  
White (CM-060) low-profile round canopy with clear SVT cord included  
Canopy dimensions: 5"Ø, 0.3"  
6'-0" drop length, field adjustable

**Mica**  
accent pendant

Dimensions: 9" Ø, 5.75"  
Materials: solid wood, polymer  
Product weight: 3 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
Brushed aluminum (CM-006) low-profile square canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 0.38"  
External LED driver (2.25" x 1.5" x 1")  
Accent pendants can be clustered by using multi-point round canopy or multi-point linear canopy  
See website for more canopy information  
6'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change

 **MATERIAL & FINISH OPTIONS**

Wood grain will vary  
Specifications subject to change

 **MATERIAL & FINISH OPTIONS**


Mica L part # 06-180-	
<b>Wood Body</b> walnut (CM-001) dark stained walnut (CM-002)	W D
<b>Lamping</b> 2700 K LED 3500 K LED medium base E26 socket	27 35 MB
<b>Driver (LED version only)</b> 120-277 V AC input voltage 0-10 V dimming TRIAC and ELV dimming at 120 V AC only	P1

*Includes*  
frosted polymer (CM-024)

Mica part # 06-160-

<b>Wood Body</b> walnut (CM-001) dark stained walnut (CM-002)	W D
<b>Lamping</b> 2700 K LED 3500 K LED	27 35
<b>Driver</b> 120 V AC input voltage ELV dimming only	P1

*Includes*  
frosted polymer (CM-024)




The Mica is simply a cube, which has been carefully deconstructed to a sculptural state. By way of the fixture's orientation and petal material composition, it exudes a certain organic symmetry. The Mica accent pendant acts as a beautiful node, creating a sense of space marked with an ambient glow.

Nick Sheridan  
Designer




Levis  
accent pendant



Dimensions: 5.3" Ø, 5.5" H  
Materials: polymer, veneer and aluminum options  
Product weight: 1 lb  
Energy efficient LED light source  
Light output: 345 Lumens (source)  
Light color: 2700 K (warm) or 3500 K (cool)  
Color accuracy: 90+ CRI  
LED power consumption: 3.2W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
Brushed aluminum (CM-006) Low-Profile  
Square Canopy included  
Canopy dimensions: 4.5" x 4.5", 0.38"  
Must use included external  
LED driver (2.25" x 1.5" x 1")  
Accent pendants can be clustered  
by using Multi-Point Round Canopy or  
Multi-Point Linear Canopy  
See website for more canopy information  
6'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Levis L  
pendant




Dimensions: 10.6" Ø, 11.1"  
Materials: polymer, veneer and aluminum options  
Product weight: 7 lb  
Suitable for a sloped ceiling  
  
*Integrated LED Specifications*  
Light output: 1250 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) extended-profile  
square canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 1.63"  
Canopy required to house  
LED driver (3.3" x 1.6" x 1.0")  
See website for more canopy information  
6'-0" drop length, field adjustable  
  
*Medium Base Specifications*  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC Max  
White (CM-060) low-profile round canopy with  
clear SVT cord included  
Canopy dimensions: 5"Ø, 0.3"  
6'-0" drop length, field adjustable  
  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Levis accent part # 06-100-		-
Shade		
frosted polymer (CM-024)	F	
beech wood veneer (CM-019)	B	
brushed aluminum (CM-012)	A	
Lamping		
2700 K LED	27	
3500 K LED	35	
Driver		
120 V AC input voltage	P1	
ELV dimming only		




MATERIAL & FINISH OPTIONS

Levis L part # 06-170-		-
Shade		
frosted polymer (CM-024)	F	
beech wood veneer (CM-019)	B	
brushed aluminum (CM-012)	A	
Lamping		
2700 K LED	27	
3500 K LED	35	
medium base E26 socket	MB	
Driver (LED version only)		
120-277 V AC input voltage	P1	
0-10 V dimming		
TRIAC and ELV dimming		
at 120 V AC only		



Levis L, frosted polymer



The Levis is simple and clean at first glance: complex upon closer review. The rhythm in the facets gives a dynamic feel from different vantage points, creating a sophistication to its presence.

Nick Sheridan  
Designer




Salix, brushed aluminum




The Salix pendant's materials and proportions are in perfect harmony. The brushed aluminum set against the oiled walnut in this fixture still feels strikingly fresh and beautiful after years of production.

Nick Sheridan  
Designer

Salix  
accent pendant



Dimensions: 7.5" x 7.5", 9.0"  
Materials: solid wood, polymer, aluminum  
Product weight: 3 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
Brushed aluminum (CM-006) low-profile square  
canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 0.38"  
Must use included external LED driver  
(2.25" x 1.5" x 1")  
Accent pendants can be clustered by  
using multi-point round canopy or multi-point  
linear canopy  
See website for more canopy information  
6'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change




low-profile  
square canopy

MATERIAL & FINISH OPTIONS

Salix part # 06-120-W		-
Wood Body		
walnut (CM-001)	W	
Metal Finish		
brushed aluminum (CM-012)	A	
Lamping		
2700 K LED	27	
3500 K LED	35	
Driver		
120VAC input voltage	P1	
ELV dimming only		

Includes  
frosted polymer (CM-024)








The Plura is a simple, straight forward fixture that is excellently executed. With the Plura it was about resolving the seams and edges and their relationships to one another. The result is a scalable fixture that has a sharp, sophisticated feel.

Nick Sheridan  
Designer

BOBBY BERK INTERIORS AND DESIGN




Plura 36 Pendant, walnut



Plura 18 and Plura 24 low-profile round canopy with white SVT  
Plura 30 GU-24 Base Sockets low-profile round canopy clear SPT with steel cable  
Plura 30 Integrated LED extended round canopy, clear SPT with steel cable  
Plura 36 8" round canopy clear SPT with four 1/16" Ø steel cables



Plura  
pendant



Dimensions:  
Plura 18: 18" Ø, 6.4"  
Plura 24: 24" Ø, 6.4"  
Plura 30: 30" Ø, 8.4"  
Plura 36: 36" Ø, 10.4"  
Materials: solid wood, polymer  
Product weight:  
Plura 18: 5 lb  
Plura 24: 6 lb  
Plura 30: 9 lb  
Plura 36: 13 lb

Integrated LED Specifications  
Light output:  
Plura 18 & 24: 1690 Lumens (source)  
Plura 30 & 36: 2815 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage:  
Plura 18 & 24: 19.5 W  
Plura 30 & 36: 32.5 W  
Dimmable (see driver below)  
Plura 18 & 24 driver location: must be housed in J-box  
Driver dimensions: 3.3" x 1.6" x 1", included  
Plura 30 & 36 driver location: housed in canopy


GU-24 Base Specifications  
Light source:  
Plura 18 & 24: 2x GU-24 base socket  
Plura 30 & 36: 4x GU-24 base socket  
Lamping:  
Plura 18 & 24: 2x GU-24 base, 18 W max each  
Plura 30 & 36: 4x GU-24 base, 18 W max each  
Bulbs not included  
Input voltage: 300 V AC max

96" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Plura pendant part # 06-230-			
Ø:			
18" Ø	18		
24" Ø	24		
30" Ø	30		
36" Ø	36		
Wood Body			
walnut (CM-001)	W		
dark stained walnut (CM-002)	D		
white washed oak (CM-095)	O		
Shade Material			
frosted polymer (CM-051)	F		
matte black (CM-085)	B		
with matte white interior			
brushed aluminum (CM-012)	A		
brushed rose gold (CM-046)	G		
brushed brass (CM-047)	R		
distressed brass (CM-096)	D		
gloss white (CM-054)	W		
Lamping			
2700 K LED	27		
3500 K LED	35		
GU-24 base sockets	GU		
Driver (LED version only)			
120-277 V AC input voltage			
0-10 V dimming			
TRIAC and ELV dimming at 120 V AC only	P1		
Includes			
frosted polymer (CM-051)			





## Flush Mount



Plura Flush Mount





Casia






Casia 14  
flush mount



walnut  
(CM-001)



dark stained  
walnut (CM-002)




white washed oak  
(CM-095)



matte black (CM-085)  
with matte white interior



distressed brass  
(CM-009)



gloss white  
(CM-054)

Dimensions: 14.25" Ø, 5.5"  
Product weight: 3 lb  
Light output: minimum 831 Lumens (source)  
See Lamping options below  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Casia 14 part # 08-110-14

Shade Material

matte black (CM-085) with matte  
white interior  
distressed brass (CM-009)  
gloss white (CM-054)

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

Lamping

2700 K LED - 831 Lumens (source)  
3500 K LED - 873 Lumens (source)


Power Option

120-277 V AC input voltage  
TRIAC and ELV dimming

Includes: white glass diffuser (CM-109)  
Available in a pendant version




Casia 14, white washed oak, gloss white



Casia detail

Casia is a fresh and innovative approach to a flush mount light fixture. Each carefully selected material plays an integral role in the aesthetic design and performance. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a more traditional space. The 14" version works well in bathrooms, closets, narrow corridors, and smaller kitchens. The 18" and 22" sizes are incredibly dynamic and work well in different environments such as commercial, residential, and hospitality applications.

Casia 18  
flush mount



Dimensions: 18" Ø, 7.3"  
Product weight: 4 lb  
Light output: minimum 1310 Lumens (source)  
See Lamping options below  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 15 W  
Dimmable (see power options below)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Casia 18 part # 08-110-18

Shade Material

matte black (CM-085) with matte  
white interior  
distressed brass (CM-009)  
gloss white (CM-054)

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

Lamping

2700 K LED - 1310 Lumens (source)  
3500 K LED - 1378 Lumens (source)


Power Option

120-277 V AC input voltage  
TRIAC and ELV dimming

Includes: white glass diffuser (CM-109)  
Available in a pendant version



walnut  
(CM-001)



dark stained  
walnut (CM-002)




white washed oak  
(CM-095)



matte black (CM-085)  
with matte white interior




distressed brass  
(CM-009)



gloss white  
(CM-054)





Casia 18, dark stain walnut, matte black with matte white interior



Casia detail


Casia is a fresh and innovative approach to a flush mount light fixture. Each carefully selected material plays an integral role in the aesthetic design and performance. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a more traditional space. The 14" version works well in bathrooms, closets, narrow corridors, and smaller kitchens. The 18" and 22" sizes are incredibly dynamic and work well in different environments such as commercial, residential, and hospitality applications.







Casia 22  
flush mount




Dimensions: 21.5" Ø, 8.2"  
Product weight: 5 lb  
Light output: minimum 1981 Lumens (source)  
See Lamping options below  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 23 W  
Dimmable (see power options below)  
Wood grain will vary  
Specifications subject to change




MATERIAL & FINISH OPTIONS

Casia 22 part # 08-110-22		
Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-009)	D	
gloss white (CM-054)	W	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Lamping		
2700 K LED - 1981 Lumens (source)	27	
3500 K LED - 2083 Lumens (source)	35	
Power Option		
120-277 V AC input voltage TRIAC and ELV dimming	P1	



walnut  
(CM-001)



dark stained  
walnut (CM-002)



white washed oak  
(CM-095)



matte black (CM-085)  
with matte white interior



distressed brass  
(CM-009)



gloss white  
(CM-054)

Casia 22, dark stain walnut, distressed brass

Casia detail


Casia is a fresh and innovative approach to a flush mount light fixture. Each carefully selected material plays an integral role in the aesthetic design and performance. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a more traditional space. The 14" version works well in bathrooms, closets, narrow corridors, and smaller kitchens. The 18" and 22" sizes are incredibly dynamic and work well in different environments such as commercial, residential, and hospitality applications.







Plura  
flush mount



Dimensions:  
Plura 18: 18" Ø, 7.8"  
Plura 24: 24" Ø, 7.8"  
Plura 30: 30" Ø, 9.8"  
Plura 36: 36" Ø, 11.8"  
Materials: solid wood, metal, polymer  
Product weight:  
Plura 18: 5 lb  
Plura 24: 6 lb  
Plura 30: 9 lb  
Plura 36: 13 lb

**Integrated LED Specifications**  
Light output:  
Plura 18 & 24: 1690 Lumens (source)  
Plura 30 & 36: 2815 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage:  
Plura 18 & 24: 19.5 W  
Plura 30 & 36: 32.5 W  
Dimmable (see driver below)

**GU-24 Base Specifications**  
Light source:  
Plura 18 & 24: 2x GU-24 base socket  
Plura 30 & 36: 4x GU-24 base socket  
Lamping:  
Plura 18 & 24: 2x GU-24 base, 18 W max each  
Plura 30 & 36: 4x GU-24 base, 18 W max each  
Bulbs not included  
Input voltage: 300 V AC max

Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Emergency backup option available upon request  
Also available in a pendant version

MATERIAL & FINISH OPTIONS

Plura flush mount part # 08-100-

Ø:	
18" Ø	18
24" Ø	24
30" Ø	30
36" Ø	36

**Wood Body**  
walnut (CM-001) W  
dark stained walnut (CM-002) D  
white washed oak (CM-095) O

**Shade Material**  
frosted polymer (CM-051) F  
matte black (CM-085) B  
with matte white interior  
brushed aluminum (CM-012) A  
brushed rose gold (CM-046) G  
brushed brass (CM-047) R  
distressed brass (CM-096) D  
gloss white (CM-054) W

**Lamping**  
2700 K LED 27  
3500 K LED 35  
GU-24 base sockets GU

**Driver (LED version only)**  
120-277 V AC input voltage  
0-10 V dimming  
TRIAC and ELV dimming at 120 V AC only P1


**Includes**  
frosted polymer (CM-051)

The Plura is a simple, straight forward fixture that is excellently executed. With the Plura it was about resolving the seams and edges and their relationships to one another. The result is a scalable fixture that has a sharp, sophisticated feel.

Nick Sheridan  
Designer




white washed oak  
(CM-095)



frosted polymer  
(CM-051)



brushed rose gold  
(CM-046)



walnut  
(CM-001)




matte black (CM-085)  
with matte white interior



brushed brass  
(CM-047)



gloss white  
(CM-054)




dark stained  
walnut (CM-002)



brushed aluminum  
(CM-012)



distressed brass  
(CM-096)





## Outdoor Sconces



Tersus Outdoor



Calx Outdoor



Ansa Outdoor




Acuo Outdoor





Tersus Outdoor  
sconce



Dimensions: 10.75" x 7.25" x 2.75" (3.5" concrete)  
Product weight: 4 lb (9 lb concrete)  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Antique bronze and concrete finishes will vary  
Antique bronze is a living finish and will change over time depending  
on environmental conditions  
Custom backlit address or room numbers available  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH  
OPTIONS

Tersus part # 03-242-

Shade Material		
white concrete (CM-104)	W	
black concrete (CM-105)	B	
marine grade brushed stainless steel (CM-102)	S	
antique bronze (CM-103)	R	
textured black powdercoat (CM-099)	K	
textured white powdercoat (CM-100)	Y	
matte grey powdercoat (CM-101)	G	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
Light Distribution and Driver Options		
Uplight & Downlight		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	P1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	PR	
Nondimmable		
Downlight Only - Dark Sky Compliant		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	D1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	DR	
Nondimmable		

Includes  
marine grade brushed stainless steel (CM-102)  
(except for Antique Bronze version)  
2700 K & 3000 K downlight only options are dark sky compliant



Tersus Outdoor, antique bronze



Textured white powdercoat




Black concrete

Cerno's Tersus Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan  
Designer

Calx Outdoor  
sconce



Dimensions: 9.07" x 7.75" x 3.88"  
Product weight: 2 lb  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Antique bronze finishes will vary  
Antique bronze is a living finish and will change over time  
depending on environmental conditions  
Custom backlit address or room numbers available  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH  
OPTIONS


Calx Outdoor Sconce part # 03-244-

Shade Material		
marine grade brushed stainless steel (CM-102)	S	
antique bronze (CM-103)	R	
textured black powdercoat (CM-099)	K	
textured white powdercoat (CM-100)	Y	
matte grey powdercoat (CM-101)	G	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
Light Distribution and Driver Options		
Uplight & Downlight		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	P1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	PR	
Nondimmable		
Downlight Only - Dark Sky Compliant		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)	D1	
0-10 V dimming		
TRIAC and ELV dimming at 120 V AC only		
Reduced output - 540 Lumens (source)	DR	
Nondimmable		

2700 K & 3000 K downlight only options are  
dark sky compliant



textured white powdercoat



antique bronze



marine grade brushed stainless steel

Cerno's Calx Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan  
Designer



marine grade brushed  
stainless steel (CM-102)



antique bronze (CM-103)




textured black powder-  
coat (CM-099)



textured white powder-  
coat (CM-100)




matte grey powdercoat  
(CM-101)





Ansa Outdoor  
sconce



Dimensions: 19.25" x 6" x 3"  
Product weight: 5 lb  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Antique bronze finishes will vary  
Antique bronze is a living finish and will change over time  
depending on environmental conditions  
Custom backlit address or room numbers available  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Ansa Outdoor part # 03-243-

Shade Material

marine grade brushed stainless steel (CM-102) S  
antique bronze (CM-103) R  
textured black powdercoat (CM-099) K  
textured white powdercoat (CM-100) Y  
matte grey powdercoat (CM-101) G

Lamping

2700 K LED 27  
3000 K LED 30  
3500 K LED 35  
4000 K LED 40


Light Distribution and Driver Options

Uplight & Downlight

120-277 V AC input voltage  
Standard output - 1130 Lumens (source) P1  
0-10 V dimming  
TRIAC and ELV dimming at 120 V AC only  
Reduced output - 540 Lumens (source) PR  
Nondimmable



antique bronze



matte grey powdercoat




white powdercoat

Cerno's Ansa Outdoor sconce is an existing design that we modified to withstand the elements.  
The materials and components were meticulously designed and engineered to comply and  
pass UL's wet location requirements.

Nick Sheridan  
Designer

Acuo Outdoor  
sconce



Dimensions: 16.5" x 7.06" x 4"  
Product weight: 6 lb  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Acuo Outdoor part # 03-241-

Shade Material

textured black powdercoat (CM-099) K  
textured white powdercoat (CM-100) Y  
matte grey powdercoat (CM-101) G

Lamping

2700 K LED 27  
3000 K LED 30  
3500 K LED 35  
4000 K LED 40

Light Distribution and Driver Options

Uplight & Downlight

120-277 V AC input voltage  
Standard output - 1130 Lumens (source) P1  
0-10 V dimming  
TRIAC and ELV dimming at 120 V AC only  
Reduced output - 540 Lumens (source) PR  
Nondimmable

Includes

frosted polymer (CM-024)



Powdercoat Black



matte grey powdercoat



powdercoat white

Cerno's Acuo Outdoor sconce is an existing design that we modified to withstand the elements.  
The materials and components were meticulously designed and engineered to comply and  
pass UL's wet location requirements.

Nick Sheridan  
Designer




textured black powder-  
coat (CM-099)



textured white powder-  
coat (CM-100)




matte grey powdercoat  
(CM-101)





## Vanity Lighting



Allavo




Merus





Allavo

vanity sconce



Allavo 22 dimensions: 21.3" x 4.6" x 3.9"

Allavo 31 dimensions: 30.3" x 4.6" x 3.9"

Allavo 40 dimensions: 39.3" x 4.6" x 3.9"

Allavo 22/31 weight: 2 lb

Allavo 40 weight: 3 lb

Light source: integrated LED

Allavo 22 light output: 780 Lumens (source)

Allavo 31 light output: 1170 Lumens (source)

Allavo 40 light output: 1560 Lumens (source)

Light color options: 2700 K, 3000K, 3500 K, or 4000 K

Color accuracy: 90+ CRI

Allavo 22 power usage: 11 W

Allavo 31 power usage: 16 W

Allavo 40 power usage: 21 W

Dimmable (see options below)

Specifications subject to change

Driver location: must be housed in J-box

Allavo 22 driver dimensions: 2.63" x 1.25" x 0.8", included

Allavo 31 driver dimensions: 3.0" x 1.0" x 1.5", included

Allavo 40 driver dimensions: 2.82" x 2.5" x 1.2", included

The Allavo can be oriented as a vertical sconce or horizontal sconce. When oriented vertically, a right or left orientation can be achieved by flipping the fixture vertically.



MATERIAL & FINISH OPTIONS

Allavo part # 03-250-

Size

22"

31"

40"

Metal Finish

matte black (CM-085) exterior

with matte white reflector

matte white (CM-107) exterior

with matte white reflector

Wood Finish

walnut (CM-001)

dark stained walnut (CM-002)

white washed oak (CM-095)

Lamping

2700 K LED

3000 K LED

3500 K LED

4000 K LED

Driver

120 V AC input voltage


TRIAC, ELV & 0-10 V dimming

277 V AC input voltage

TRIAC, ELV & 0-10 V dimming

Includes

brushed aluminum (CM-006)



matte white, walnut




matte white



Cerno's product development team prioritized the utility of the Allavo vanity, while not ignoring the importance of the aesthetic. Drawing from our experience with product photography, we knew that a large diffuse light source was the key to achieving our goal. The novel design uses indirect lighting that bounces off a curved metal surface. Cerno's signature use of wood is integrated seamlessly into a design we believe harmonizes usefulness and beauty.

Merus

sconce



Merus 22 dimensions: 21.3" x 6" x 3.4"

Merus 31 dimensions: 30.3" x 6" x 3.4"

Merus 40 dimensions: 39.3" x 6" x 3.4"

Merus 22/31 weight: 2 lb

Merus 40 weight: 3 lb

Light source: integrated LED

Merus 22 light output: 780 Lumens (source)

Merus 31 light output: 1170 Lumens (source)

Merus 40 light output: 1560 Lumens (source)

Light color options: 2700 K, 3000 K, 3500 K, or 4000 K

Color accuracy: 90+ CRI

Merus 22 power usage: 11 W

Merus 31 power usage: 16 W

Merus 40 power usage: 21 W

Dimmable (see options below)

Specifications subject to change

Driver location: must be housed in J-box

Merus 22 driver dimensions: 2.63" x 1.25" x 0.8", included

Merus 31 driver dimensions: 3.0" x 1.0" x 1.5", included

Merus 40 driver dimensions: 2.82" x 2.5" x 1.2", included

The Merus can be oriented as a vertical sconce or horizontal sconce. When oriented vertically, a right or left orientation can be achieved by flipping the fixture vertically.



MATERIAL & FINISH OPTIONS

Merus part # 03-251-

Size

22"

31"

40"

Wood Finish

walnut (CM-001)

dark stained walnut (CM-002)

white washed oak (CM-095)

Lamping

2700 K LED

3000 K LED

3500 K LED

4000 K LED

Driver

120 V AC input voltage

TRIAC, ELV & 0-10 V dimming


277 V AC input voltage

TRIAC, ELV & 0-10 V dimming


Includes

matte black (CM-085) exterior with matte white reflector


brushed aluminum (CM-006)




walnut (CM-001)



dark stain walnut (CM-002)



white washed oak (CM-095)




matte black (CM-085) exterior with matte white reflector





matte white, white washed oak



walnut



Merus is a quintessential Cerno design. Clean, modern lines paired with a novel indirect light source compose a form that balances beauty and usefulness. Our team used Cerno's signature material palette of wood and metal.





## Sconces



Talea



Talea



Tersus



Sedo



Via




Calx Sconce




Ansa




Ansa



Vesper



Vesper



Fortis



Claudo Sconce



Acuo




Acuo



Cubo



Libri



Capiro family



Oris



Tersus Outdoor




Levo





Talea, burlap shade, walnut body, textured black powdercoat



white linen shade, dark stained walnut, brushed aluminum




black amaretto shade, dark stained walnut, textured black powdercoat



*The adaptive and interactive features of the Talea introduced exciting challenges to the design process. I believe we found a balance that allows this fixture to thrive in a range of spaces and different applications. I am really pleased with how the design language turned out, specifically how the expressive hinge suggests its ability to swing, and how the wood to metal arm detailing suggests the arm can telescope. It's a beautiful mixture of utility and elegance.*

Nick Sheridan  
Designer

**Talea**  
articulate wall sconce



Dimensions: 18.38" x 5" x 34.75", 15" Ø shade  
Materials: solid wood, metal  
Product weight: 5 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Bulb not included  
Input voltage: 250 V AC max  
Clear SVT-3 cord included  
Top and bottom diffusers included (CM-051)  
Wood grain will vary  
Specifications subject to change  
Patent No.: US D846,180 S



**SWING ARM LENGTH**

Arm length (from the wall to center of shade)  
can be adjusted between 18" and 27"

**DROP LENGTH**

Max drop length from tip of extended arm to top  
of shade is 36"

**SWING ARM ROTATION**

Adjustable resistance in pivot hinge

**MATERIAL & FINISH OPTIONS**

Talea part # 03-210-

**Metal Finish**

brushed aluminum (CM-006) A  
textured black powdercoat (CM-049) B

**Wood Body**


walnut (CM-001) W  
dark stained walnut (CM-002) D

**Fabric Shade**


burlap (CM-017) N  
white linen (CM-016) L  
black amaretto (CM-018) A

**Includes**  
frosted polymer diffuser (CM-051)

For additional products that utilize the swing arm  
bracket, please see our Motus Swing Arm Bracket  
on page 78



brushed aluminum  
(CM-006)



textured black  
(CM-049)



walnut  
(CM-001)




dark stained walnut  
(CM-002)




burlap  
(CM-017)



white linen  
(CM-016)




black amaretto  
(CM-018)



Talea, white linen shade, dark stained walnut body, brushed aluminum,



Via  
sconce or ceiling flush mount



Dimensions: 18" x 6" x 4"  
Materials: solid wood, polymer  
Product weight: 2 lb

**Integral LED Specifications**  
Light output: 500 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Dimmable (see driver below)  
Input voltage: 24 V DC (driver included)  
Driver location: must be housed in J-box  
Driver dimensions: 3" x 1.5" x 1"  
Mounting: ceiling or wall

**Candelabra Base Specifications**  
Lamping: 2x candelabra E12 base sockets,  
10 W max each (bulbs not included)  
Select bulbs can achieve over 500 lumens each  
Input voltage: 120 V AC max  
Mounting: wall only



MATERIAL & FINISH OPTIONS

Via part # 03-190-	
<b>Wood Body</b> walnut (CM-001) dark stained walnut (CM-002)	W
	D
<b>Lamping</b> 2700 K LED 3500 K LED Candelabra E12 socket	27
	35
	CB
<b>Driver (LED version only)</b> 120 V AC input voltage TRIAC, ELV & 0-10V dimming 277 V AC input voltage TRIAC, ELV & 0-10V dimming	P1
	P2


**Includes**  
frosted polymer (CM-051)  
  
Inquire about other input voltages  
Emergency backup option available upon request



*The Via has an understated geometry with sophisticated detailing and proportion  
The substantial glowing volume of the Via is punctuated by a thin plane of rich American  
walnut striking a balance and harmony.*

Nick Sheridan  
Designer

Calx  
sconce



Dimensions: 8" x 9" x 4"  
Materials: wood, metal  
Product weight: 2 lb  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx sconce part # 03-138-	
<b>Metal Finish</b> brushed aluminum (CM-012) brushed rose gold (CM-046) brushed brass (CM-047)	A G R
<b>Wood Finish</b> walnut (CM-055) dark stained walnut (CM-056)	W D
<b>Lamping</b> 2700 K LED 3500 K LED	27 35
<b>Driver</b> 120-277 V AC input voltage 0-10 V dimming TRIAC and ELV dimming at 120 V AC only	P1

Calx pendants also available. [Click here.](#)


*Inspired by the Calx pendant, the materials and method inform the design greatly. While the  
Calx sconce is clean and simple, it also offers a beautiful texture and subtle complexity to a wall.*

Nick Sheridan  
Designer





Penna 16 / Penna 40 / Penna 64  
sconce



Penna 16 dimensions: 16.5" x 7.7" x 3.5"  
Penna 40 dimensions: 40.5" x 7.7" x 3.5"  
Penna 64 dimensions: 64.5" x 7.7" x 3.5"

MATERIAL & FINISH OPTIONS

Penna sconce part # 03-220-		B	-
Penna 16	16		
Penna 40	40		
Penna 64	64		
<b>Metal Finish</b>		R	
brushed brass (CM-008)		D	
<b>Wood Body</b>		W	
walnut (CM-001)		D	
dark stained walnut (CM-002)			
<b>Lamping</b>		27	
2700 K LED		35	
3500 K LED			
<b>Driver</b>		P1	
120 V AC input voltage		P2	
TRIAC, ELV & 0-10 V dimming			
277 V AC input voltage			
TRIAC, ELV & 0-10 V dimming			
<b>Includes</b>			
frosted polymer (CM-057)			



On our Cerno journey, we continue to evolve as designers and craftsmen. The Penna is a celebration of us drawing and reflecting on our last ten years. This design is an embodiment of all the lessons that we have learned from designing and building thousands of lights. This fixture balances utility and sophisticated beauty well. The walnut, brass, and leather work in concert to compose a modern form with materials that have been used for thousands of years.


Nick Sheridan  
Designer



The Vesper is a very simple geometric sculpture composed of brushed aluminum, American black walnut, and white polymer. The light not only washes up and down the wall but also filters out through the composition, exhibiting the fixture's depth in three dimensions.

Nick Sheridan  
Designer

Vesper  
sconce



Dimensions: 15" x 8" x 4"  
Materials: solid wood, polymer, aluminum  
Product weight: 4 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
LED power consumption: 13W  
Dimmable (see driver below)  
ADA compliant hotel room signage with tactile numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change





MATERIAL & FINISH OPTIONS

Vesper part # 03-132-		-
<b>Wood Body</b>	W	
walnut (CM-001)	D	
dark stained walnut (CM-002)		
<b>Lamping</b>	27	
2700 K LED	35	
3500 K LED		
<b>Driver</b>	P1	
120-277 V AC input voltage		
0-10V dimming		
TRIAC and ELV dimming at 120 V AC only		


**Includes**  
frosted polymer (CM-024)  
brushed aluminum (CM-006)



Acuo  
sconce



walnut  
(CM-001)



dark stained walnut  
(CM-002)



brushed aluminum  
(CM-006)

Dimensions: 16.5" x 6" x 4"  
Materials: solid wood, polymer, aluminum  
Product weight:  
3 lb (CM-001/CM-002)  
5 lb (CM-006)  
*Integrated LED Specifications*  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)

*GU-24 Base Specifications*  
Lamping: 2x GU-24 base sockets, 18 W max each  
Input voltage: 300 V AC max

ADA compliant hotel room signage with tactile  
numbering and corresponding braille available

Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Acuo part # 03-130-	
<i>Body</i>	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
brushed aluminum (CM-006)	A
<i>Lamping</i>	
2700 K LED	27
3500 K LED	35
GU-24 base sockets	GU
<i>Driver (LED version only)</i>	
120-277 V AC input voltage	
0-10 V dimming	
TRIAC and ELV dimming at 120 V AC only	P1

*Includes*  
frosted polymer (CM-024)


J-box centered behind wood/aluminum body



Acuo, walnut



Acuo, walnut



Acuo, brushed aluminum

*It's a 3 sided box, which has been carefully deconstructed to a sculptural state. The careful composition of overlap and void create interest and complexity to a very straightforward, well-functioning wall sconce. The tectonic disconnection in form allows you to witness the solid American black walnut's grain as it travels through each solid block.*


Nick Sheridan  
Designer

Emergency backup option available upon request, requires oversized J-box.




Acuo, walnut

SARAH GALLOP INTERIOR DESIGN PHOTO BY PAUL GRDINA





Capio S  
sconce



Dimensions: 17" x 6" x 4"  
Materials: solid wood, polymer  
Product weight: 4 lb  
Light source: integrated LED  
Light output: 500 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Dimmable (see driver below)  
Input voltage: 24 V DC (driver included)  
Driver location: must be housed in J-box  
Driver dimensions: 2.6" x 1.3" x 0.8" ADA  
compliant hotel room signage with tactile  
numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change




MATERIAL & FINISH OPTIONS

Capio S part # 03-180-S

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
maple (CM-005)



Lamping

2700 K LED  
3500 K LED

Driver

120 V AC input voltage  
TRIAC, ELV & 0-10 V dimming  
277 V AC input voltage  
TRIAC, ELV & 0-10 V dimming

Includes

frosted polymer (CM-024)

Capio L  
sconce



Dimensions: 28.5" x 6" x 4"  
Materials: solid wood, polymer  
Product weight: 7 lb  
Light source: integrated LED  
Light output: 1000 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 14 W  
Dimmable (see driver below)  
Input voltage: 24 V DC (driver included)  
Driver location: must be housed in J-box  
Driver dimensions: 3" x 1.5" x 1"  
ADA compliant hotel room signage with tactile  
numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change




MATERIAL & FINISH OPTIONS

Capio L part # 03-180-L

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
maple (CM-005)



Lamping

2700 K LED  
3500 K LED

Driver


120 V AC input voltage  
TRIAC, ELV & 0-10 V dimming  
277 V AC input voltage  
TRIAC, ELV & 0-10 V dimming

Includes


frosted polymer (CM-024)



Capio S, Capio L, walnut



dark stained walnut  
(CM-002)



walnut  
(CM-001)



maple  
(CM-005)



Capio L, maple Capio L, walnut

The Capio is an exercise in restraint and efficiency consisting of just two solid wood sides that capture a single light diffusing lens. The clean and simple design allows for horizontal or vertical mounting as well as compelling compositions when used in multiples.

Nick Sheridan  
Designer


Emergency backup option available upon request, requires oversized J-box.




Oris, walnut



Oris, walnut




walnut  
(CM-001)



dark stained walnut  
(CM-002)


Oris  
sconce



Dimensions: 24" x 10.5" x 4"  
Materials: solid wood, polymer, aluminum  
Product weight: 6 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
LED power consumption: 13W  
Dimmable (see driver below)  
ADA compliant hotel room signage with tactile  
numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS



Metal Finish

brushed aluminum (CM-006)

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)

Lamping

2700 K LED  
3500 K LED

Driver

120-277 V AC input voltage  
0-10V dimming  
TRIAC and ELV dimming at  
120 V AC only


Includes

frosted polymer (CM-024)

The Oris has a strong and commanding presence with its highly architectonic form. The thick solid stock walnut and solid aluminum central fin give the Oris a feeling of permanence and integration into the surrounding architecture. The simple asymmetrical composition adds an understated complexity, as well as excellent illumination, to any wall.

Nick Sheridan  
Designer

Emergency backup option available upon request, requires oversized J-box.










Tersus  
sconce



Dimensions: 10.75" x 7.25" x 2.75" (\*3.13" marble)  
Materials: solid wood, polymer, metal option, stone option  
Product weight: 2 lb (5 lb marble)  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Wood grain and stone will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Tersus part # 03-136-

WOOD		walnut (CM-001)	W
		dark stained walnut (CM-002)	
		maple (CM-005)	
METAL VENEER		brushed rose gold, walnut	D
		brushed rose gold, dark stained walnut	
		brushed rose gold, maple	
METAL VENEER		brushed brass, walnut	M
		brushed brass, dark stained walnut	
		brushed brass, maple	
CARRARA		brushed aluminum, walnut	A
		brushed aluminum, dark stained walnut	
		brushed aluminum, maple	
CARRARA		brushed aluminum, dark stained walnut	G
		brushed aluminum, maple	
		brushed aluminum, dark stained walnut	
CARRARA		carrara marble, walnut	R
		carrara marble, dark stained walnut	
		carrara marble, maple	
CARRARA		carrara marble, dark stained walnut	C
		carrara marble, maple	
		carrara marble, dark stained walnut	

Lamping  
2700 K LED  
3500 K LED

Driver  
120-277 V AC input voltage  
0-10V dimming  
TRIAC and ELV dimming at 120 V AC only

Includes  
frosted polymer (CM-024)

J-box centered behind fixture

The Tersus is an example of the simplest form unlocking a myriad of design possibilities. The long reaching light pattern cast on the wall coupled with the numerous finishes and materials offered makes the Tersus well versed for all kinds of compositions and applications.

Nick Sheridan  
Designer



Tersus, walnut, carrara marble




Tersus, walnut, rose gold



Tersus, dark stained walnut

Sedo  
sconce




Dimensions: 36" x 14" x 4"  
Materials: solid wood, polymer  
Product weight: 6 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
ADA compliant hotel room signage with tactile numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change




MATERIAL & FINISH OPTIONS

Sedo part # 03-133-

Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	
Lamping	2700 K LED	27
	3500 K LED	
Driver	120-277 V AC input voltage	P1
	0-10 V dimming	
Includes	TRIAC and ELV dimming at 120 V AC only	
	frosted polymer (CM-024)	



walnut (CM-001)



dark stained walnut (CM-002)




Sedo, walnut

The Sedo is composed of just three floating planes all kept parallel to the wall. This simple composition cloaks the light engine from view and filters the light as it is delivered far up and down the wall. It's this wall grazing and diffuser glow that gives the Sedo a strong architectural presence.

Nick Sheridan  
Designer

Emergency backup option available upon request, requires oversized J-box.








Ansa, distressed brass



The Ansa is a simple form that has been detailed and executed without compromise. The robust metal collar broadly trains the light while the light diffusing blades closely attenuate the wash pattern on the wall, yielding a simple and sophisticated feel.

Nick Sheridan  
Designer

Ansa  
sconce



Dimensions: 15.5" x 5" x 2.4"  
Materials: metal, polymer  
Product weight: 3 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Specifications subject to change





MATERIAL & FINISH OPTIONS

Ansa part # 03-137 -		-
Body		
brushed aluminum (CM-006)	A	
brushed brass (CM-008)	R	
distressed brass (CM-009)	D	
oiled bronze (CM-010)	Z	
Lamping		
2700 K LED	27	
3500 K LED	35	
	P1	

120-277 V AC input voltage  
0-10V dimming  
TRIAC and ELV dimming at  
120 V AC only


Includes  
frosted polymer (CM-024)  
J-box centered behind fixture





in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE

**Fortis**  
sconce



Dimensions: 12.5" x 7.5" x 3.75"  
Materials: solid wood, metal,  
artisan glass option, marble option  
Product weight: 10 lb  
Light source: integrated LED  
Light output: 565 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Dimmable (see driver below)  
Wood grain, bubbles in glass, and stone will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Fortis part # 03-170-

**Metal Finish**

brushed brass (CM-008) R  
distressed brass (CM-009) D  
oiled bronze (CM-010) Z  
brushed aluminum (CM-006) A

**Wood Finish**

walnut (CM-001) W  
dark stained walnut (CM-002) D

**Diffuser**

artisan bubble glass (CM-059) B  
carrara marble (CM-078) C

**Lamping**

2700 K LED 27  
3500 K LED 35

**Driver**

120 V AC input voltage P1  
TRIAC & ELV dimming  
277 V AC input voltage P2  
0-10V dimming

J-box centered behind metal plate



Fortis, dark stained walnut, carrara marble, oiled bronze



dark stained walnut, artisan glass, brushed brass



dark stained walnut, artisan glass, oiled bronze

The Fortis wall sconce is a great example of the collaborative design process. The initial concept from the New York based Desiron was refined over many iterations. We then worked with the local Southern California artisan glass company Siemon & Salazar to achieve a very specific bubbled glass lens that diffuses the light. It is a strong and sophisticated display of three elements: a piece of metal, a piece of wood, and a piece of glass all beautifully showcased in light.

Nick Sheridan  
Co-Designer




Claudio, walnut

The Claudio sconce showcases the beautiful natural walnut wood grain and sets it against the rigorous slits cut in each face as they wrap around the simple, clean shade form. A beautiful glow emanates from each slit, showing the striking rectilinear composition, in which all three sides are unique.

Nick Sheridan  
Designer

**Claudio**  
sconce



Dimensions: 8.5" x 5.5" x 3.75"  
Materials: solid wood, polymer  
Product weight: 4 lb  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Wood grain will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Claudio sconce part # 03-150-

**Wood Body**

walnut (CM-050) W  
dark stained walnut (CM-002) D

**Lamping**

2700 K LED 27  
3500 K LED 35

120-277 V AC input voltage  
0-10V dimming P1  
TRIAC and ELV dimming at  
120 V AC only

**Includes**


frosted polymer (CM-024)

J-box centered behind fixture



Also available in a pendant version, see page 41



walnut  
(CM-050)



dark stained walnut  
(CM-002)






Necessity is the mother of invention, and in this case illuminated activities in bed need highly controlled light — provided here without compromise, while still delivering a simple, clean wall sconce with ambient light — all in one fixture! — and it leaves your nightstand clutter free! Now that is modern.

Nick Sheridan  
Designer


Cubo  
bedside wall sconce/reading lamp hybrid



Dimensions: 18" x 9" x 3", 22.5" articulating arm  
Materials: solid wood, aluminum, polymer  
Product weight: 3 lb  
Full arm and light head articulation  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable on fixture  
Input voltage: 12 V DC (adapter included)  
Hardwired and corded versions available  
Hardwired model includes an external power adapter (3" x 1.63" x 1.25")  
Requires space in J-box for included power adapter  
Wood grain will vary  
Specifications subject to change




OPTIONS




Includes  
solid walnut body (CM-001)  
aluminum arms (CM-006)  
frosted polymer shade

Alternate voltage / plug styles available

\*Hardwired installation uses a standard 3" round plaster ring and requires room in the j box for the included external power supply.  
Get installation instructions at [www.cernogroup.com](http://www.cernogroup.com)




Cubo, right model



Libri, right model



Left model, aluminum fixture, hardwired with walnut wall mount plug-in backplate mounting kit




Left model, aluminum fixture, hardwired with walnut J-box plug-in backplate mounting kit



Left model, aluminum fixture, hardwired with aluminum J-box plug-in backplate mounting kit


Libri  
bedside sconce reading light



Dimensions: 10.5" x 1.5" x 1.2"  
Materials: aluminum, polymer, optional solid wood mounting  
Product weight: 1 lb  
Light source: integrated LED  
Light output: 160 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 2 W  
Automatic ON/OFF when arm is pulled away from wall  
Specifications subject to change




MATERIAL & FINISH OPTIONS



Alternate voltage / plug styles available  
J-box centered behind fixture

DIRECTION



INSTALLATION


\*Hardwired installation requires room in the J-box for the included external power adapter (2" x 1" x 1.25"). Typically mounting kit is used. See mounting options on this page

The Libri is about function and ease: an extremely articulate directional task light in a discrete and sturdy form that is very intuitive to use.

Nick Sheridan,  
Designer

MOUNTING OPTIONS

Mounting kits are sold separately from the Libri fixture.  
No Mounting kit is required if the Libri fixture is to be installed using the Direct Mount option.




Direct Mount


Direct mount option is used when mounting directly to a headboard. There is no backplate and the cord must be fed through a hole in the headboard directly behind where the fixture is mounted and plugged into a wall outlet using the included AC adapter.

Libri Mounting Kit  
sconce backplate


J-box Backplate: Mounting Kit (3)  
J-box backplate is typically used when mounting to a J-box. Hardwired installation requires room in the J-box for the included external power adapter (2"x1" x 1.25").



Wall Mount Plug-in Backplate: Mounting Kit (1, 2)  
Wall mount plug-in backplate is used when mounting directly to the wall and plugging into a wall outlet. The wall mount is an elongated rectangle that allows the cord to exit discreetly below the fixture.



MOUNTING KIT OPTIONS







Levo, walnut


REDDYMADE ARCHITECTURE AND DESIGN



Levo, right model



**Levo**  
bedside wall sconce/reading  
lamp hybrid with USB charger




Dimensions: 10" x 16" x 3.25"  
Materials: solid wood, aluminum, polymer  
Product weight: 3 lb  
Light source: 2x integrated LED  
Static sconce light + swim arm  
with rotating head light  
Light output of static sconce source:  
565 Lumens (source)  
Light output of swing arm source:  
160 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 20 W total (10 W USB charger)  
USB charge current: 2 A  
Fully dimmable static sconce light with  
Automatic ON/OFF swing arm light source  
Swing arm light is not dimmable  
Input voltage: 12 V DC (adapter included)  
Hardwired and corded versions available  
Hardwired model includes an external power  
supply (2.75" x 1.63" x 1.13")  
Requires space in J-box for included power adapter  
Alternate voltage/plug styles available  
Hardwired adapter input voltage: 120-277 V AC  
Corded adapter input voltage: 120 V AC  
Wood grain will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Levo part # 03-120-


*Direction*  
left model  
right model



*Installation*  
hardwired  
corded

*Includes*  
solid walnut body (CM-001)  
brushed aluminum (CM-006)  
frosted polymer (CM-024)

Alternate voltage / plug styles available



**Levo Shelf Option**




Levo, right model with shelf option

The introduction of the optional shelf for the Levo increases the utility of this fixture without compromising any aspect of the design. The shelf provides a perfect place to rest your phone or tablet while charging it. It is important to note that shelf is purchased separately from the Levo and can be retrofitted on existing Levos.


**MATERIAL & FINISH OPTIONS**

Levo Shelf part # 60-220-

*Direction*  
left model  
right model



*Includes*  
solid walnut shelf (CM-001)  
brushed aluminum (CM-006)



left model with shelf option

*The goal for the Levo was to create a bedside wall fixture with great task lighting articulation that was intuitive enough to be used without prior knowledge of the fixture: all the while making it slender, sexy, and very robust.*

*Nick Sheridan,  
Designer*



## Table



Forma



Nauta



Silva




Macto






in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE

**Forma Table**  
desk/table



Dimensions: 15" Ø shade, 31"  
Materials: solid wood, aluminum, fabric shade  
Product weight: 10 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change

 **UL LISTED**

Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Forma Table part # 02-150-		
<i>Metal Finish</i>		
brushed aluminum (CM-006)	A	
black anodized aluminum (CM-007)	B	
<i>Wood Body</i>		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
<i>Shade</i>		
black amaretto (CM-018)	A	
white linen (CM-016)	L	
burlap (CM-017)	N	

Alternate voltage / plug styles available  
Also available as a Floor Lamp, See page 16



Forma Table, walnut, black anodized aluminum,white linen



Being our most traditional fixture, Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma table, and its likeness to the Forma floor lamp.

Nick Sheridan  
Co-Designer




walnut, brushed brass,burlap



Efficiency and simplicity guided the design process for the Nauta table lamp. We designed the Forma several years ago with Frank Carfaro of Desiron, which profoundly influenced the Nauta's form. Our goal was to distill the Forma design without compromising it. The Nauta is clean, modern, and priced competitively.

Nick Sheridan  
Designer

**Nauta Table**  
desk/table



Dimensions: 12" Ø, 28"  
Materials: solid wood, aluminum, fabric shade  
Product weight: 3 lb  
Light source: medium base E26 socket  
Lamping: E26 base, 60 W max  
Input voltage: 250 V AC max  
Includes 8' clear silver cord with white plug  
On/Off rocker switch on socket  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Nauta Table part # 02-160-		
<i>Metal Finish</i>		
brushed aluminum (CM-006)	A	
brushed brass (CM-008)*	R	
<i>Wood Body</i>		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
<i>Shade</i>		
black amaretto (CM-018)	A	
white linen (CM-016)	L	
burlap (CM-017)	N	


\*Brass shade support arms feature wood plug in end of arm

in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE





Silva  
desk/table




Dimensions: 12" x 9.5", 21.5"  
Materials: solid wood, aluminum, bent shade  
Articulating head  
Product weight: 2 lb  
Light source: integrated LED  
Light output: 565 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Input voltage: 12V DC (adapter included)  
White braided cord  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Silva part # 02-100-



**Metal Finish**  
brushed aluminum (CM-006) A

**Wood Body**  
walnut (CM-001) W  
dark stained walnut (CM-002) D

**Bent Shade**  
beech wood veneer (CM-019) B  
ebony eco veneer (CM-020) E  
white linen (CM-058) L

Alternate voltage / plug styles available  
Also available in two larger versions




Silva Table, walnut, white linen



The structural connection between metal and wood was the inspiration here, where the fixture's stance is only strengthened by gravity. The tri-leg base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan  
Designer

Macto  
desk/task



Dimensions: 3.5" x 3.5", 17" arm reach  
Materials: solid wood, aluminum arm  
Product weight: 5 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Input voltage: 12V DC (adapter included)  
Black braided cord  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Macto part # 02-140-

**Metal Finish**  
brushed aluminum (CM-006) A

**Wood Body**  
walnut (CM-001) W  
dark stained walnut (CM-002) D

Alternate voltage / plug styles available



Macto, walnut

The Macto showcases the breathtaking natural beauty of the solid walnut base. Only in a truly solid piece of wood can you see the fascinating way that the grain changes as it passes from face to face. Great reach and articulation make the Macto an extremely functional and versatile fixture: while its form and composition are kept remarkably simple.


Nick Sheridan  
Designer





Artist: Roy Nachum STACI RUIZ LIGHTING CONSULTANT PHOTO BY ARI BURLING

## Revelite AL art light



The Revelite AL brings art to life. A challenge resolved by a slim luminaire that discreetly and evenly illuminates an artwork surface with beautiful color rendering accuracy.

### CUSTOMIZED

Each AL is custom built and factory calibrated for an artwork's specific dimensions, distributing even illumination across the full width and height of the surface.

### HIGH COLOR ACCURACY

To accurately reflect the artist's vision, the LED light source was designed to provide full color spectrum lighting with a color rendering index over 90 and an R9 value of 83.

### ART SAFE

Revelite AL's LED technology provides a much safer alternative to legacy sources that emit excessive and damaging UV and heat.

### LOW PROFILE

The minimal form virtually disappears against the frame or wall and pairs well with various styles of art, including contemporary, photographs behind glass and more traditional works.

### VISIT

[www.revelite.com](http://www.revelite.com) for detailed specifications and options.

US Patent # 7,070,293 and 9,134,004.

Other US and International Patents Pending.

*These lights revealed subtleties in paintings you just don't see with ordinary lights. I think we are seeing, truly for the first time, what the artist really wanted us to see.*

*Pat Trenton, Ph.D.*

*Art expert, curator and writer*



Guy Rose, Impressionist



Wolfgang Bloch, Contemporary




Tom Lamb, Photograph (behind glass)



Accessories



Motus Swing Arm Bracket  
accessory



Dimensions: 18.38" x 5" x 26.8"  
Materials: solid wood, metal  
Product weight: 3 lb  
Max suspension weight: 5 lb  
Swing arm length can be adjusted from 18" to 27"  
Max drop length from tip of extended arm to top of pendant is 36"  
Swing arm rotation has adjustable resistance in pivot hinge  
Wood grain will vary  
Specifications subject to change  
Patent No. : US D846,180 S



MATERIAL & FINISH OPTIONS

Motus Swing Arm Bracket part # 60-210-




brushed aluminum (CM-006)



textured black powder coat (CM-049)



walnut (CM-001)



dark stained walnut (CM-002)

**Metal Finish**  
brushed aluminum (CM-006)  
textured black powdercoat (CM-049)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)

Please see the Talea on page 51

How it works: Build your own fixture

Pick one of the pendants listed below and pair it with the Motus Swing Arm Bracket for a unique and versatile light fixture. To order, you will need to select a SKU for the pendant that you choose and a SKU for the Motus Swing Arm Bracket. The SKU builder for the Motus Swing Arm Bracket is above, and the SKU builders for the pendants are located on their respective tear sheets.



Motus with Levis Pendant



Motus with Plura 18



Motus with Calx 10



Motus with Claudio



Motus with Mica



Motus with Salix

Canopy Accessories



Multi-Point Round Canopy

For 3 accent pendants

Dimensions: 12"Ø, 1.25" H

MATERIAL & FINISH OPTIONS

12" Round Canopy part # 60-120-R

**Finish**  
brushed aluminum (CM-006)  
black anodized (CM-007)



Multi-Point Linear Canopy

For linear pendants or 2 or 3 accent pendants

Dimensions: 20.6" x 4", 1.3" H

MATERIAL & FINISH OPTIONS

Multi-Point Linear Canopy part # 60-130-

**Finish**  
brushed aluminum (CM-006)  
black anodized (CM-007)



**Number of Holes**  
2 Holes (linear pendant) leave blank  
3 Holes (pendant cluster)



Wood Canopy Cover

Fits over linear canopies except for Camur canopy (Camur wood canopy is on page 23)

Dimensions: 21" x 4.6", 1.75" H

MATERIAL & FINISH OPTIONS

Wood Canopy Cover part # 60-130-005

**Finish**  
walnut (CM-001)  
dark stained walnut (CM-002)



**Number of Holes**  
2 Holes (linear pendant) leave blank  
3 Holes (pendant cluster)



Hard Surface Shade



Beech Wood Veneer (CM-019)  
Beech Wood Veneer



Ebony Eco Veneer (CM-020)  
Ebony Eco Veneer

Fabric Shade




White Linen (CM-016)  
White Linen w/ Lamp Shade Backer



White Linen (CM-058)  
White Linen w/ Frosted Backer




Burlap (CM-017)  
Burlap w/ Lamp Shade Backer




Black Amaretto (CM-018)  
Black Amaretto Fabric w/ Lamp Shade Backer

Brushed Aluminum (CM-006)  
Brushed Aluminum



Brushed Aluminum (CM-012)  
Brushed Anodized Aluminum Veneer



Black Anodized Aluminum (CM-007)  
Black Anodized Aluminum



Brushed Rose Gold (CM-046)  
Brushed Rose Gold Anodized Aluminum Veneer



Brushed Brass (CM-047)  
Brushed Brass Anodized Aluminum Veneer




Distressed Brass (CM-009)  
Distressed Brass - Patina




Brushed Brass (CM-008)  
Brushed Brass




Oiled Bronze (CM-010)  
Oiled Bronze - Patina



Textured Black Powdercoat (CM-049)  
Textured Black Powdercoat



Textured White Powdercoat (CM-060)  
Textured White Powdercoat



Gloss White (CM-054)  
White Powdercoat Aluminum Sheet



Metal

Wood



Walnut (CM-001)  
Solid Oiled Walnut




Walnut (CM-055)  
Oiled Walnut Veneer




Dark Stained Walnut (CM-002)  
Solid Dark Stained Oiled Walnut



Dark Stained Walnut (CM-056)  
Dark Stained Oiled Walnut Veneer



Double Dark Stained Walnut (CM-048)  
Solid Lacquered Double Dark Stained Walnut




Maple (CM-005)  
Solid Oiled Maple



White Washed Oak (CM-095)  
Solid White Washed Oak


Polymer




Frosted Polymer (CM-051)  
Frosted White Polycarbonate



Frosted Polymer (CM-057)  
Frosted Polycarbonate



Frosted Polymer (CM-024)  
Frosted Acrylic




Polymer (CM-052)  
Natural Polyethylene

Stone

Artisan Bubble Glass

Carrara marble (CM-078)  
carrara marble



artisan bubble glass (CM-059)

**⚠ WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



D E S I G N E D   A N D   M A D E   I N   C A L I F O R N I A



cerno®  
DESIGNED AND MADE IN CALIFORNIA

22892 GLENWOOD DRIVE, ALISO VIEJO, CA 92656 | 949.715.1534 | WWW.CERNOGROUP.COM