

cerno®



D E S I G N E D   A N D   M A D E   I N   C A L I F O R N I A





## BELIEF

With no backyards but access to beaches and idyllic doses of salt and sun, our business story began with the adventures of three boys. Laguna Beach's creative culture and natural environment shaped our professional and aesthetic ideals. Looking back it's now clear that our childhood projects and experiments grew into our best adventure yet: building Cerno.



## THE BEGINNING



*Cerno founders, 1998. Left to right: Nick Sheridan, Dan Wacholder, Bret Englander.*

Our drive and influences come from many different sources. One source that influenced all of us is Daniel's late grandfather, Steve. Steve grew up on a remote homestead where the existence of most objects depended on people's ability to create and fix them. For all of his 101 years, he embodied the saying "where there's a will, there's a way." On the California coast we were raised with this mentality and today we share it with the rest of the Cerno team.

## CERNO

- Verb (Latin)

1. To resolve, distinguish, decide, sift, determine, to perceive.







## OUR TEAM

Each finished product is a celebration of the inventive minds and industrious hands that brought it to life. Dreams do not manifest themselves; skilled people bring dreams to life. The passion of our steadily growing team and their commitment to the product is inspiring. We are grateful for every individual that is part of our collaborative creative process.


# Table of Contents

<b>Floor</b>	<b>9</b>	Levis L	62
Fons 8 / Fons 10	10	Salix	63
Valeo	11	Plura Pendant	65
Nauta Floor	14	<b>Flush Mount</b>	<b>67</b>
Silva Floor	15	Casia	69
Forma	16	Plura Flush Mount	73
Altus	17	<b>Outdoor Sconces</b>	<b>75</b>
Silva Giant	18	Tersus Outdoor	76
<b>Linear Pendants</b>	<b>21</b>	Calx Outdoor	77
Lenis	23	Ansa Outdoor	78
Arca	24	Acuo Outdoor	79
Camur	25	<b>Vanity</b>	<b>81</b>
Aeris 30 / Aeris 54	27	Allavo	82
Vix 34 / Vix 48	29	Merus	83
Penna Pendant	30	<b>Sconces</b>	<b>85</b>
Vix 82	31	Talea	87
Virga	32	Via	88
Brevis 28 / Brevis 42	33	Calx	89
<b>Pendants</b>	<b>35</b>	Penna Sconce	90
Amicus 12	36	Vesper	91
Amicus 16	37	Acuo	92
Amicus 21	39	Capio S	94
Casia Pendant 14	40	Capio L	94
Casia Pendant 18	41	Tersus	98
Abeo	42	Sedo	99
Casia Pendant 22	43	Ansa	101
Cano	44	Fortis	102
Bimar	45	Claudo	103
Muto	46	Libri	105
Astrum 11	47	Levo	107
Astrum 17	49	Levo Shelf Option	107
Imber 17 / Imber 24	50	<b>Table</b>	<b>109</b>
Ignis 17 / Ignis 24	51	Forma Table	110
Ico	53	Nauta Table	111
Calx 10 / Calx 19	54	Silva	112
Calx 36	55	Macto	113
Veris 12	56	Adesse	115
Veris 22	57	<b>Revelite AL</b>	<b>117</b>
Veris 34	59	Accessories	118
Claudo	60	Motus Swing Arm Bracket	118
Mica	61	Canopy Accessories	118
Mica L	61	Finish and Material Options	119
Levis	62		





## Floor



Fons Family



Valeo



Silva Giant



Silva Floor




Forma



Altus



Fons 8 / Fons 10  
floor



Dimensions: 25" Ø shade, 7'-4"  
Materials: solid wood, metal, linen shade  
Product weight: 65 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Includes 6'-0" clear silver cord with  
inline foot switch 24" from base  
Bottom diffuser included (CM-051)  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Fons part # 05-600-	A	W	L
Boom Arm brushed aluminum (CM-006)	A		
Wood Body walnut (CM-001)		W	
Fabric Shade white linen (CM-016)			L
Arm Length 8' 10'			E T

Includes  
stainless steel tension cable (CM-053)  
black powder coated steel base (CM-049)  
frosted polymer diffuser (CM-051)

Alternate voltage/plug styles are available




**ARM LENGTH**  
Available in 10'-8" and 8'-4" arm lengths  
Arm length is from back of base to center of shade  
Arm lengths are not adjustable

**SHADE HEIGHT**  
Shade height (floor to bottom edge of shade)  
can be adjusted between 6'-2" maximum and  
3'-9" minimum.


*The goal with the Fons was to minimize the structure and visual massing of the fixture while maximizing the reach or cantilever. The delicate boom arm, upheld by a tension cable, gently bends while reaching out to almost horizontal where it suspends the light. The structural design is an extremely effective way to resolve the forces associated with such a long reach. It is so effective and efficient that it seems to float with a weightlessness at the tip.*

Nick Sheridan  
Designer



*When reaching such a distance with a fixture, it is important that it feels visually efficient in its form but is still far from fragile, inviting one to linger under it. The adjustability in the reach and the height of the shade make it possible to custom fit the piece to its surroundings - an important characteristic for such a large piece.*


Nick Sheridan  
Designer



**ARM LENGTH**  
Arm length (from back of base to center of shade) can be adjusted between 9'-6" maximum and 6'-6" minimum.

**SHADE HEIGHT**  
Shade height (floor to bottom edge of shade) can be adjusted between 6'-7" maximum and 3'-11" minimum.

Valeo  
floor



Dimensions: 8'1" H max, 25" Ø shade  
Materials: solid wood, metal, linen shade  
Product weight: 95 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Includes 72" clear silver cord with  
inline foot switch 24" from base  
Bottom diffuser included (CM-051)  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Valeo part # 05-400-	A	W	L
Boom Arm brushed aluminum (CM-006)	A		
Wood Body walnut (CM-001)		W	
Fabric Shade white linen (CM-016)			L

Includes  
black powder coated steel base (CM-049)  
frosted polymer diffuser (CM-051)

Alternate voltage/plug styles are available









in collaboration with  
**DESIRON FRANK CARFARO**  
HAND CRAFTED AMERICAN FURNITURE

**Nauta Floor**  
floor



Dimensions: 17" Ø, 59"  
Materials: solid wood, aluminum, fabric shade  
Product weight: 8 lb  
Light source: medium base E26 socket  
Lamping: E26 base, 60 W max  
Input voltage: 250 V AC max  
Includes 8' clear silver cord with white plug  
On/Off rocker switch on socket  
Wood grain will vary  
Specifications subject to change  
**SHELF IS OPTIONAL**  
  
Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

**MATERIAL & FINISH OPTIONS**

Nauta Floor part #: 05-110-

**Metal Finish**

brushed aluminum (CM-006)  
brushed brass (CM-120)

**Wood Body**

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

**Shade**

black amaretto (CM-018)  
white linen (CM-016)  
burlap (CM-017)

**Optional Shelf Accessory**

no shelf  
matching wood shelf -  
exposed wood top surface  
matching wood shelf -  
black HPL top surface (CM-092)  
matching wood shelf -  
white HPL top surface (CM-093)

**\*\*Shelf is optional and cannot be removed by customer**




walnut, brushed aluminum, burlap



Efficiency and simplicity guided the design process for the Nauta table lamp. We designed the Forma several years ago with Frank Carfaro of Desiron, which profoundly influenced the Nauta's form. Our goal was to distill the Forma design without compromising it. The Nauta is clean, modern, and priced competitively.

Nick Sheridan  
Designer



Silva Floor, walnut body, ebony eco veneer shade



Silva Floor, walnut, beech wood veneer shade





Silva Floor, walnut, white linen shade

The Silva Floor is slender, elegant, and poised while delivering great functionality. The tri-leg base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan  
Designer

**Silva Floor**  
floor



Dimensions: 16" x 15", 4'-4"  
Materials: solid wood, aluminum, bent shade  
Articulating head  
Product weight: 4 lb  
Light source: integrated LED  
Light output: 565 Lumens (source)  
Light color\*: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Input voltage: 12V DC (adapter included)  
Includes 72" white braided cord  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change  


**MATERIAL & FINISH OPTIONS**

Silva Floor part # 05-100- A W

**Metal Finish**

brushed aluminum (CM-006)


**Wood Body**

walnut (CM-001)

**Bent Shade**

beech wood veneer (CM-019)  
ebony eco veneer (CM-020)  
white linen (CM-058)


Alternate voltage/plug styles are available  
Also available in larger version  
\*Available in 3000K, 4000K and other color temperatures upon request





in collaboration with  
**DESIRON FRANK CARFARO**  
HAND CRAFTED AMERICAN FURNITURE

**Forma**  
floor



Dimensions: 22" Ø shade, 6'  
Materials: solid wood, aluminum, fabric shade  
Product weight: 15 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

**MATERIAL & FINISH OPTIONS**

Forma Floor part # 05-300-

**Metal Finish**

brushed aluminum (CM-006) A  
black anodized aluminum (CM-007) B

**Wood Body**

walnut (CM-001) W  
dark stained walnut (CM-002) D  
maple (CM-005) M


**Fabric Shade**

burlap (CM-017) N  
white linen (CM-016) L  
black amaretto (CM-018) A

Alternate voltage/plug styles are available  
Also available in smaller version




Forma, brushed aluminum, walnut, burlap shade




Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma.

Nick Sheridan  
Co-Designer



Altus, walnut body, distressed brass metal finish, white linen shade




The Altus is a robust fixture that also carries an air of elegance and subtle proportion. It has the mass and impact to anchor a space while still showing balance and grace. It is always exciting to see how the solid wood trunk comes out; admiring the wood grain all the way through.

Nick Sheridan  
Co-Designer

in collaboration with  
**DESIRON FRANK CARFARO**  
HAND CRAFTED AMERICAN FURNITURE

**Altus**  
floor



Dimensions: 6'-8" H, 22" Ø shade  
Materials: solid wood, metal, fabric shade  
Product weight: 45 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
120 V AC max  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

**MATERIAL & FINISH OPTIONS**

Altus part # 05-700-

**Metal Finish**

brushed brass (CM-008) R  
distressed brass (CM-009) D  
oiled bronze (CM-010) Z


**Wood Body**

walnut (CM-001) W  
dark stained walnut (CM-002) D

**Fabric Shade**



burlap (CM-017) N  
white linen (CM-016) L  
black amaretto (CM-018) A

Alternate voltage/plug styles are available





Silva Giant  
floor



walnut  
(CM-001)



dark stained walnut  
(CM-002)

Dimensions: 32" x 26", 7", 16" Ø shade  
Materials: solid wood, aluminum, linen shade  
Product weight: 60 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Includes 72" clear silver cord with  
inline foot switch 24" from base  
Bottom diffuser included (CM-057)  
Wood grain will vary  
Specifications subject to change



Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Silva Giant part # 05-200-		A	L
Metal Finish brushed aluminum (CM-006)		A	L
Wood Body walnut (CM-001) dark stained walnut (CM-002)		W	L
		D	
Fabric Shade white linen (CM-058)			L


Alternate voltage/plug styles are available  
Also available in 2 smaller versions



Silva Giant, brushed aluminum, walnut body, white linen shade


*The Silva Giant, as the name suggests, is a giant version of our Silva table fixture. Its scale gives it a strong presence even in very large spaces, while its distilled form gives it a simplicity that can be seen from across the room. A fun piece with a huge personality.*

Nick Sheridan  
Designer





## Linear Pendants



Lenis




Lenis



Vix




Vix




Arca



Camur




Vix 82



Vix 82



Penna Pendant



Aeris



Virga



Brevis






Lenis, brushed aluminum



Bret, Dan and I have always loved the ocean and boats. In fact, the first project we built together as young boys was a sailboat. Our appreciation for the beauty of a well-designed craft is what initially inspired the Lenis fixture; the form is created by bending wood stringers over a series of bulkheads. The organic and sculptural structure deviates from our mostly rectilinear forms, which introduced many new challenges, yet it also breathed new life into the design process for us. Ultimately, we were searching for that balance between the curved fluidity of its lines and the twisting movement. Thanks to our team's determination, after countless studies and prototypes, we found the balance we were looking for.

Nick Sheridan,  
Designer

### Lenis linear pendant




Dimensions: 5'-4.5" x 10", 8.75"  
Materials: aluminum, stretch fabric  
Product weight: 10 lb  
Light source: integrated LED  
Light output: 5000 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 70 W  
Dimmable (see driver below)  
Brushed Aluminum (CM-006)  
linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Wood canopy covers are available:  
Walnut (CM-001) cover:  
part # 60-130-005W  
Dark stained walnut (CM-002) cover:  
part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change  
Patent No.: US D857,968 S



#### MATERIAL & FINISH OPTIONS

Lenis part # 07-220-	
Shade	
white fabric (CM-079)	L
End Detail	
brushed aluminum (CM-006)	A
dark stained walnut (CM-002)	D
walnut (CM-001)	W
Lamping*	
2700 K LED	27
3500 K LED	35
Driver	
120 V AC input voltage	P1
TRIAC, ELV & 0-10 V dimming	
277 V AC input voltage	P2
TRIAC, ELV & 0-10 V dimming	

Includes  
brushed aluminum (CM-006)  
\*Available in 3000K, 4000K and other color temperatures upon request



linear canopy,  
brushed aluminum




brushed aluminum  
(CM-006)



walnut  
(CM-001)





dark stained walnut  
(CM-002)





Arca  
linear pendant



Dimensions: 4'-1" x 24", 17"  
Materials: solid wood, aluminum, polymer  
Product weight: 20 lb  
Light source: integrated LED  
Light output: 1720 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 16 W  
Dimmable (see driver below)  
Linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Canopy finish matches fixture's metal finish  
Wood canopy covers are available:  
Walnut (CM-001) cover: part # 60-130-005W  
Dark stained walnut (CM-002) cover: part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Arca part # 07-120-		
Metal Finish	brushed aluminum (CM-006)	A
	black anodized aluminum (CM-007)	B
Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping*	2700 K LED	27
	3500 K LED	35
Driver	120 V AC input voltage	P1
	277 V AC input voltage	P2

Includes  
polymer shade (CM-052)  
frosted acrylic diffuser (CM-024)  
\*Available in 3000K, 4000K and other color temperatures upon request



The Arca is an experiment with density and mass. As one moves around the room, the fixture morphs from a commanding presence of solid walnut into a graceful bar of light surrounded by an elegant porous cage.


Nick Sheridan  
Designer



Light and delicate, subtly unique while simple, the camur must be experienced to really be appreciated. The gentle curve appears from the bottom just the same as it does from the side: but the perspectives found between the two intrigue.

Nick Sheridan,  
Designer

Camur  
linear pendant



Dimensions: 5'-0" x 2.75", 2.75"  
Materials: solid wood, polymer  
Product weight: 6 lb  
Light source: integrated LED  
Light output: 2500 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 35 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) camur canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Wood camur canopy covers are available:  
Walnut (CM-001) wood camur canopy cover: part # 60-150-005W  
Dark stained walnut (CM-002) wood camur canopy cover: part # 60-150-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change










MATERIAL & FINISH OPTIONS

Camur part # 07-210-		
Wood Body	walnut (CM-001)	W
	dark stained walnut (CM-002)	D
Lamping*	2700 K LED	27
	3500 K LED	35
Driver	120 V AC input voltage	P1
	277 V AC input voltage	P2

The true beauty of the Camur is difficult to appreciate in print. When experiencing this fixture in person you begin to see the subtlety and grace of its vertical and horizontal movements. As you walk around this fixture the shape will morph from a beautiful curve to a straight line. We have created a video to help celebrate these details at [www.cernogroup.com/camur](http://www.cernogroup.com/camur)

\*Available in 3000K, 4000K and other color temperatures upon request








in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE



The AERIS was a collaboration with New York based designer Frank Carfaro of Desiron. The organic and often wild swirls of walnut grain are interrupted by rigorous slits and inlays that punctuate each face to create a beautiful juxtaposition, making each fixture unique. The glow of the illuminated wood seen through the cut slits creates a rich composition of light and shadow.

Nick Sheridan  
Co-Designer

**Aeris 30 / Aeris 54**  
linear pendant




Aeris 30 dimensions: 30" x 6", 8"  
Aeris 54 dimensions: 54" x 6", 8"  
Materials: solid wood, aluminum  
Aeris 30 weight: 11 lb  
Aeris 54 weight: 15 lb  
Light source: integrated LED  
Light output - total: 1720 Lumens (source)  
Light output - downlight: 1030 Lumens (source)  
Light output - uplight: 690 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 16 W  
Dimmable (see driver below)  
Linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Canopy finish matches fixture's metal finish  
Wood canopy covers are available:  
Walnut (CM-001) cover: part # 60-130-005W  
Dark stained walnut (CM-002) cover:  
part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Aeris Part # 07 -	
Aeris 30	110
Aeris 54	100
<b>Metal Finish</b>	
brushed aluminum (CM-006)	A
black anodized aluminum (CM-007)	B
<b>Wood Body</b>	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
<b>Lamping*</b>	
2700 K LED	27
3500 K LED	35
<b>Driver</b>	
AC Input Voltage Range: 120-277 V 120 V input: TRIAC, ELV & 0-10 V dimmable 240 & 277 V input: only 0-10 V dimmable	
	P1

**Includes**  
polymer shade (CM-052)  
\*Available in 3000K, 4000K and other color temperatures upon request




linear canopy,  
brushed aluminum



brushed aluminum  
(CM-006)




black anodized aluminum  
(CM-007)



walnut  
(CM-001)



dark stained walnut  
(CM-002)







Vix 48, walnut




Vix 48, walnut


A clean, modern fixture finely executed. With multiple down and up lights, the Vix provides lots of usable light in a very unobtrusive design.

Nick Sheridan  
Designer

### Vix 34 / Vix 48 linear pendant




Vix 34 dimensions: 34" x 8", 0.75"  
Vix 48 dimensions: 48" x 8", 0.75"  
Materials: solid wood, polymer, aluminum  
Vix 34 weight: 10 lb  
Vix 48 weight: 15 lb  
Light source: integrated LED  
Light output - total: 1720 Lumens (source)  
Light output - downlight: 1030 Lumens (source)  
Light output - uplight: 690 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 16 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
Wood canopy cover available:  
Walnut (CM-001) cover: part # 60-130-005W  
Dark stained walnut (CM-002) cover:  
part # 60-130-005D  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



linear canopy,  
brushed aluminum



walnut  
(CM-001)




dark stained walnut  
(CM-002)

#### MATERIAL & FINISH OPTIONS


Vix Part # 07 -	
Vix 34	140
Vix 48	130
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping*	
2700 K LED	27
3500 K LED	35
Driver	
AC Input Voltage Range:	
120-277 V	
120 V input: TRIAC, ELV & 0-10 V dimmable	
240 & 277 V input: only 0-10 V dimmable	

Includes  
polymer shade (CM-052)  
\*Available in 3000K, 4000K and other color  
temperatures upon request





Vix 34

Vix 48





Penna 40 / Penna 64  
linear pendant



linear canopy,  
matte black finish




brushed brass  
(CM-008)



distressed brass  
(CM-009)



walnut  
(CM-001)



dark stained walnut  
(CM-002)



brown leather  
(CM-098)

Penna 40 dimensions: 40.5" x 7.7" , 2.3"  
Penna 64 dimensions: 64.5" x 7.7" , 2.3"  
Penna 40 weight: 7 lb  
Penna 64 weight: 10 lb  
Light source: integrated LED  
Penna 40 light output: 1530 Lumens (source)  
Penna 64 light output: 2550 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Penna 40 power usage: 21 W  
Penna 64 power usage: 35 W  
Dimmable (see driver below)  
Linear canopy included  
Canopy dimensions: 11.9" x 4.4", 1.7"  
Canopy finish: matte black (CM-085)  
See website for more canopy information  
8'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change

MATERIAL & FINISH OPTIONS

Penna pendant part # 07-150 -

Penna 40  
Penna 64


**Metal Finish**  
brushed brass (CM-008)  
distressed brass (CM-009)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)

**Lamping\***  
2700 K LED  
3500 K LED

**Driver**  
120 V AC input voltage  
TRIAC, ELV & 0-10 V dimming  
277 V AC input voltage  
TRIAC, ELV & 0-10 V dimming

Includes  
brown leather (CM-098)  
frosted polymer (CM-057)  
\*Available in 3000K, 4000K and other color  
temperatures upon request



Penna 64, walnut, brushed brass



Penna 64, walnut, distressed brass



Penna 40, dark stained walnut, distressed brass

On our Cerno journey, we continue to evolve as designers and craftsmen. The Penna is a celebration of us drawing and reflecting on our last ten years. This design is an embodiment of all the lessons that we have learned from designing and building thousands of lights. This fixture balances utility and sophisticated beauty well. The walnut, brass, and leather work in concert to compose a modern form with materials that have been used for thousands of years.

Nick Sheridan  
Designer



Vix 82, walnut




Vix 82, walnut

A clean, modern fixture finely executed. With multiple down and up lights, the Vix provides lots of usable light in a very unobtrusive design.

Nick Sheridan  
Designer

Vix 82  
linear pendant



Dimensions: 82" x 8", 0.75"  
Materials: solid wood, polymer, aluminum  
Product weight: 19 lb  
Light source: integrated LED  
Light output - total: 3440 Lumens (source)  
Light output - downlight: 2060 Lumens (source)  
Light output - uplight: 1380 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 32 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) linear canopy included  
Canopy dimensions: 20.6" x 4", 1.3"  
See website for more canopy information  
Drop length field adjustable: 0'-10" min, 8'-0" max  
Suitable for a sloped ceiling  
Wood grain will vary  
Wood shade may slightly bow or twist  
along 82" length  
Specifications subject to change

MATERIAL & FINISH OPTIONS


Vix 82 part # 07 - 200 -

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)

**Lamping\***  
2700 K LED  
3500 K LED

**Driver**  
AC Input Voltage Range:  
120-277 V  
120 V input: TRIAC, ELV &  
0-10 V dimmable  
240 & 277 V input: only 0-10  
V dimmable


**Includes**  
polymer shade (CM-052)  
\*Available in 3000K, 4000K and other color  
temperatures upon request



linear canopy,  
brushed aluminum



walnut  
(CM-001)




dark stained walnut  
(CM-002)





Virga  
linear pendant



Dimensions: 28" x 1.75", 0.5"

Materials: aluminum, polymer

Product weight: 6 lb

Light source: integrated LED

Light output: 1126 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 13 W

Dimmable (see driver below)

Extended-profile square canopy included,  
required to house LED driver (3.25" x 2.25" x 1.25")

Canopy dimensions: 4.5" x 4.5", 1.63"


Canopy finishes Brushed Aluminum (CM-006)  
and Textured Black (CM-049)

See website for more canopy information

48" suspension tube (can be shortened in field)

Swivel option available for sloped ceilings,  
see drawing below

Specifications subject to change




extended-profile  
square canopy  
brushed aluminum



brushed aluminum  
(CM-006)



black anodized aluminum  
(CM-007)



MATERIAL & FINISH OPTIONS

Virga part # 06-130-

Metal Finish

brushed aluminum (CM-006)

black anodized aluminum (CM-007)

Lamping

2700 K LED

3500 K LED

Driver

AC Input Voltage Range: 120-277 V

120 V input: TRIAC, ELV & 0-10 V

dimmmable

240 & 277 V input: only 0-10 V

dimmmable

Includes

polymer shade (CM-052)

Available for sloped ceilings:

Sloped Extended-Profile Square Canopy



Virga, brushed aluminum




Virga, black anodized aluminum

A clean, minimal fixture executed without compromise. The very simple and sleek down light  
bar can be installed in very close proximity to its user – and withstand close scrutiny.

Nick Sheridan  
Designer



Brevis 28, brushed aluminum




Brevis 28, brushed aluminum

A clean, minimal fixture finely executed. With multiple down and up lights, the Brevis provides  
lots of usable light in a very unobtrusive design

Nick Sheridan  
Designer

Brevis 28 / Brevis 42  
linear pendants



Brevis 28 dimensions: 28" x 2.5", 0.5"

Brevis 42 dimensions: 42" x 2.5", 0.5"

Materials: aluminum, polymer

Brevis 28 weight: 7 lb

Brevis 42 weight: 8 lb

Light source: integrated LED

Light output - total: 1720 Lumens (source)

Light output - downlight: 1030 Lumens (source)

Light output - uplight: 690 Lumens (source)

Light color\*: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 16 W

Dimmable (see driver below)

Linear canopy included

Canopy dimensions: 20.6" x 4", 1.3"

Canopy finish matches fixture's metal finish

Wood canopy covers are available:

Walnut (CM-001) cover: part # 60-130-005W

Dark stained walnut (CM-002) cover:


part # 60-130-005D

See website for more canopy information

72" drop length, field adjustable

Suitable for a sloped ceiling

Specifications subject to change



linear canopy,  
brushed aluminum



brushed aluminum  
(CM-006)



black anodized aluminum  
(CM-007)

MATERIAL & FINISH OPTIONS

Brevis Part # 06-

Brevis 28

920

Brevis 42

910

Metal Finish

brushed aluminum

(CM-006)

black anodized aluminum

(CM-007)

Lamping\*

2700 K LED

3500 K LED

Driver

AC Input Voltage Range:

120-277 V

120 V input: TRIAC, ELV & 0-10

V dimmmable

240 & 277 V input: only 0-10


V dimmmable

Includes

polymer shade (CM-052)


\*Available in 3000K, 4000K and other color

temperatures upon request



Brevis 28

Brevis 42





## Pendants



Cano



Bimar




Abeo




Claudo



Muto




Astrum




Mica



Mica Family



Imber



Ignis




Levis Family



Salix



Ico




Ico




Veris



Plura Pendant



Calx



Casia Pendant




Amicus





Amicus 12  
pendant



Dimensions: 12" Ø, 10.25"  
Product weight: 3 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light Color Options\*:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
JA8-2019 Compliant

**E26 Medium Base Specifications**

Lamping: E26 base, 60 W max, G40 recommended  
Bulb not included  
Input voltage: 250 V AC max

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Wood grain will vary  
Specifications subject to change  
Suitable for dry or damp locations

MATERIAL & FINISH OPTIONS

Amicus 12 part # 06-290-12	
<b>Metal Shade</b>	
brushed brass (CM-047)	R
distressed brass (CM-096)	D
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
textured black powdercoat (CM-049)	B
textured white powdercoat (CM-060)	W

<b>Wood Top</b>	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
white washed oak (CM-095)	O


<b>Lamping*</b>	
2700 K LED	27
3500 K LED	35
medium base E26 socket	MB

<b>Power Option (LED version only)</b>	
120-277 V AC input voltage TRIAC and ELV dimming	P1

\*Available in 3000K, 4000K and other color temperatures upon request



low-profile round canopy with SVT-3 Cable



Amicus 12, dark stain walnut, brushed brass



Amicus socketed top detail

Traveling through Morocco, I was in awe of the skilled craftspeople and their impressive work. I was most enamored with the detail and intricacy of the perforated metal light fixtures. The artistry, patterns, and old-world techniques inspired me and ultimately inspired the Amicus.

Nick Sheridan  
Designer



Amicus 16, white washed oak, brushed brass




Amicus integrated LED top detail

Traveling through Morocco, I was in awe of the skilled craftspeople and their impressive work. I was most enamored with the detail and intricacy of the perforated metal light fixtures. The artistry, patterns, and old-world techniques inspired me and ultimately inspired the Amicus.

Nick Sheridan  
Designer



Amicus 16  
pendant



Dimensions: 15.8" Ø, 13.5"  
Product weight: 4 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light Color Options\*:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
JA8-2019 Compliant

**E26 Medium Base Specifications**

Lamping: E26 base, 60 W max, G40 recommended  
Bulb not included  
Input voltage: 250 V AC max

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Wood grain will vary  
Specifications subject to change  
Suitable for dry or damp locations

MATERIAL & FINISH OPTIONS

Amicus 16 part # 06-290-16	
<b>Metal Shade</b>	
brushed brass (CM-047)	R
distressed brass (CM-096)	D
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
textured black powdercoat (CM-049)	B
textured white powdercoat (CM-060)	W

<b>Wood Top</b>	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
white washed oak (CM-095)	O


<b>Lamping*</b>	
2700 K LED	27
3500 K LED	35
medium base E26 socket	MB

<b>Power Option (LED version only)</b>	
120-277 V AC input voltage TRIAC and ELV dimming	P1

\*Available in 3000K, 4000K and other color temperatures upon request



low-profile round canopy with SVT-3 Cable







Amicus 21, dark stain walnut, brushed brass




Amicus socketed top detail

Traveling through Morocco, I was in awe of the skilled craftspeople and their impressive work. I was most enamored with the detail and intricacy of the perforated metal light fixtures. The artistry, patterns, and old-world techniques inspired me and ultimately inspired the Amicus.

Nick Sheridan  
Designer

		
white washed oak (CM-095)	textured white powdercoat (CM-060)	brushed rose gold (CM-046)
		
walnut (CM-001)	textured black powdercoat (CM-049)	brushed brass (CM-047)
		
dark stained walnut (CM-002)	brushed aluminum (CM-012)	distressed brass (CM-096)

Amicus 21  
pendant



Dimensions: 21" Ø, 17.75"  
Product weight: 6 lb  
Suitable for a sloped ceiling

Integrated LED Specifications  
Light Color Options\*:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
JA8-2019 Compliant

E26 Medium Base Specifications  
Lamping: E26 base, 60 W max, G40 recommended  
Bulb not included  
Input voltage: 250 V AC max

Textured Black Powdercoat (CM-049) extended round canopy with SVT-3 Cable, Black (CM-039) and 1/16" Stainless Steel Cables (CM-053)  
Canopy dimensions: 5" Ø, 2"  
See website for more canopy information  
Field adjustable drop length: 1'0" min - 8'0" max  
Wood grain will vary  
Specifications subject to change  
Suitable for dry or damp locations



MATERIAL & FINISH OPTIONS

Amicus 21 part # 06-290-21

Metal Shade	
brushed brass (CM-047)	R
distressed brass (CM-096)	D
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
textured black powdercoat (CM-049)	B
textured white powdercoat (CM-060)	W

Wood Top

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)


Lamping\*

2700 K LED  
3500 K LED  
medium base E26 socket


Power Option (LED version only)

120-277 V AC input voltage  
TRIAC and ELV dimming

\*Available in 3000K, 4000K and other color temperatures upon request







extended round canopy with SVT-3 Cable






Casia 14  
pendant



gloss white  
(CM-054)



Dimensions: 14.25" Ø, 5.5"  
Product weight: 3 lb  
Light output: minimum 831 Lumens (source)  
See Lamping options below  
Light Color Options\*:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
Low profile round canopy with SVT-3 Cable  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Gloss White (CM-054) shade option ships with Textured  
White Powdercoat Canopy and SVT-3 Cable, White (CM-040)  
All other shade option ship with Textured Black Powdercoat  
(CM-049) and SVT-3 Cable, Black (CM-039)  
Wood grain will vary  
Specifications subject to change

MATERIAL & FINISH OPTIONS

Casia 14 pendant part # 06-280-14

Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-009)	D	
gloss white (CM-054)	W	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Lamping*		
2700 K LED - 831 Lumens (source)	27	
3500 K LED - 873 Lumens (source)	35	
Power Option		
120-277 V AC input voltage TRIAC and ELV dimming	P1	

Includes: white glass diffuser (CM-109)  
Available in flush mount version  
\*Available in 3000K, 4000K and other color temperatures upon request










Casia Pendant 14, white washed oak, gloss white




Casia detail

The Casia Pendant was a natural progression after releasing the Casia Flush Mount in early 2020. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a traditional space. Each carefully selected material plays an integral role in the aesthetic design and performance.

Casia 18  
pendant



gloss white  
(CM-054)



Dimensions: 18" Ø, 7.3"  
Product weight: 4 lb  
Light output: minimum 1310 Lumens (source)  
See Lamping options below  
Light Color Options\*:  
2700 K - 1310 Lumens (source)  
3500 K - 1378 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 15 W  
Dimmable (see power options below)  
Low profile round canopy with SVT-3 Cable  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Gloss White (CM-054) shade option ships with Textured  
White Powdercoat Canopy and SVT-3 Cable, White (CM-040)  
All other shade option ship with Textured Black Powdercoat  
(CM-049) and SVT-3 Cable, Black (CM-039)  
Wood grain will vary  
Specifications subject to change

MATERIAL & FINISH OPTIONS


Casia 18 pendant part # 06-280-18

Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-009)	D	
gloss white (CM-054)	W	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Lamping*		
2700 K LED - 1310 Lumens (source)	27	
3500 K LED - 1378 Lumens (source)	35	
Power Option		
120-277 V AC input voltage TRIAC and ELV dimming	P1	

Includes: white glass diffuser (CM-109)  
Available in flush mount version  
\*Available in 3000K, 4000K and other color temperatures upon request



Casia Pendant 18, dark stain walnut, matte black with matte white interior




Casia detail



The Casia Pendant was a natural progression after releasing the Casia Flush Mount in early 2020. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a traditional space. Each carefully selected material plays an integral role in the aesthetic design and performance.



Abeo  
pendant



Dimensions: 15" Ø, 11.5"  
Materials: solid wood, polymer  
Product weight: 7 lb  
Light source: integrated LED  
Light output: 1250 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
White (CM-060) extended-profile round canopy with white braided cord and steel cable included  
Canopy dimensions: 5.5"Ø, 2"  
Canopy required to house LED driver (3.3" x 1.6" x 1.0")  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Extended-profile round canopy



walnut (CM-001)



dark stained walnut (CM-002)

MATERIAL & FINISH OPTIONS

Abeo part # 06-190-		
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
Lamping*		
2700 K LED	27	
3500 K LED	35	
Driver		
AC Input Voltage Range: 120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable		
240 & 277 V input: only 0-10 V dimmable		
	P1	

Includes  
frosted polymer (CM-024)  
\*Available in 3000K, 4000K and other color temperatures upon request




Abeo, walnut

*I wanted to create a simple geometric sculpture that lets the light inside just sneak out around the floating walnut planes: letting the natural wood fall in and out of the light. It is this play with contrast and light and shadow that makes the Abeo such a dynamic piece.*

Nick Sheridan  
Designer




Casia Pendant 22, dark stain walnut, distressed brass



Casia detail

The Casia Pendant was a natural progression after releasing the Casia Flush Mount in early 2020. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a traditional space. Each carefully selected material plays an integral role in the aesthetic design and performance.

Casia 22  
pendant




Dimensions: 21.5" Ø, 8.2"  
Product weight: 5 lb  
Light output: minimum 1981 Lumens (source)  
See Lamping options below  
Light Color Options\*:  
2700 K - 1981 Lumens (source)  
3500 K - 2083 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 23 W  
Dimmable (see power options below)  
Low profile round canopy with SVT-3 Cable  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Gloss White (CM-054) shade option ships with Textured White Powdercoat Canopy and SVT-3 Cable, White (CM-040)  
All other shade option ship with Textured Black Powdercoat (CM-049) and SVT-3 Cable, Black (CM-039)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Casia 22 pendant part # 06-280-22		
Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-009)	D	
gloss white (CM-054)	W	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Lamping*		
2700 K LED - 1981 Lumens (source)	27	
3500 K LED - 2083 Lumens (source)	35	
Power Option		
120-277 V AC input voltage TRIAC and ELV dimming	P1	


Includes: white glass diffuser (CM-109)  
Available in flush mount version  
\*Available in 3000K, 4000K and other color temperatures upon request



low-profile round canopy with braided cord




walnut (CM-001)




dark stained walnut (CM-002)



white washed oak (CM-095)




matte black (CM-085) with matte white interior



distressed brass (CM-009)




gloss white (CM-054)





Cano  
pendant



Dimensions: 3.5" x 3.5", 6.75"  
Materials: solid wood  
Product weight: 2 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type G25 lamp, 20 W max  
Input voltage: 250 V AC max  
Suspension Details: Textured Black Powdercoat (CM-049) low profile round canopy with Grey Cloth Covered Cord (CM-106)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 6'0" max  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Optional dimmable LED G25 bulb  
Light output: 500 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 5.5 W

MATERIAL & FINISH OPTIONS

Cano part # 06-251- - MB

Wood Shade

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

Bulb Options

2700 K G25 LED bulb included  
no bulb included


W  
D  
O  
27  
00



Cano, white washed oak




Cano, dark stained walnut



Cano, walnut

Designing with LEDs often lends itself to hiding, or using a low profile light source. The Cano pendant does the opposite; the light bulb is an integral part of the design. The solid hardwood faceted body is enhanced when paired with a spherical glowing bulb.

Bimar  
pendant



Dimensions: 5" x 5", 7.75"  
Materials: solid wood  
Product weight: 3 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type G40 lamp, 20 W max  
Input voltage: 250 V AC max  
Textured Black Powdercoat (CM-049) low profile round canopy with Grey Cloth Covered Cord (CM-106)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 6'0" max  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Optional dimmable LED G40 bulb  
Light output: 1000 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Bimar part # 06-250- - MB

Wood Shade

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

Bulb Options

2700 K G40 LED bulb included  
no bulb included

W  
D  
O  
27  
00



Bimar, white washed oak




Bimar, dark stained walnut




Bimar, walnut


Built of one inch thick solid hardwood, the Bimar showcases the beauty of natural woodgrain. Eight faceted sides compose a design that works well in a modern or transitional space. The combination of natural wood and a glowing sphere bulb warms up any environment.



low-profile round canopy  
with braided cord





walnut  
(CM-001)



dark stained  
walnut (CM-002)




white washed oak  
(CM-095)





Muto  
large pendant



Dimensions: 32" x 32", 14.5"  
Materials: solid wood, polymer  
Product weight: 17 lb  
Light source: integrated LED  
Light output - total: 2626 Lumens (source)  
Light output - ambient: 1376 Lumens (source)  
Light output - downlight: 1250 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 25 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) 8" square canopy  
with black mesh cables included  
See instructions for additional canopy  
details at cernogroup.com  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change




MATERIAL & FINISH OPTIONS

Muto part # 06-140-		
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
Lamping*		
2700 K LED	27	
3500 K LED	35	
Driver		
AC Input Voltage Range: 120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable	P1	
240 & 277 V input: only 0-10 V dimmable		

**Includes**  
frosted polymer diffuser (CM-024)  
\*Available in 3000K, 4000K and other color temperatures upon request



Muto, walnut



Muto, walnut



The way the walnut planes in the Muto both block and bounce light makes for a very dynamic composition of light and shadow, from any vantage point. While the pinwheel form with its repeating elements is symmetric, it appears very sculptural from any one view. The modern floating ideal is realized in the Muto. By holding each walnut element away from its neighbor, so each plane floats, the whole fixture feels weightless as if it were floating itself.

Nick Sheridan  
Designer




Astrum 11, distressed brass



Astrum, detail

Inspiration for the Astrum dates back to the first light fixture the three of us ever made after starting Cerno. The varying depths of the flat panels strategically obstruct a direct view of the light source. Light reflects off the inside of the outer panels and bounces off the inner panels producing a halo washing effect. The oculus at the bottom functions to emit a useful amount of downlighting. This design manages to pay homage to past modern designs while also feeling a bit futuristic.

Astrum 11  
pendant



Dimensions: 11" x 11", 10.25"  
Product weight: 2 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box  
Driver dimensions: 3.3" x 1.6" x 1", included


**E26 Medium Base Specifications**  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Astrum 11 part # 06-270-11		
Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-096)	D	
gloss white (CM-054)	W	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
medium base E26 socket	MB	
Driver (LED version only)		
AC Input Voltage Range: 120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable	P1	
240 & 277 V input: only 0-10 V dimmable		



low-profile round canopy with braided cord





matte black (CM-085) with matte white interior



distressed brass (CM-096)



gloss white (CM-054)








Astrum 17, gloss white



Astrum, detail

Inspiration for the Astrum dates back to the first light fixture the three of us ever made after starting Cerno. The varying depths of the flat panels strategically obstruct a direct view of the light source. Light reflects off the inside of the outer panels and bounces off the inner panels producing a halo washing effect. The oculus at the bottom functions to emit a useful amount of downlighting. This design manages to pay homage to past modern designs while also feeling a bit futuristic.

**Astrum 17**  
pendant



Dimensions: 17.25" x 17.25", 16"  
Product weight: 4 lb  
Suitable for a sloped ceiling

*Integrated LED Specifications*  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box  
Driver dimensions: 3.3" x 1.6" x 1", included

*E26 Medium Base Specifications*  
Lamping: 2x E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change




**MATERIAL & FINISH OPTIONS**

Astrum 17 part # 06-270-17

*Shade Material*  
matte black (CM-085) with  
matte white interior  
distressed brass (CM-096)  
gloss white (CM-054)

*Lamping*  
2700 K LED  
3000 K LED  
3500 K LED  
4000 K LED  
medium base E26 socket

*Driver (LED version only)*  
AC Input Voltage Range:  
120-277 V  
120 V input: TRIAC, ELV & 0-10 V dimmable  
240 & 277 V input: only 0-10 V dimmable



low-profile round canopy  
with braided cord





matte black (CM-085)  
with matte white interior



distressed brass  
(CM-096)




gloss white  
(CM-054)





Imber 17 / Imber 24
 pendant



Imber 17 dimensions: 17" Ø, 17.75"  
 Imber 24 dimensions: 24" Ø, 22"  
 Materials: solid wood, metal  
 Imber 17 weight: 7 lb  
 Imber 24 weight: 12 lb  
 Wood grain will vary  
 Specifications subject to change

Lamping  
 Integrated LED Specifications  
 Light output: 1250 Lumens (source)  
 Light color\*: 2700 K or 3500 K  
 Color accuracy: 90+ CRI  
 Power usage: 13 W  
 Input voltage: 120-277 V AC  
 Dimmable: 0-10 V dimming at 120-277 V AC  
 TRIAC and ELV dimming at 120 V AC only

Medium Base E26 Specifications  
 Imber 17 lamping:  
 1x E26 base, type A lamp, 75 W max  
 Imber 24 lamping:  
 3x E26 base, type A lamp, 75 W max each  
 Bulbs not included  
 Input voltage: 250 V AC max

Suspension Type  
 Corded  
 96" length of SVT wire is used. Wire is field adjustable and suitable for a sloped ceiling.  
 Rigid  
 Stem comes 6' long and is field cuttable to length (0.38" Ø).

Suspension and Hardware Finish  
 Standard Combinations  
 Come with either black or satin nickel suspension, canopy, and sockets:  
 Black: DW, DD, RW, GD, BD, BO, BW  
 Satin Nickel: WO  
 Corded Versions  
 White cord: satin nickel hardware  
 Black cord: black hardware  
 24" Imber corded uses a .06" Ø steel cable for suspension

\*Available in 3000K, 4000K and other color temperatures upon request



Diffuser  
 Frosted white diffuser (CM-024)  
 Diffuser is recommended when fixture location may allow for direct glare.  
 Integrated LED option always comes with a diffuser



Imber 24, distressed brass, walnut



distressed brass (CM-009)  
 dark stained walnut (CM-002)  
 DD



brushed brass (CM-047)  
 walnut (CM-001)  
 RW



matte black with matte  
 white interior,  
 white washed oak (CM-095)  
 BO




matte black with matte white  
 interior, walnut (CM-001)  
 BW




brushed rose gold (CM-046)  
 dark stained walnut (CM-002)  
 GD




gloss white (CM-054)  
 white washed oak(CM-095)  
 WO




Imber 24 with Medium  
 base socket  
 Low-profile round  
 canopy,  
 SPT with steel cable  
 included  
 Canopy dimensions:  
 5"Ø, 0.3" deep



Imber 24 with LED  
 lamping  
 Extended-profile  
 round canopy, braided  
 cord with steel cable  
 included, required to  
 house the LED driver  
 (3.25" x 2.25" x 1.25")  
 Canopy dimensions:  
 5.5"Ø, 2" deep



Imber 17 with LED  
 lamping  
 Extended-profile  
 round canopy,  
 braided cord included,  
 required to house the  
 LED driver  
 (3.25" x 2.25" x 1.25")  
 Canopy dimensions:  
 5.5"Ø, 2" deep



Imber 17 with Medium  
 base socket  
 Low-profile round  
 canopy, SVT included  
 Canopy dimensions:  
 5"Ø, 0.3" deep



Ignis 24, brass, walnut



distressed brass (CM-009)  
 dark stained walnut (CM-002)  
 DD



brushed brass (CM-047)  
 walnut (CM-001)  
 RW



matte black with matte white  
 interior, walnut (CM-001)  
 BW




matte black with matte  
 white interior,  
 white washed oak (CM-095)  
 BO




brushed rose gold (CM-046)  
 dark stained walnut (CM-002)  
 GD




gloss white (CM-054)  
 white washed oak(CM-095)  
 WO




Ignis 24 with Medium  
 base socket  
 Low-profile round  
 canopy,  
 SPT with steel cable  
 included  
 Canopy dimensions:  
 5"Ø, 0.3" deep



Ignis 24 with LED  
 lamping  
 Extended-profile  
 round canopy, braided  
 cord with steel cable  
 included, required to  
 house the LED driver  
 (3.25" x 2.25" x 1.25")  
 Canopy dimensions:  
 5.5"Ø, 2" deep




Ignis 17 with LED  
 lamping  
 Extended-profile  
 round canopy,  
 braided cord included,  
 required to house the  
 LED driver  
 (3.25" x 2.25" x 1.25")  
 Canopy dimensions:  
 5.5"Ø, 2" deep



Ignis 17 with Medium  
 base socket  
 Low-profile round  
 canopy, SVT included  
 Canopy dimensions:  
 5"Ø, 0.3" deep

Ignis 17 / Ignis 24
 pendant



Ignis 17 dimensions: 17" Ø, 11.5"  
 Ignis 24 dimensions: 24" Ø, 14.75"  
 Materials: solid wood, metal  
 Ignis 17 weight: 7 lb  
 Ignis 24 weight: 11 lb  
 Wood grain will vary  
 Specifications subject to change



MATERIAL & FINISH OPTIONS

Ignis part # 06-220-  
 Fixture Size  
 17" Ø  
 24" Ø

Standard Combinations

(Shade, Frame)

distressed brass, walnut  
 distressed brass,  
 dark stained walnut  
 brushed brass, walnut  
 brushed rose gold,  
 dark stained walnut

matte black with matte white  
 interior, dark stained walnut

matte black with matte white  
 interior, white washed oak

matte black with matte white  
 interior, walnut

gloss white, white washed  
 oak

Suspension Type

corded  
 rigid

Lamping\*

integrated LED  
 with diffuser - 2700K  
 integrated LED  
 with diffuser - 3500K  
 medium base socket  
 without diffuser  
 medium base socket  
 with diffuser

Lamping  
 Integrated LED Specifications  
 Light output: 1250 Lumens (source)  
 Light color\*: 2700 K or 3500 K  
 Color accuracy: 90+ CRI  
 Power usage: 13 W  
 Input voltage: 120-277 V AC  
 Dimmable: 0-10 V dimming at 120-277 V AC  
 TRIAC and ELV dimming at 120 V AC only

Medium Base E26 Specifications

Ignis 17 lamping:  
 1x E26 base, type A lamp, 75 W max  
 Ignis 24 lamping:  
 3x E26 base, type A lamp, 75 W max each  
 Bulbs not included  
 Input voltage: 250 V AC max

Suspension Type

Corded  
 8'-0" length of SVT wire is used. Wire is field adjustable and suitable for a sloped ceiling.  
 Rigid  
 Stem comes 6' long and is field cuttable to length (.038" Ø)


Suspension and Hardware Finish

Standard Combinations  
 Come with either black or satin nickel suspension, canopy, and sockets:  
 Black: DW, DD, RW, GD, BD, BO, BW  
 Satin Nickel: WO  
 Corded Versions  
 White cord: satin nickel hardware  
 Black cord: black hardware  
 24" Ignis corded uses a 1/16" Ø steel cable for suspension

\*Available in 3000K, 4000K and other color temperatures upon request

The Ignis and Imber were inspired by the same design principles that make Cerno and ICRAVE well suited to collaborate. Honesty, simplicity, elemental, timeless and quality are words that sit at the core of both companies' design ethos and we believe these light fixtures embrace these qualities well. Each fixture was reduced to its essential parts – frame and shade – highlighting the interplay of the components, and accentuating the clean lines of the form.


ICRAVE / Cerno








Ico  
pendant



Dimensions: 20" Ø, 9.5"  
Materials: solid brass  
Product weight: 6 lb  
Light source: medium base E26 socket  
Lamping: 1x E26 base, 60 W max  
Bulbs not included  
Input voltage: 250 V AC max  
Textured Black Powdercoat (CM-049)  
low profile round canopy with Black Cloth  
Covered Cord (CM-090)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'9" min - 8'0" max  
Suitable for a sloped ceiling  
Specifications subject to change



low-profile round canopy



MATERIAL & FINISH OPTIONS


	Ico part # 06-240-20	R	-	C
Fixture Size	20"	20		
Shade Finish	spun solid brass (CM-091)	R		
Suspension	corded (CM-008)		C	

Includes  
brushed brass (CM-008)




After working with drum cymbals on a few custom projects, we grew to appreciate the design and engineering that goes into these beautiful objects. Cymbals have a simple form, rich texture, and a beautiful brass finish. Modernism is often about utilizing what already exists and repurposing things, which is what we did with this fixture. The Ico looks excellent when paired with a simple light bulb.

Nick Sheridan  
Designer





Calx 10  
accent pendant



Dimensions: 6.75" x 6.75", 6.4"  
Materials: wood, metal, polymer  
Product weight: 2 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
White (CM-060) low-profile round canopy with  
white braided cord included  
Canopy dimensions: 5"Ø, 0.3"  
See website for more canopy information  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 10 part # 06-200-10

Metal Finish

brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
brushed brass (CM-047)

Wood Finish

walnut (CM-055)  
dark stained walnut (CM-056)


Lamping\*

2700 K LED  
3500 K LED


Driver

120VAC input voltage  
ELV dimming only

Calx scone also available. Click here.



Calx 19  
pendant



Dimensions: 13" x 13", 12.75"  
Materials: wood, metal, polymer  
Product weight: 7 lb  
Suitable for a sloped ceiling  
  
*Integrated LED Specifications*  
Light output: 1250 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
White (CM-060) extended-profile round canopy with  
white braided cord and steel cable included  
Canopy dimensions: 5"Ø, 2"  
Canopy required to house LED driver  
(3.3" x 1.6" x 1.0")  
See below for more canopy information  
72" drop length, field adjustable

Medium Base Specifications

Lamping: 1x E26 base, type A lamp, 60 W max  
Bulb not included  
Input voltage: 250 V AC max  
White (CM-060) low-profile round canopy with  
white SPT cord and steel cable included  
Canopy dimensions: 5"Ø, 0.3"  
72" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 19 part # 06-200-19

Metal Finish

brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
brushed brass (CM-047)

Wood Finish

walnut (CM-055)  
dark stained walnut (CM-056)

Lamping\*

2700 K LED  
3500 K LED  
medium base E26 socket

Driver (LED version only)

AC Input Voltage Range: 120-277 V  
120 V input: TRIAC, ELV & 0-10 V dimmable  
240 & 277 V input: only 0-10 V dimmable

Includes

frosted polymer diffuser (CM-057)

\*Available in 3000K, 4000K and other color temperatures upon request



Calx 10, walnut, brushed brass



Calx 19, walnut, brushed brass



The Calx is an example of modern design where the methods and the materials themselves are integral to its very conception, aligning form and function, which creates a synergy that is evident. The fixture ultimately forms a square aperture but enjoys a beautifully simple faceted structure.


Nick Sheridan,  
Designer



Calx 36, walnut, brushed brass



Calx 36  
pendant



Dimensions: 25" x 25", 22.75"  
Materials: wood, metal, polymer  
Product weight: 18 lb  
Light source: 4x GU-24 base socket  
Lamping: 4x GU-24 base, 18 W max each  
Bulbs not included  
Input voltage: 300 V AC max  
White (CM-060) 8" round canopy included  
Canopy dimensions: 8"Ø, 1.25"  
See page left and website for more canopy information  
96" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx 36 part # 06-200-36

Metal Finish

brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
brushed brass (CM-047)

Wood Finish

walnut (CM-055)  
dark stained walnut (CM-056)



brushed brass  
(CM-047)



brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)



walnut  
(CM-055)




dark stained walnut  
(CM-056)

Includes

frosted polymer diffuser (CM-057)


Calx scone also available. Click here.



Calx 10  
low-profile round canopy  
with braided cord



Calx 19 E26  
low-profile round  
canopy with white SPT  
with steel cable




Calx 19 Integrated LED  
extended-profile round  
canopy braided cord  
with steel cable



Calx 36  
8" round canopy  
clear SPT with  
four 1/16" Ø steel cables



Veris 12  
pendant



Dimensions: 12.75" Ø, 8.75"  
Product weight: 2 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box

**E26 Medium Base Specifications**  
Driver dimensions: 3.3" x 1.6" x 1", included  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile  
round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Veris part # 06-260-12

Shade Material

matte black (CM-085) with matte white interior	B
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
brushed brass (CM-047)	R
distressed brass (CM-096)	D
gloss white (CM-054)	W

Lamping

2700 K LED	27
3000 K LED	30
3500 K LED	35
4000 K LED	40
medium base E26 socket	MB

Driver (LED version only)

AC Input Voltage Range:  
120-277 V  
120 V input: TRIAC, ELV & 0-10 V dimmable  
240 & 277 V input: only 0-10 V dimmable



matte black (CM-085)  
with matte white interior



brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)




brushed brass  
(CM-047)




distressed brass  
(CM-096)



gloss white  
(CM-054)




Veris 12, matte black with matte white interior



Veris, details

Veris was a concept we started exploring ten years ago. Two offset layers of petals simultaneously shield the light source while allowing reflected light to wash the inside petals, creating a dramatic ambient luminaire. The form materializes through a series of processes that utilize cutting edge CNC laser technology but still rely on skilled hand-rolling and bending of the aluminum petals.

Veris 22  
pendant



Dimensions: 21.75" Ø, 15"  
Product weight: 4 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 1690 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 19.5 W  
Dimmable (see driver below)  
Driver must be housed in J-box

**E26 Medium Base Specifications**  
Driver dimensions: 3.3" x 1.6" x 1", included  
Lamping: 2x E26 base, type A lamp, 60 W max each  
Input voltage: 250 V AC max  
Bulb not included

Textured Black Powdercoat (CM-049) low profile  
round canopy with SVT-3 Cable, Black (CM-039)  
Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Veris part # 06-260-22

Shade Material

matte black (CM-085) with matte white interior	B
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
brushed brass (CM-047)	R
distressed brass (CM-096)	D
gloss white (CM-054)	W

Lamping

2700 K LED	27
3000 K LED	30
3500 K LED	35
4000 K LED	40
medium base E26 socket	MB

Driver (LED version only)

AC Input Voltage Range:  
120-277 V  
120 V input: TRIAC, ELV & 0-10 V dimmable  
240 & 277 V input: only 0-10 V dimmable



matte black (CM-085)  
with matte white interior



brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)




brushed brass  
(CM-047)




distressed brass  
(CM-096)



gloss white  
(CM-054)



Veris 22, matte black with matte white interior




Veris, details

Veris was a concept we started exploring ten years ago. Two offset layers of petals simultaneously shield the light source while allowing reflected light to wash the inside petals, creating a dramatic ambient luminaire. The form materializes through a series of processes that utilize cutting edge CNC laser technology but still rely on skilled hand-rolling and bending of the aluminum petals.






Veris 34, matte black with matte white interior



Veris, details

Veris was a concept we started exploring ten years ago. Two offset layers of petals simultaneously shield the light source while allowing reflected light to wash the inside petals, creating a dramatic ambient luminaire. The form materializes through a series of processes that utilize cutting edge CNC laser technology but still rely on skilled hand-rolling and bending of the aluminum petals.

Veris 34  
pendant



Dimensions: 33.5" Ø, 23"  
Product weight: 8 lb  
Suitable for a sloped ceiling

**Integrated LED Specifications**  
Light output: 2815 Lumens (source)  
Light color: 2700 K, 3000 K, 3500 K or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 32.5 W  
Dimmable (see driver below)  
Driver housed in extended canopy  
Driver dimensions: 3.3" x 2.4" x 1", included

**E26 Medium Base Specifications**  
Lamping: 3x E26 base, type A lamp, 60 W max each  
Input voltage: 250 V AC max  
Bulb not included

Textured Black (CM-049) extended round canopy with SVT-3 Cable, Black (CM-039) and 1/16" Stainless Steel Cables (CM-053)  
Canopy dimensions: 5" Ø, 2"  
See website for more canopy information  
Field adjustable drop length: 1'0" min - 8'0" max  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Veris part # 06-260-34		
<b>Shade Material</b>		
matte black (CM-085) with matte white interior	B	
brushed aluminum (CM-012)	A	
brushed rose gold (CM-046)	G	
brushed brass (CM-047)	R	
distressed brass (CM-096)	D	
gloss white (CM-054)	W	
<b>Lamping</b>		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
medium base E26 socket	MB	
<b>Driver (LED version only)</b>		
AC Input Voltage Range: 120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable		
240 & 277 V input: only 0-10 V dimmable		
	P1	



matte black (CM-085)  
with matte white interior



brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)




brushed brass  
(CM-047)



distressed brass  
(CM-096)




gloss white  
(CM-054)







Mica L  
pendant




Dimensions: 16" Ø, 13.5"  
Materials: solid wood, polymer  
Product weight: 8 lb  
Suitable for a sloped ceiling

*Integrated LED Specifications*  
Light output: 1250 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) extended-profile square canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 1.63"  
Canopy required to house LED driver (3.3" x 1.6" x 1.0")  
See website for more canopy information  
6'-0" drop length, field adjustable

*Medium Base Specifications*  
Lamping: E26 base, type A lamp, 60 W max  
Bulb not included  
Input voltage: 250 V AC max  
White (CM-060) low-profile round canopy with clear SVT cord included  
Canopy dimensions: 5"Ø, 0.3"  
6'-0" drop length, field adjustable

Mica  
accent pendant





Dimensions: 9" Ø, 5.75"  
Materials: solid wood, polymer  
Product weight: 3 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
Brushed aluminum (CM-006) low-profile square canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 0.38"  
External LED driver (2.25" x 1.5" x 1")  
Accent pendants can be clustered by using multi-point round canopy or multi-point linear canopy  
See website for more canopy information  
6'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Mica part # 06 -160-	
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping*	
2700 K LED	27
3500 K LED	35
Driver	
120 V AC input voltage	P1
ELV dimming only	

Includes  
frosted polymer (CM-024)



The Mica is simply a cube, which has been carefully deconstructed to a sculptural state. By way of the fixture's orientation and petal material composition, it exudes a certain organic symmetry. The Mica accent pendant acts as a beautiful node, creating a sense of space marked with an ambient glow.

Nick Sheridan  
Designer


MATERIAL & FINISH OPTIONS

Mica L part # 06-180-	
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping*	
2700 K LED	27
3500 K LED	35
medium base E26 socket	MB
Driver (LED version only)	
AC Input Voltage Range: 120-277 V	
120 V input: TRIAC, ELV & 0-10 V dimmable	P1
240 & 277 V input: only 0-10 V dimmable	

Includes  
frosted polymer (CM-024)  
\*Available in 3000K, 4000K and other color temperatures upon request




Levis  
accent pendant



Dimensions: 5.3" Ø, 5.5" H  
Materials: polymer, veneer and aluminum options  
Product weight: 1 lb  
Energy efficient LED light source  
Light output: 345 Lumens (source)  
Light color\*: 2700 K (warm) or 3500 K (cool)  
Color accuracy: 90+ CRI  
LED power consumption: 3.2W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
Brushed aluminum (CM-006) Low-Profile  
Square Canopy included  
Canopy dimensions: 4.5" x 4.5", 0.38"  
Must use included external  
LED driver (2.25" x 1.5" x 1")  
Accent pendants can be clustered  
by using Multi-Point Round Canopy or  
Multi-Point Linear Canopy  
See website for more canopy information  
6'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



Levis L  
pendant




Dimensions: 10.6" Ø, 11.1"  
Materials: polymer, veneer and aluminum options  
Product weight: 7 lb  
Suitable for a sloped ceiling  
  
*Integrated LED Specifications*  
Light output: 1250 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Brushed aluminum (CM-006) extended-profile  
square canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 1.63"  
Canopy required to house  
LED driver (3.3" x 1.6" x 1.0")  
See website for more canopy information  
6'-0" drop length, field adjustable  
  
*Medium Base Specifications*  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 250 V AC Max  
White (CM-060) low-profile round canopy with  
clear SVT cord included  
Canopy dimensions: 5"Ø, 0.3"  
6'-0" drop length, field adjustable  
Specifications subject to change



Levis L, frosted polymer

MATERIAL & FINISH OPTIONS


Levis accent part # 06-100-		
Shade		
frosted polymer (CM-024)	F	
beech wood veneer (CM-019)	B	
brushed aluminum (CM-012)	A	
Lamping*		
2700 K LED	27	
3500 K LED	35	
Driver		
120 V AC input voltage	P1	
ELV dimming only		



MATERIAL & FINISH OPTIONS

Levis L part # 06-170-		
Shade		
frosted polymer (CM-024)	F	
beech wood veneer (CM-019)	B	
brushed aluminum (CM-012)	A	
Lamping*		
2700 K LED	27	
3500 K LED	35	
medium base E26 socket	MB	
Driver (LED version only)		
AC Input Voltage Range: 120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable		
240 & 277 V input: only 0-10 V dimmable		
	P1	

\*Available in 3000K, 4000K and other color temperatures upon request




The Levis is simple and clean at first glance: complex upon closer review. The rhythm in the facets gives a dynamic feel from different vantage points, creating a sophistication to its presence.

Nick Sheridan  
Designer




Salix, brushed aluminum

Salix  
accent pendant



Dimensions: 7.5" x 7.5", 9.0"  
Materials: solid wood, polymer, aluminum  
Product weight: 3 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Dimmable (see driver below)  
Driver location: must be housed in J-box  
Driver dimensions: 2" x 1.3" x 1", included  
Brushed aluminum (CM-006) low-profile square  
canopy with white braided cord included  
Canopy dimensions: 4.5" x 4.5", 0.38"  
Must use included external LED driver  
(2.25" x 1.5" x 1")  
Accent pendants can be clustered by  
using multi-point round canopy or multi-point  
linear canopy  
See website for more canopy information  
6'-0" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



low-profile  
square canopy

MATERIAL & FINISH OPTIONS

Salix part # 06-120-W		
Wood Body		
walnut (CM-001)	W	
Metal Finish		
brushed aluminum (CM-012)	A	
Lamping*		
2700 K LED	27	
3500 K LED	35	
Driver		
120VAC input voltage	P1	
ELV dimming only		

Includes  
frosted polymer (CM-024)

\*Available in 3000K, 4000K and other color temperatures upon request




The Salix pendant's materials and proportions are in perfect harmony. The brushed aluminum set against the oiled walnut in this fixture still feels strikingly fresh and beautiful after years of production.

Nick Sheridan  
Designer



Salix, brushed aluminum








The Plura is a simple, straight forward fixture that is excellently executed. With the Plura it was about resolving the seams and edges and their relationships to one another. The result is a scalable fixture that has a sharp, sophisticated feel.

Nick Sheridan  
Designer


BOBBY BERK INTERIORS AND DESIGN




36 Pendant, walnut



Plura 18 and Plura 24 low-profile round canopy with white SVT  
Plura 30 GU-24 Base Sockets low-profile round canopy clear SPT with steel cable  
Plura 30 Integrated LED extended round canopy, clear SPT with steel cable  
Plura 36 8" round canopy clear SPT with four 1/16" Ø steel cables



Plura  
pendant



Dimensions:  
Plura 18: 18" Ø, 6.4"  
Plura 24: 24" Ø, 6.4"  
Plura 30: 30" Ø, 8.4"  
Plura 36: 36" Ø, 10.4"  
Materials: solid wood, polymer  
Product weight:  
Plura 18: 5 lb  
Plura 24: 6 lb  
Plura 30: 9 lb  
Plura 36: 13 lb

Integrated LED Specifications  
Light output:  
Plura 18 & 24: 1690 Lumens (source)  
Plura 30 & 36: 2815 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage:  
Plura 18 & 24: 19.5 W  
Plura 30 & 36: 32.5 W  
Dimmable (see driver below)  
Plura 18 & 24 driver location: must be housed in J-box  
Driver dimensions: 3.3" x 1.6" x 1", included  
Plura 30 & 36 driver location: housed in canopy

GU-24 Base Specifications  
Light source:  
Plura 18 & 24: 2x GU-24 base socket  
Plura 30 & 36: 4x GU-24 base socket  
Lamping:  
Plura 18 & 24: 2x GU-24 base, 18 W max each  
Plura 30 & 36: 4x GU-24 base, 18 W max each  
Bulbs not included  
Input voltage: 300 V AC max


96" drop length, field adjustable  
Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Plura pendant part # 06-230-		
Ø:		
18" Ø	18	
24" Ø	24	
30" Ø	30	
36" Ø	36	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Shade Material		
frosted polymer (CM-051)	F	
matte black (CM-085)	B	
with matte white interior		
brushed aluminum (CM-012)	A	
brushed rose gold (CM-046)	G	
brushed brass (CM-047)	R	
distressed brass (CM-096)	D	
gloss white (CM-054)	W	
Lamping*		
2700 K LED	27	
3500 K LED	35	
GU-24 base sockets	GU	
Driver (LED version only)		
AC Input Voltage Range:		
120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable		
240 & 277 V input: only 0-10 V dimmable	P1	

Includes  
frosted polymer (CM-051)  
\*Available in 3000K, 4000K and other color temperatures upon request





## Flush Mount



Plura Flush Mount




Casia





Casia 14  
flush mount



walnut  
(CM-001)



dark stained  
walnut (CM-002)




white washed oak  
(CM-095)



matte black (CM-085)  
with matte white interior



distressed brass  
(CM-009)



gloss white  
(CM-054)

Dimensions: 14.25" Ø, 5.5"  
Product weight: 3 lb  
Light output: minimum 831 Lumens (source)  
See Lamping options below  
Light Color Options\*:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Casia 14 part # 08-110-14

Shade Material

matte black (CM-085) with matte  
white interior  
distressed brass (CM-009)  
gloss white (CM-054)

B  
D  
W

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

W  
D  
O

Lamping

2700 K LED - 831 Lumens (source)  
3500 K LED - 873 Lumens (source)

27  
35

Power Option


120-277 V AC input voltage  
TRIAC and ELV dimming

P1

Includes: white glass diffuser (CM-109)  
Available in a pendant version  
\*Available in 3000K, 4000K and other color temperatures  
upon request




Casia 14, white washed oak, gloss white



Casia detail

Casia is a fresh and innovative approach to a flush mount light fixture. Each carefully selected material plays an integral role in the aesthetic design and performance. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a more traditional space. The 14" version works well in bathrooms, closets, narrow corridors, and smaller kitchens. The 18" and 22" sizes are incredibly dynamic and work well in different environments such as commercial, residential, and hospitality applications.

Casia 18  
flush mount



Dimensions: 18" Ø, 7.3"  
Product weight: 4 lb  
Light output: minimum 1310 Lumens (source)  
See Lamping options below  
Light Color Options\*:  
2700 K - 1310 Lumens (source)  
3500 K - 1378 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 15 W  
Dimmable (see power options below)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Casia 18 part # 08-110-18

Shade Material

matte black (CM-085) with matte  
white interior  
distressed brass (CM-009)  
gloss white (CM-054)

B  
D  
W

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

W  
D  
O

Lamping\*

2700 K LED - 1310 Lumens (source)  
3500 K LED - 1378 Lumens (source)

27  
35

Power Option


120-277 V AC input voltage  
TRIAC and ELV dimming

P1

Includes: white glass diffuser (CM-109)  
Available in a pendant version  
\*Available in 3000K, 4000K and other color temperatures  
upon request



walnut  
(CM-001)



dark stained  
walnut (CM-002)




white washed oak  
(CM-095)



matte black (CM-085)  
with matte white interior




distressed brass  
(CM-009)



gloss white  
(CM-054)





Casia 18, dark stain walnut, matte black with matte white interior



Casia detail


Casia is a fresh and innovative approach to a flush mount light fixture. Each carefully selected material plays an integral role in the aesthetic design and performance. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a more traditional space. The 14" version works well in bathrooms, closets, narrow corridors, and smaller kitchens. The 18" and 22" sizes are incredibly dynamic and work well in different environments such as commercial, residential, and hospitality applications.








Casia 22, dark stain walnut, distressed brass



Casia detail

### Casia 22 flush mount



Dimensions: 21.5" Ø, 8.2"  
Product weight: 5 lb  
Light output: minimum 1981 Lumens (source)  
See Lamping options below  
Light Color Options\*:  
2700 K - 1981 Lumens (source)  
3500 K - 2083 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 23 W  
Dimmable (see power options below)  
Wood grain will vary  
Specifications subject to change


#### MATERIAL & FINISH OPTIONS

Casia 22 part # 08-110-22		
Shade Material		
matte black (CM-085) with matte white interior	B	
distressed brass (CM-009)	D	
gloss white (CM-054)	W	
Wood Body		
walnut (CM-001)	W	
dark stained walnut (CM-002)	D	
white washed oak (CM-095)	O	
Lamping*		
2700 K LED - 1981 Lumens (source)	27	
3500 K LED - 2083 Lumens (source)	35	
Power Option		
120-277 V AC input voltage TRIAC and ELV dimming	P1	

Includes: white glass diffuser (CM-109)  
Available soon in a pendant version  
\*Available in 3000K, 4000K and other color temperatures upon request



walnut  
(CM-001)



dark stained  
walnut (CM-002)



white washed oak  
(CM-095)



matte black (CM-085)  
with matte white interior




distressed brass  
(CM-009)



gloss white  
(CM-054)

Casia is a fresh and innovative approach to a flush mount light fixture. Each carefully selected material plays an integral role in the aesthetic design and performance. The wood arms, metal shade, and glass diffuser combine to create a minimalist form well suited for a modern environment or a more traditional space. The 14" version works well in bathrooms, closets, narrow corridors, and smaller kitchens. The 18" and 22" sizes are incredibly dynamic and work well in different environments such as commercial, residential, and hospitality applications.








Plura 36 flush mount, walnut

The Plura is a simple, straight forward fixture that is excellently executed. With the Plura it was about resolving the seams and edges and their relationships to one another. The result is a scalable fixture that has a sharp, sophisticated feel.

Nick Sheridan  
Designer

 white washed oak (CM-095)	 frosted polymer (CM-051)	 brushed rose gold (CM-046)	 gloss white (CM-054)
 walnut (CM-001)	 matte black (CM-085) with matte white interior	 brushed brass (CM-047)	
 dark stained walnut (CM-002)	 brushed aluminum (CM-012)	 distressed brass (CM-096)	

Plura  
flush mount




Dimensions:  
Plura 18: 18" Ø, 7.8"  
Plura 24: 24" Ø, 7.8"  
Plura 30: 30" Ø, 9.8"  
Plura 36: 36" Ø, 11.8"  
Materials: solid wood, metal, polymer  
Product weight:  
Plura 18: 5 lb  
Plura 24: 6 lb  
Plura 30: 9 lb  
Plura 36: 13 lb

**Integrated LED Specifications**  
Light output:  
Plura 18 & 24: 1690 Lumens (source)  
Plura 30 & 36: 2815 Lumens (source)  
Light color: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage:  
Plura 18 & 24: 19.5 W  
Plura 30 & 36: 32.5 W  
Dimmable (see driver below)

**GU-24 Base Specifications**  
Light source:  
Plura 18 & 24: 2x GU-24 base socket  
Plura 30 & 36: 4x GU-24 base socket  
Lamping:  
Plura 18 & 24: 2x GU-24 base, 18 W max each  
Plura 30 & 36: 4x GU-24 base, 18 W max each  
Bulbs not included  
Input voltage: 300 V AC max

Suitable for a sloped ceiling  
Wood grain will vary  
Specifications subject to change

 Emergency backup option available upon request  
Also available in a pendant version

MATERIAL & FINISH OPTIONS

Plura flush mount part # 08-100-

Ø:	
18" Ø	18
24" Ø	24
30" Ø	30
36" Ø	36


Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
white washed oak (CM-095)	O

Shade Material	
frosted polymer (CM-051)	F
matte black (CM-085)	B
with matte white interior	
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
brushed brass (CM-047)	R
distressed brass (CM-096)	D
gloss white (CM-054)	W

Lamping	
2700 K LED	27
3500 K LED	35
GU-24 base sockets	GU

Driver (LED version only)	
AC Input Voltage Range:	
120-277 V	
120 V input: TRIAC, ELV & 0-10 V dimmable	
240 & 277 V input: only 0-10 V dimmable	P1

Includes  
frosted polymer (CM-051)





## Outdoor Sconces



Tersus Outdoor



Calx Outdoor



Ansa Outdoor




Acuo Outdoor





Tersus Outdoor  
sconce



Dimensions: 10.75" x 7.25" x 2.75" (3.5" concrete)  
Product weight: 4 lb (9 lb concrete)  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Antique bronze and concrete finishes will vary  
Antique bronze is a living finish and will change over time depending  
on environmental conditions  
Custom backlit address or room numbers available  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH  
OPTIONS

Tersus part # 03-242-

Shade Material		
white concrete (CM-104)	W	
black concrete (CM-105)	B	
marine grade brushed stainless steel (CM-102)	S	
antique bronze (CM-103)	R	
textured black powdercoat (CM-099)	K	
textured white powdercoat (CM-100)	Y	
matte grey powdercoat (CM-101)	G	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
Light Distribution and Driver Options		
Uplight & Downlight		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)		
120 V input: TRIAC, ELV & 0-10 V dimmable	P1	
240 & 277 V input: only 0-10 V dimmable		
Reduced output - 540 Lumens (source)		
Nondimmable	PR	
Downlight Only - Dark Sky Compliant		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)		
120 V input: TRIAC, ELV & 0-10 V dimmable	D1	
240 & 277 V input: only 0-10 V dimmable		
Reduced output - 540 Lumens (source)		
Nondimmable	DR	

Includes  
marine grade brushed stainless steel (CM-102)  
(except for Antique Bronze version)  
2700 K & 3000 K downlight only options are dark sky compliant



Tersus Outdoor, antique bronze



Textured white powdercoat




Black concrete

Cerno's Tersus Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan  
Designer

Calx Outdoor  
sconce



Dimensions: 9.07" x 7.75" x 3.88"  
Product weight: 2 lb  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Antique bronze finishes will vary  
Antique bronze is a living finish and will change over time  
depending on environmental conditions  
Custom backlit address or room numbers available  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Calx Outdoor Sconce part # 03-244-

Shade Material		
marine grade brushed stainless steel (CM-102)	S	
antique bronze (CM-103)	R	
textured black powdercoat (CM-099)	K	
textured white powdercoat (CM-100)	Y	
matte grey powdercoat (CM-101)	G	
Lamping		
2700 K LED	27	
3000 K LED	30	
3500 K LED	35	
4000 K LED	40	
Light Distribution and Driver Options		
Uplight & Downlight		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)		
120 V input: TRIAC, ELV & 0-10 V dimmable	P1	
240 & 277 V input: only 0-10 V dimmable		
Reduced output - 540 Lumens (source)		
Nondimmable	PR	
Downlight Only - Dark Sky Compliant		
120-277 V AC input voltage		
Standard output - 1130 Lumens (source)		
120 V input: TRIAC, ELV & 0-10 V dimmable	D1	
240 & 277 V input: only 0-10 V dimmable		
Reduced output - 540 Lumens (source)		
Nondimmable	DR	

2700 K & 3000 K downlight only options are dark sky compliant



textured white powdercoat



antique bronze



marine grade brushed stainless steel

Cerno's Calx Outdoor sconce is an existing design that we modified to withstand the elements. The materials and components were meticulously designed and engineered to comply and pass UL's wet location requirements.

Nick Sheridan  
Designer



marine grade brushed stainless steel (CM-102)



antique bronze (CM-103)




textured black powdercoat (CM-099)



textured white powdercoat (CM-100)




matte grey powdercoat (CM-101)





Ansa Outdoor  
sconce



Dimensions: 19.25" x 6" x 3"  
Product weight: 5 lb  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Antique bronze finishes will vary  
Antique bronze is a living finish and will change over time  
depending on environmental conditions  
Custom backlit address or room numbers available  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Ansa Outdoor part # 03-243-

Shade Material

marine grade brushed stainless steel (CM-102) S  
antique bronze (CM-103) R  
textured black powdercoat (CM-099) K  
textured white powdercoat (CM-100) Y  
matte grey powdercoat (CM-101) G

Lamping

2700 K LED 27  
3000 K LED 30  
3500 K LED 35  
4000 K LED 40

Light Distribution and Driver Options

Uplight & Downlight

120-277 V AC input voltage  
Standard output - 1130 Lumens (source)  
120 V input: TRIAC, ELV & 0-10 V dimmable P1  
240 & 277 V input: only 0-10 V dimmable  
Reduced output - 540 Lumens (source)  
Nondimmable PR



antique bronze



matte grey powdercoat




white powdercoat

Cerno's Ansa Outdoor sconce is an existing design that we modified to withstand the elements.  
The materials and components were meticulously designed and engineered to comply and  
pass UL's wet location requirements.

Nick Sheridan  
Designer

Acuo Outdoor  
sconce



Dimensions: 16.5" x 7.06" x 4"  
Product weight: 6 lb  
Light source: integrated LED  
Light output: see options below  
Light color options: 2700 K, 3000K, 3500 K, or 4000 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see options below)  
UL listed for wet locations, suitable for use indoor and outdoors  
Specifications subject to change  
J-box centered behind fixture



MATERIAL & FINISH OPTIONS

Acuo Outdoor part # 03-241-

Shade Material

textured black powdercoat (CM-099) K  
textured white powdercoat (CM-100) Y  
matte grey powdercoat (CM-101) G

Lamping

2700 K LED 27  
3000 K LED 30  
3500 K LED 35  
4000 K LED 40

Light Distribution and Driver Options

Uplight & Downlight

120-277 V AC input voltage  
Standard output - 1130 Lumens (source)  
120 V input: TRIAC, ELV & 0-10 V dimmable P1  
240 & 277 V input: only 0-10 V dimmable  
Reduced output - 540 Lumens (source)  
Nondimmable PR

Includes  
frosted polymer (CM-024)



Powdercoat Black





matte grey powdercoat



powdercoat white


Cerno's Acuo Outdoor sconce is an existing design that we modified to withstand the elements.  
The materials and components were meticulously designed and engineered to comply and  
pass UL's wet location requirements.

Nick Sheridan  
Designer





## Vanity Lighting



Allavo




Merus





Allavo

vanity sconce



Allavo 22 dimensions: 21.3" x 4.6" x 3.9"

Allavo 31 dimensions: 30.3" x 4.6" x 3.9"

Allavo 40 dimensions: 39.3" x 4.6" x 3.9"

Allavo 22/31 weight: 2 lb

Allavo 40 weight: 3 lb

Light source: integrated LED

Allavo 22 light output: 780 Lumens (source)

Allavo 31 light output: 1170 Lumens (source)

Allavo 40 light output: 1560 Lumens (source)

Light color options: 2700 K, 3000K, 3500 K, or 4000 K

Color accuracy: 90+ CRI

Allavo 22 power usage: 11 W

Allavo 31 power usage: 16 W

Allavo 40 power usage: 21 W

Dimmable (see options below)

Specifications subject to change

Driver location: must be housed in J-box

Allavo 22 driver dimensions: 2.63" x 1.25" x 0.8", included

Allavo 31 driver dimensions: 3.0" x 1.0" x 1.5", included

Allavo 40 driver dimensions: 2.82" x 2.5" x 1.2", included

The Allavo can be oriented as a vertical sconce or horizontal sconce. When oriented vertically, a right or left orientation can be achieved by flipping the fixture vertically.



MATERIAL & FINISH OPTIONS

Allavo part # 03-250-

Size

22"

31"

40"

Metal Finish

matte black (CM-085) exterior

with matte white reflector

matte white (CM-60) exterior

with matte white reflector

Wood Finish

walnut (CM-001)

dark stained walnut (CM-002)

white washed oak (CM-095)

Lamping

2700 K LED

3000 K LED

3500 K LED

4000 K LED

Driver

120 V AC input voltage

TRIAC, ELV & 0-10 V dimming

277 V AC input voltage

TRIAC, ELV & 0-10 V dimming

Includes

brushed aluminum (CM-006)



matte white, walnut



matte white



Cerno's product development team prioritized the utility of the Allavo vanity, while not ignoring the importance of the aesthetic. Drawing from our experience with product photography, we knew that a large diffuse light source was the key to achieving our goal. The novel design uses indirect lighting that bounces off a curved metal surface. Cerno's signature use of wood is integrated seamlessly into a design we believe harmonizes usefulness and beauty.



matte white, white washed oak




walnut



Merus is a quintessential Cerno design. Clean, modern lines paired with a novel indirect light source compose a form that balances beauty and usefulness. Our team used Cerno's signature material palette of wood and metal.

Merus

sconce



Merus 22 dimensions: 21.3" x 6" x 3.4"

Merus 31 dimensions: 30.3" x 6" x 3.4"

Merus 40 dimensions: 39.3" x 6" x 3.4"

Merus 22/31 weight: 2 lb

Merus 40 weight: 3 lb

Light source: integrated LED

Merus 22 light output: 780 Lumens (source)

Merus 31 light output: 1170 Lumens (source)

Merus 40 light output: 1560 Lumens (source)

Light color options: 2700 K, 3000 K, 3500 K, or 4000 K

Color accuracy: 90+ CRI

Merus 22 power usage: 11 W

Merus 31 power usage: 16 W

Merus 40 power usage: 21 W

Dimmable (see options below)

Specifications subject to change

Driver location: must be housed in J-box

Merus 22 driver dimensions: 2.63" x 1.25" x 0.8", included

Merus 31 driver dimensions: 3.0" x 1.0" x 1.5", included

Merus 40 driver dimensions: 2.82" x 2.5" x 1.2", included

The Merus can be oriented as a vertical sconce or horizontal sconce. When oriented vertically, a right or left orientation can be achieved by flipping the fixture vertically.



MATERIAL & FINISH OPTIONS

Merus part # 03-251-

Size

22"

31"

40"

Wood Finish

walnut (CM-001)

dark stained walnut (CM-002)

white washed oak (CM-095)

Lamping

2700 K LED

3000 K LED

3500 K LED

4000 K LED

Driver

120 V AC input voltage

TRIAC, ELV & 0-10 V dimming

277 V AC input voltage

TRIAC, ELV & 0-10 V dimming


Includes

matte black (CM-085) exterior with matte white reflector


brushed aluminum (CM-006)




walnut



dark stain walnut




white washed oak




matte black (CM-085)

exterior with matte white reflector







## Sconces



Talea



Talea




Tersus



Sedo



Via




Calx Sconce




Ansa




Ansa



Vesper




Vesper




Fortis



Claudo Sconce




Acuo




Acuo



Libri



Capiro family



Oris



Tersus Outdoor




Levo





Talea, burlap shade, walnut body, textured black powdercoat



white linen shade, dark stained walnut, brushed aluminum



black amaretto shade, dark stained walnut, textured black powdercoat




*The adaptive and interactive features of the Talea introduced exciting challenges to the design process. I believe we found a balance that allows this fixture to thrive in a range of spaces and different applications. I am really pleased with how the design language turned out, specifically how the expressive hinge suggests its ability to swing, and how the wood to metal arm detailing suggests the arm can telescope. It's a beautiful mixture of utility and elegance.*

Nick Sheridan  
Designer

## Talea

articulate wall sconce



Dimensions: 18.38" x 5" x 34.75", 15" Ø shade  
Materials: solid wood, metal  
Product weight: 5 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Bulb not included  
Input voltage: 250 V AC max  
Clear SVT-3 cord included  
Top and bottom diffusers included (CM-051)  
Wood grain will vary  
Specifications subject to change  
Patent No.: US D846,180 S



### SWING ARM LENGTH

Arm length (from the wall to center of shade)  
can be adjusted between 18" and 27"

### DROP LENGTH

Max drop length from tip of extended arm to top  
of shade is 36"

### SWING ARM ROTATION

Adjustable resistance in pivot hinge

### MATERIAL & FINISH OPTIONS

Talea part # 03-210-

#### Metal Finish

brushed aluminum (CM-006) A  
textured black powdercoat (CM-049) B

#### Wood Body

walnut (CM-001) W  
dark stained walnut (CM-002) D

#### Fabric Shade

burlap (CM-017) N  
white linen (CM-016) L  
black amaretto (CM-018) A


#### Includes

frosted polymer diffuser (CM-051)

For additional products that utilize the swing arm  
bracket, please see our Motus Swing Arm Bracket  
on page 78



brushed aluminum  
(CM-006)



textured black  
(CM-049)



walnut  
(CM-001)



dark stained walnut  
(CM-002)




burlap  
(CM-017)



white linen  
(CM-016)




black amaretto  
(CM-018)



Talea, white linen shade, dark stained walnut body, brushed aluminum,



Via  
sconce or ceiling flush mount



Dimensions: 18" x 6" x 4"  
Materials: solid wood, polymer  
Product weight: 2 lb

**Integral LED Specifications**  
Light output: 500 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Dimmable (see driver below)  
Input voltage: 24 V DC (driver included)  
Driver location: must be housed in J-box  
Driver dimensions: 3" x 1.5" x 1"  
Mounting: ceiling or wall

**Candelabra Base Specifications**  
Lamping: 2x candelabra E12 base sockets,  
10 W max each (bulbs not included)  
Select bulbs can achieve over 500 lumens each  
Input voltage: 120 V AC max  
Mounting: wall only



MATERIAL & FINISH OPTIONS

Via part # 03-190-	
Wood Body	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
Lamping*	
2700 K LED	27
3500 K LED	35
Candelabra E12 socket	CB
Driver (LED version only)	
120 V AC input voltage	P1
TRIAC, ELV & 0-10V dimming	
277 V AC input voltage	P2
TRIAC, ELV & 0-10V dimming	

**Includes**  
frosted polymer (CM-051)  
Inquire about other input voltages  
Emergency backup option available upon request  
\*Available in 3000K, 4000K and other color  
temperatures upon request



Via, walnut, candelabra E12 socket



Via, walnut, LED




Via ceiling flushmount, walnut, LED

*The Via has an understated geometry with sophisticated detailing and proportion  
The substantial glowing volume of the Via is punctuated by a thin plane of rich American  
walnut striking a balance and harmony.*

Nick Sheridan  
Designer

Calx  
sconce



Dimensions: 8" x 9" x 4"  
Materials: wood, metal  
Product weight: 2 lb  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Calx sconce part # 03-138-	
Metal Finish	
brushed aluminum (CM-012)	A
brushed rose gold (CM-046)	G
brushed brass (CM-047)	R
Wood Finish	
walnut (CM-055)	W
dark stained walnut (CM-056)	D
Lamping*	
2700 K LED	27
3500 K LED	35
Driver	
AC Input Voltage Range:	
120-277 V	
120 V input: TRIAC, ELV & 0-10 V dimmable	P1
240 & 277 V input: only 0-10 V dimmable	

Calx pendants also available. [Click here.](#)  
\*Available in 3000K, 4000K and other color  
temperatures upon request

*Inspired by the Calx pendant, the materials and method inform the design greatly. While the  
Calx sconce is clean and simple, it also offers a beautiful texture and subtle complexity to a wall.*

Nick Sheridan  
Designer



Calx, walnut, brushed brass



brushed aluminum  
(CM-012)



brushed rose gold  
(CM-046)




brushed brass  
(CM-047)




walnut  
(CM-055)



dark stained walnut  
(CM-056)




\* LED version only





Penna 16 / Penna 40 / Penna 64  
sconce




Penna 16 dimensions: 16.5" x 7.7" x 3.5"  
Penna 40 dimensions: 40.5" x 7.7" x 3.5"  
Penna 64 dimensions: 64.5" x 7.7" x 3.5"

MATERIAL & FINISH OPTIONS

Penna sconce part # 03-220-		B	-
Penna 16	16		
Penna 40	40		
Penna 64	64		
<b>Metal Finish</b>		R	
brushed brass (CM-008)		D	
<b>Wood Body</b>		W	
walnut (CM-001)		D	
dark stained walnut (CM-002)			
<b>Lamping*</b>		27	
2700 K LED		35	
3500 K LED			
<b>Driver</b>		P1	
120 V AC input voltage		P2	
TRIAC, ELV & 0-10 V dimming			
277 V AC input voltage			
TRIAC, ELV & 0-10 V dimming			
<b>Includes</b>			
frosted polymer (CM-057)			
*Available in 3000K, 4000K and other color temperatures upon request			



Penna 16 walnut / Penna 40 dark stained walnut 40 / Penna 64 walnut



On our Cerno journey, we continue to evolve as designers and craftsmen. The Penna is a celebration of us drawing and reflecting on our last ten years. This design is an embodiment of all the lessons that we have learned from designing and building thousands of lights. This fixture balances utility and sophisticated beauty well. The walnut, brass, and leather work in concert to compose a modern form with materials that have been used for thousands of years.

Nick Sheridan  
Designer




Vesper, walnut



ADA compliant hotel room signage with tactile numbering and corresponding braille.

Vesper, walnut

Vesper  
sconce



Dimensions: 15" x 8" x 4"  
Materials: solid wood, polymer, aluminum  
Product weight: 4 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
LED power consumption: 13W  
Dimmable (see driver below)  
ADA compliant hotel room signage with tactile numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change





MATERIAL & FINISH OPTIONS

Vesper part # 03-132-		-
<b>Wood Body</b>		W
walnut (CM-001)		D
dark stained walnut (CM-002)		
<b>Lamping*</b>		27
2700 K LED		35
3500 K LED		
<b>Driver</b>		P1
AC Input Voltage Range:		
120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable		
240 & 277 V input: only 0-10 V dimmable		
<b>Includes</b>		
frosted polymer (CM-024)		
brushed aluminum (CM-006)		
*Available in 3000K, 4000K and other color temperatures upon request		


The Vesper is a very simple geometric sculpture composed of brushed aluminum, American black walnut, and white polymer. The light not only washes up and down the wall but also filters out through the composition, exhibiting the fixture's depth in three dimensions.

Nick Sheridan  
Designer





Acuo  
sconce



walnut  
(CM-001)



dark stained walnut  
(CM-002)



brushed aluminum  
(CM-006)

Dimensions: 16.5" x 6" x 4"  
Materials: solid wood, polymer, aluminum  
Product weight:  
3 lb (CM-001/CM-002)  
5 lb (CM-006)  
*Integrated LED Specifications*  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 14 W  
Dimmable (see driver below)

*GU-24 Base Specifications*  
Lamping: 2x GU-24 base sockets, 18 W max each  
Input voltage: 300 V AC max

ADA compliant hotel room signage with tactile  
numbering and corresponding braille available

Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Acuo part # 03-130-	
<i>Body</i>	
walnut (CM-001)	W
dark stained walnut (CM-002)	D
brushed aluminum (CM-006)	A
<i>Lamping*</i>	
2700 K LED	27
3500 K LED	35
GU-24 base sockets	GU
<i>Driver (LED version only)</i>	
AC Input Voltage Range:	
120-277 V	
120 V input: TRIAC, ELV & 0-10 V dimmable	P1
240 & 277 V input: only 0-10 V dimmable	

*Includes*  
frosted polymer (CM-024)  
J-box centered behind wood/  
aluminum body  
\*Available in 3000K, 4000K and  
other color temperatures upon  
request



Acuo, walnut



Acuo, walnut



Acuo, brushed aluminum

*It's a 3 sided box, which has been carefully deconstructed to a sculptural state. The careful composition of overlap and void create interest and complexity to a very straightforward, well-functioning wall sconce. The tectonic disconnection in form allows you to witness the solid American black walnut's grain as it travels through each solid block.*

Nick Sheridan  
Designer

Emergency backup option available upon request, requires oversized J-box.




Acuo, walnut

SARAH GALLOP INTERIOR DESIGN PHOTO BY PAUL GRDINA




Capio S  
sconce



Dimensions: 17" x 6" x 4"  
Materials: solid wood, polymer  
Product weight: 4 lb  
Light source: integrated LED  
Light output: 500 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Dimmable (see driver below)  
Input voltage: 24 V DC (driver included)  
Driver location: must be housed in J-box  
Driver dimensions: 2.6" x 1.3" x 0.8" ADA  
compliant hotel room signage with tactile  
numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change



Capio L  
sconce



Dimensions: 28.5" x 6" x 4"  
Materials: solid wood, polymer  
Product weight: 7 lb  
Light source: integrated LED  
Light output: 1000 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 14 W  
Dimmable (see driver below)  
Input voltage: 24 V DC (driver included)  
Driver location: must be housed in J-box  
Driver dimensions: 3" x 1.5" x 1"  
ADA compliant hotel room signage with tactile  
numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Capio S part # 03-180- S

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
maple (CM-005)

Lamping\*

2700 K LED  
3500 K LED

Driver

120 V AC input voltage  
TRIAC, ELV & 0-10 V dimming  
277 V AC input voltage  
TRIAC, ELV & 0-10 V dimming

Includes

frosted polymer (CM-024)

MATERIAL & FINISH OPTIONS

Capio L part # 03-180- L

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)  
maple (CM-005)

Lamping\*

2700 K LED  
3500 K LED

Driver

120 V AC input voltage  
TRIAC, ELV & 0-10 V dimming  
277 V AC input voltage  
TRIAC, ELV & 0-10 V dimming

Includes

frosted polymer (CM-024)

\*Available in 3000K, 4000K and other color  
temperatures upon request



Capio S, Capio L, walnut



dark stained walnut  
(CM-002)



walnut  
(CM-001)



maple  
(CM-005)



Capio L, maple Capio L, walnut

The Capio is an exercise in restraint and efficiency consisting of just two solid wood sides that capture a single light diffusing lens. The clean and simple design allows for horizontal or vertical mounting as well as compelling compositions when used in multiples.

Nick Sheridan  
Designer

Emergency backup option available upon request, requires oversized J-box.



Oris, walnut



Oris, walnut




walnut  
(CM-001)



dark stained walnut  
(CM-002)

Oris  
sconce



Dimensions: 24" x 10.5" x 4"  
Materials: solid wood, polymer, aluminum  
Product weight: 6 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
LED power consumption: 13W  
Dimmable (see driver below)  
ADA compliant hotel room signage with tactile  
numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Oris part # 03-140-

Metal Finish

brushed aluminum (CM-006)

Wood Body

walnut (CM-001)  
dark stained walnut (CM-002)

Lamping\*

2700 K LED  
3500 K LED

Driver

AC Input Voltage Range:  
120-277 V  
120 V input: TRIAC, ELV & 0-10  
V dimmable  
240 & 277 V input: only 0-10  
V dimmable

Includes



frosted polymer (CM-024)

\*Available in 3000K, 4000K  
and other color temperatures  
upon request

The Oris has a strong and commanding presence with its highly architectonic form. The thick solid stock walnut and solid aluminum central fin give the Oris a feeling of permanence and integration into the surrounding architecture. The simple asymmetrical composition adds an understated complexity, as well as excellent illumination, to any wall.

Nick Sheridan  
Designer


Emergency backup option available upon request, requires oversized J-box.







Tersus  
sconce



Dimensions: 10.75" x 7.25" x 2.75" (\*3.13" marble)  
Materials: solid wood, polymer, metal option, stone option  
Product weight: 2 lb (5 lb marble)  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Wood grain and stone will vary  
Specifications subject to change




MATERIAL & FINISH OPTIONS

Tersus part # 03-136-

WOOD		walnut (CM-001)
		dark stained walnut (CM-002)
		maple (CM-005)
METAL VENEER		brushed rose gold, walnut
		brushed rose gold, dark stained walnut
		brushed rose gold, maple
METAL VENEER		brushed brass, walnut
		brushed brass, dark stained walnut
		brushed brass, maple
CARRARA		brushed aluminum, walnut
		brushed aluminum, dark stained walnut
		brushed aluminum, maple
CARRARA		carrara marble, walnut
		carrara marble, dark stained walnut
		carrara marble, maple

**Includes**  
frosted polymer (CM-024)  
J-box centered behind fixture  
\*Available in 3000K, 4000K and other color temperatures upon request





The Tersus is an example of the simplest form unlocking a myriad of design possibilities. The long reaching light pattern cast on the wall coupled with the numerous finishes and materials offered makes the Tersus well versed for all kinds of compositions and applications.


Nick Sheridan  
Designer



Tersus, walnut, carrara marble




Tersus, walnut, rose gold



Tersus, dark stained walnut

Sedo  
sconce



Dimensions: 36" x 14" x 4"  
Materials: solid wood, polymer  
Product weight: 6 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
ADA compliant hotel room signage with tactile numbering and corresponding braille available  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Sedo part # 03-133-

Wood Body		walnut (CM-001)
		dark stained walnut (CM-002)
Lamping*		2700 K LED
		3500 K LED
		2700 K LED
Driver		AC Input Voltage Range: 120-277 V
		120 V input: TRIAC, ELV & 0-10 V dimmable
Includes		240 & 277 V input: only 0-10 V dimmable
		Includes
Includes		frosted polymer (CM-024)
		*Available in 3000K, 4000K and other color temperatures upon request

**Includes**  
frosted polymer (CM-024)  
\*Available in 3000K, 4000K and other color temperatures upon request




Sedo, walnut

The Sedo is composed of just three floating planes all kept parallel to the wall. This simple composition cloaks the light engine from view and filters the light as it is delivered far up and down the wall. It's this wall grazing and diffuser glow that gives the Sedo a strong architectural presence.

Nick Sheridan  
Designer

Emergency backup option available upon request, requires oversized J-box.







Ansa, distressed brass




Ansa, distressed brass



brushed aluminum brushed brass distressed brass oiled bronze

Ansa  
sconce



Dimensions: 15.5" x 5" x 2.4"  
Materials: metal, polymer  
Product weight: 3 lbs  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Specifications subject to change



MATERIAL & FINISH OPTIONS


Ansa part # 03-137 -		-
Body		
brushed aluminum (CM-006)	A	
brushed brass (CM-008)	R	
distressed brass (CM-009)	D	
oiled bronze (CM-010)	Z	
Lamping*		
2700 K LED	27	
3500 K LED	35	
AC Input Voltage Range:		
120-277 V		
120 V input: TRIAC, ELV & 0-10 V dimmable		
240 & 277 V input: only 0-10 V dimmable		



brushed aluminum  
(CM-006)



brushed brass  
(CM-008)



distressed brass  
(CM-009)




oiled bronze  
(CM-010)

Includes  
frosted polymer (CM-024)

J-box centered behind fixture  
\*Available in 3000K, 4000K and other color temperatures upon request


The Ansa is a simple form that has been detailed and executed without compromise. The robust metal collar broadly trains the light while the light diffusing blades closely attenuate the wash pattern on the wall, yielding a simple and sophisticated feel.

Nick Sheridan  
Designer



in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE

**Fortis**  
sconce



Dimensions: 12.5" x 7.5" x 3.75"  
Materials: solid wood, metal,  
artisan glass option, marble option  
Product weight: 10 lb  
Light source: integrated LED  
Light output: 565 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Dimmable (see driver below)  
Wood grain, bubbles in glass, and stone will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Fortis part # 03-170-

**Metal Finish**

brushed brass (CM-008) R  
distressed brass (CM-009) D  
oiled bronze (CM-010) Z  
brushed aluminum (CM-006) A

**Wood Finish**

walnut (CM-001) W  
dark stained walnut (CM-002) D

**Diffuser**

artisan bubble glass (CM-059) B  
carrara marble (CM-078) C

**Lamping\***

2700 K LED 27  
3500 K LED 35

**Driver**

120 V AC input voltage P1  
TRIAC & ELV dimming  
277 V AC input voltage P2  
0-10V dimming

J-box centered behind metal plate  
\*Available in 3000K, 4000K and other color  
temperatures upon request



Fortis, dark stained walnut, carrara marble, oiled bronze



dark stained walnut, artisan glass, brushed brass



dark stained walnut, artisan glass, oiled bronze

The Fortis wall sconce is a great example of the collaborative design process. The initial concept from the New York based Desiron was refined over many iterations. We then worked with the local Southern California artisan glass company Siemon & Salazar to achieve a very specific bubbled glass lens that diffuses the light. It is a strong and sophisticated display of three elements: a piece of metal, a piece of wood, and a piece of glass all beautifully showcased in light.

Nick Sheridan  
Co-Designer




Claudio, walnut

The Claudio sconce showcases the beautiful natural walnut wood grain and sets it against the rigorous slits cut in each face as they wrap around the simple, clean shade form. A beautiful glow emanates from each slit, showing the striking rectilinear composition, in which all three sides are unique.

Nick Sheridan  
Designer

**Claudio**  
sconce



Dimensions: 8.5" x 5.5" x 3.75"  
Materials: solid wood, polymer  
Product weight: 4 lb  
Light source: integrated LED  
Light output: 1130 Lumens (source)  
Light color\*: 2700 K or 3500 K  
Color accuracy: 90+ CRI  
Power usage: 13 W  
Dimmable (see driver below)  
Wood grain will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Claudio sconce part # 03-150-

**Wood Body**

walnut (CM-050) W  
dark stained walnut (CM-002) D

**Lamping\***

2700 K LED 27  
3500 K LED 35

**AC Input Voltage Range:**

120-277 V  
120 V input: TRIAC, ELV & 0-10 V dimmable P1  
240 & 277 V input: only 0-10 V dimmable

**Includes**

frosted polymer (CM-024)


J-box centered behind fixture

Also available in a pendant version



\*Available in 3000K, 4000K and other color  
temperatures upon request



walnut  
(CM-050)



dark stained walnut  
(CM-002)








Libri, right model

Libri  
bedside sconce reading light



Dimensions: 10.5" x 1.5" x 1.2"  
Materials: aluminum, polymer, optional solid wood mounting  
Product weight: 1 lb  
Light source: integrated LED  
Light output: 160 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 2 W  
Automatic ON/OFF when arm is pulled away from wall  
Specifications subject to change




MATERIAL & FINISH OPTIONS

	Libri part # 03-160-
Direction	
left model	L
right model	R
Finish	
brushed aluminum (CM-006)	A
white (CM-060)	Y
Installation	
corded (plug-in)	C
hardwired*	H

Alternate voltage / plug styles available  
J-box centered behind fixture

DIRECTION




INSTALLATION

\*Hardwired installation requires room in the J-box for the included external power adapter (2" x 1" x 1.25"). Typically mounting kit is used. See mounting options on this page

MOUNTING OPTIONS

Mounting kits are sold separately from the Libri fixture.  
No Mounting kit is required if the Libri fixture is to be installed using the Direct Mount option.




Direct Mount


Direct mount option is used when mounting directly to a headboard. There is no backplate and the cord must be fed through a hole in the headboard directly behind where the fixture is mounted and plugged into a wall outlet using the included AC adapter.

Libri Mounting Kit  
sconce backplate

J-box Backplate: Mounting Kit (3)  
J-box backplate is typically used when mounting to a J-box. Hardwired installation requires room in the J-box for the included external power adapter (2" x 1" x 1.25").



Wall Mount Plug-in Backplate: Mounting Kit (1, 2)  
Wall mount plug-in backplate is used when mounting directly to the wall and plugging into a wall outlet. The wall mount is an elongated rectangle that allows the cord to exit discreetly below the fixture.



MOUNTING KIT OPTIONS

	Mounting Kit Part # 03-160-10-
Direction	
wall mount plug-in, left	1
wall mount plug-in, right	2
J-box backplate	3
Finish	
brushed aluminum (CM-006)	A
walnut (CM-001)	W
white (CM-060)	Y



Left model, aluminum fixture, hardwired with walnut wall mount plug-in backplate mounting kit



Left model, aluminum fixture, hardwired with walnut J-box plug-in backplate mounting kit



Left model, aluminum fixture, hardwired with aluminum J-box plug-in backplate mounting kit

*The Libri is about function and ease: an extremely articulate directional task light in a discrete and sturdy form that is very intuitive to use.*

Nick Sheridan,  
Designer






Levo, walnut


REDDYMADE ARCHITECTURE AND DESIGN



Levo, right model



**Levo**  
bedside wall sconce/reading  
lamp hybrid with USB charger




Dimensions: 10" x 16" x 3.25"  
Materials: solid wood, aluminum, polymer  
Product weight: 3 lb  
Light source: 2x integrated LED  
Static sconce light + swim arm  
with rotating head light  
Light output of static sconce source:  
565 Lumens (source)  
Light output of swing arm source:  
160 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 20 W total (10 W USB charger)  
USB charge current: 2 A  
Fully dimmable static sconce light with  
Automatic ON/OFF swing arm light source  
Swing arm light is not dimmable  
Input voltage: 12 V DC (adapter included)  
Hardwired and corded versions available  
Hardwired model includes an external power  
supply (2.75" x 1.63" x 1.13")  
Requires space in J-box for included power adapter  
Alternate voltage/plug styles available  
Hardwired adapter input voltage: 120-277 V AC  
Corded adapter input voltage: 120 V AC  
Wood grain will vary  
Specifications subject to change



**MATERIAL & FINISH OPTIONS**

Levo part # 03-120-


*Direction*  
left model  
right model



*Installation*  
hardwired  
corded

*Includes*  
solid walnut body (CM-001)  
brushed aluminum (CM-006)  
frosted polymer (CM-024)

Alternate voltage / plug styles available



**Levo Shelf Option**




Levo, right model with shelf option

The introduction of the optional shelf for the Levo increases the utility of this fixture without compromising any aspect of the design. The shelf provides a perfect place to rest your phone or tablet while charging it. It is important to note that shelf is purchased separately from the Levo and can be retrofitted on existing Levos.


**MATERIAL & FINISH OPTIONS**

Levo Shelf part # 60-220-

*Direction*  
left model  
right model



*Includes*  
solid walnut shelf (CM-001)  
brushed aluminum (CM-006)



left model with shelf option

*The goal for the Levo was to create a bedside wall fixture with great task lighting articulation that was intuitive enough to be used without prior knowledge of the fixture: all the while making it slender, sexy, and very robust.*


*Nick Sheridan,  
Designer*



## Table



Forma



Nauta



Silva



Macto




Adesse






in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE

**Forma Table**  
desk/table



Dimensions: 15" Ø shade, 31"  
Materials: solid wood, aluminum, fabric shade  
Product weight: 10 lb  
Light source: medium base E26 socket  
Lamping: E26 base, type A lamp, 60 W max  
Input voltage: 120 V AC max  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change

 **UL LISTED**

Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Forma Table part # 02-150-

*Metal Finish*

brushed aluminum (CM-006) A  
black anodized aluminum (CM-007) B

*Wood Body*

walnut (CM-001) W  
dark stained walnut (CM-002) D

*Shade*

black amaretto (CM-018) A  
white linen (CM-016) L  
burlap (CM-017) N

Alternate voltage / plug styles available  
Also available as a Floor Lamp



Forma Table, walnut, black anodized aluminum,white linen




Being our most traditional fixture, Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma table, and its likeness to the Forma floor lamp.

Nick Sheridan  
Co-Designer




walnut, brushed brass,burlap




Efficiency and simplicity guided the design process for the Nauta table lamp. We designed the Forma several years ago with Frank Carfaro of Desiron, which profoundly influenced the Nauta's form. Our goal was to distill the Forma design without compromising it. The Nauta is clean, modern, and priced competitively.

Nick Sheridan  
Designer

**Nauta Table**  
desk/table



Dimensions: 12" Ø, 28"  
Materials: solid wood, aluminum, fabric shade  
Product weight: 3 lb  
Light source: medium base E26 socket  
Lamping: E26 base, 60 W max  
Input voltage: 250 V AC max  
Includes 8' clear silver cord with white plug  
On/Off rocker switch on socket  
Wood grain will vary  
Specifications subject to change

 **UL LISTED**

Included dimmable LED A19 bulb  
Light output: 800 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 11 W

MATERIAL & FINISH OPTIONS

Nauta Table part # 02-160-

*Metal Finish*

brushed aluminum (CM-006) A  
brushed brass (CM-120) R

*Wood Body*

walnut (CM-001) W  
dark stained walnut (CM-002) D  
white washed oak (CM-095) O

*Shade*


black amaretto (CM-018) A  
white linen (CM-016) L  
burlap (CM-017) N

in collaboration with  
**DESIRON** FRANK CARFARO  
HAND CRAFTED AMERICAN FURNITURE





Silva  
desk/table



Dimensions: 12" x 9.5", 21.5"  
Materials: solid wood, aluminum, bent shade  
Articulating head  
Product weight: 2 lb  
Light source: integrated LED  
Light output: 565 Lumens (source)  
Light color\*: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 7 W  
Input voltage: 12V DC (adapter included)  
White braided cord  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Silva part # 02-100- A

**Metal Finish**  
brushed aluminum (CM-006)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)

**Bent Shade**  
beech wood veneer (CM-019)  
ebony eco veneer (CM-020)  
white linen (CM-058)

Alternate voltage / plug styles available  
Also available in two larger versions  
\*Available in 3000K, 4000K and other color temperatures upon request



Silva Table, walnut, white linen



dark stained walnut,  
ebony eco veneer


walnut,  
white linen

dark stained walnut,  
beech wood veneer

The structural connection between metal and wood was the inspiration here, where the fixture's stance is only strengthened by gravity. The tri-leg base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan  
Designer

Macto  
desk/task



Dimensions: 3.5" x 3.5", 17" arm reach  
Materials: solid wood, aluminum arm  
Product weight: 5 lb  
Light source: integrated LED  
Light output: 345 Lumens (source)  
Light color\*: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 3.2 W  
Input voltage: 12V DC (adapter included)  
Black braided cord  
Dimmable on fixture  
Wood grain will vary  
Specifications subject to change



MATERIAL & FINISH OPTIONS

Macto part # 02-140- A

**Metal Finish**  
brushed aluminum (CM-006)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)

Alternate voltage / plug styles available  
\*Available in 3000K, 4000K and other color temperatures upon request



Macto, walnut

The Macto showcases the breathtaking natural beauty of the solid walnut base. Only in a truly solid piece of wood can you see the fascinating way that the grain changes as it passes from face to face. Great reach and articulation make the Macto an extremely functional and versatile fixture: while its form and composition are kept remarkably simple.

Nick Sheridan  
Designer



Adesse, walnut, textured black, brass metal accents




Adesse details




Adesse details

Adesse  
desk/table



Dimensions: 11" x 7", 22"  
Product weight: 3 lb  
Light source: candelabra base E12 socket  
Lamping: E12 base, type G16.5 lamp, 7 W max  
Input voltage: 120 V AC max  
Includes 72" clear silver cord with white plug  
On/Off toggle switch on base  
Wood grain will vary  
Specifications subject to change

 **UL**  
Listed

Included dimmable LED G16.5 bulb  
Light output: 350 Lumens (source)  
Light color: 2700 K  
Color accuracy: 90+ CRI  
Power usage: 5 W

MATERIAL & FINISH OPTIONS

Adesse part # 02-170-

**Wood & Metal Finishes**  
walnut (CM-001) with textured black (CM-049) BW  
white washed oak (CM-095) with textured white (CM-060) WO

Includes:  
brushed brass metal accents (CM-008)



walnut  
(CM-001)



white washed oak  
(CM-095)



textured black  
(CM-095)




textured white  
(CM-060)



brushed brass metal accents  
(CM-008)

Cerno's Adesse desk/table lamp exemplifies purpose-driven analog design. The solid brass toggle is a nod to the past. The two slits can hold a charging cord and the large cutout is for your phone or tablet. The design is absent of technology yet able to accommodate it. The solid walnut base, black metal shade, and brass components celebrate Cerno's use of quality materials.








Artist: Roy Nachum

STACI RUIZ LIGHTING CONSULTANT PHOTO BY ARI BURLING

REVELITE<sup>®</sup>  
BY CERNO<sup>®</sup>

## Revelite AL art light



The Revelite AL brings art to life. A challenge resolved by a slim luminaire that discreetly and evenly illuminates an artwork surface with beautiful color rendering accuracy.

### CUSTOMIZED

Each AL is custom built and factory calibrated for an artwork's specific dimensions, distributing even illumination across the full width and height of the surface.

### HIGH COLOR ACCURACY

To accurately reflect the artist's vision, the LED light source was designed to provide full color spectrum lighting with a color rendering index over 90 and an R9 value of 83.

### ART SAFE

Revelite AL's LED technology provides a much safer alternative to legacy sources that emit excessive and damaging UV and heat.

### LOW PROFILE

The minimal form virtually disappears against the frame or wall and pairs well with various styles of art, including contemporary, photographs behind glass and more traditional works.

### VISIT

[www.revelite.com](http://www.revelite.com) for detailed specifications and options.

US Patent # 7,070,293 and 9,134,004.

Other US and International Patents Pending.


*These lights revealed subtleties in paintings you just don't see with ordinary lights. I think we are seeing, truly for the first time, what the artist really wanted us to see.*

*Pat Trenton, Ph.D.*


*Art expert, curator and writer*



Guy Rose, Impressionist



Wolfgang Bloch, Contemporary




Tom Lamb, Photograph (behind glass)



Accessories



Motus Swing Arm Bracket  
accessory



Dimensions: 18.38" x 5" x 26.8"  
Materials: solid wood, metal  
Product weight: 3 lb  
Max suspension weight: 5 lb  
Swing arm length can be adjusted from 18" to 27"  
Max drop length from tip of extended arm to top of pendant is 36"  
Swing arm rotation has adjustable resistance in pivot hinge  
Wood grain will vary  
Specifications subject to change  
Patent No. : US D846,180 S



MATERIAL & FINISH OPTIONS

Motus Swing Arm Bracket part # 60-210-




brushed aluminum (CM-006)



textured black powder coat (CM-049)




walnut (CM-001)



dark stained walnut (CM-002)

**Metal Finish**  
brushed aluminum (CM-006)  
textured black powdercoat (CM-049)

**Wood Body**  
walnut (CM-001)  
dark stained walnut (CM-002)



How it works: Build your own fixture

Pick one of the pendants listed below and pair it with the Motus Swing Arm Bracket for a unique and versatile light fixture. To order, you will need to select a SKU for the pendant that you choose and a SKU for the Motus Swing Arm Bracket. The SKU builder for the Motus Swing Arm Bracket is above, and the SKU builders for the pendants are located on their respective tear sheets.



Motus with Levis Pendant



Motus with Plura 18



Motus with Calx 10



Motus with Claudio



Motus with Mica



Motus with Salix

Canopy Accessories



Multi-Point Round Canopy

For 3 accent pendants

Dimensions: 12"Ø, 1.25" H

MATERIAL & FINISH OPTIONS

12" Round Canopy part # 60-120-R

**Finish**  
brushed aluminum (CM-006)  
black anodized (CM-007)



Multi-Point Linear Canopy

For linear pendants or 2 or 3 accent pendants

Dimensions: 20.6" x 4", 1.3" H

MATERIAL & FINISH OPTIONS

Multi-Point Linear Canopy part # 60-130-

**Finish**  
brushed aluminum (CM-006)  
black anodized (CM-007)



**Number of Holes**  
2 Holes (linear pendant) leave blank  
3 Holes (pendant cluster)



Wood Canopy Cover

Fits over linear canopies except for Camur canopy (Camur wood canopy is on page 23)

Dimensions: 21" x 4.6", 1.75" H

MATERIAL & FINISH OPTIONS

Wood Canopy Cover part # 60-130-005

**Finish**  
walnut (CM-001)  
dark stained walnut (CM-002)



**Number of Holes**  
2 Holes (linear pendant) leave blank  
3 Holes (pendant cluster)

Finish and Material Options

Hard Surface  
Shade



Beech Wood Veneer (CM-019)  
Beech Wood Veneer



Ebony Eco Veneer (CM-020)  
Ebony Eco Veneer

Metal



Brushed Aluminum (CM-006)  
Brushed Aluminum



Brushed Aluminum (CM-012)  
Brushed Anodized Aluminum Veneer



Black Anodized Aluminum (CM-007)  
Black Anodized Aluminum

Fabric Shade



White Linen (CM-016)  
w/ Lamp Shade Backer



White Linen (CM-058)  
White Linen w/ Frosted Backer



Burlap (CM-017)  
Burlap w/ Lamp Shade Backer



Black Amaretto (CM-018)  
Black Amaretto Fabric w/ Lamp Shade Backer



brown leather (CM-098)



Brushed Rose Gold (CM-046)  
Brushed Rose Gold Anodized Aluminum Veneer




Brushed Brass (CM-047)  
Brushed Brass Anodized Aluminum Veneer



Distressed Brass (CM-009)  
Distressed Brass - Patina



Brushed Brass (CM-008)  
Brushed Brass



Oiled Bronze (CM-010)  
Oiled Bronze - Patina



Textured Black Powdercoat (CM-049)  
Textured Black Powdercoat



Distressed brass (CM-096)



matte black (CM-085)  
with matte white interior




Textured White Powdercoat (CM-060)  
Textured White Powdercoat



Gloss White (CM-054)  
White Powdercoat Aluminum Sheet




Frosted Polymer (CM-051)  
Frosted White Polycarbonate



Frosted Polymer (CM-057)  
Frosted Polycarbonate



Frosted Polymer (CM-024)  
Frosted Acrylic



Polymer (CM-052)  
Natural Polyethylene



Polymer (CM-052)  
Natural Polyethylene


Wood




Walnut (CM-001)  
Solid Oiled Walnut



Walnut (CM-055)  
Oiled Walnut Veneer




Dark Stained Walnut (CM-002)  
Solid Dark Stained Oiled Walnut



Dark Stained Walnut (CM-056)  
Dark Stained Oiled Walnut Veneer



Double Dark Stained Walnut (CM-048)  
Solid Lacquered Double Dark Stained Walnut



Maple (CM-005)  
Solid Oiled Maple



White Washed Oak (CM-095)  
Solid White Washed Oak

Stone




Carrara marble (CM-078)  
Carrara marble

Outdoor Finishes



White Concrete (CM-104)



Black Concrete (CM-105)



Marine Grade Brushed Stainless Steel (CM-102)



Antique Bronze (CM-103)



Textured Black Powdercoat (CM-099)



Textured White Powdercoat (CM-100)



Matte Grey Powdercoat (CM-101)

Artisan Bubble  
Glass



Artisan Bubble Glass (CM-059)

**WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



D E S I G N E D   A N D   M A D E   I N   C A L I F O R N I A



cerno®  
DESIGNED AND MADE IN CALIFORNIA

22892 GLENWOOD DRIVE, ALISO VIEJO, CA 92656 | 949.715.1534 | [WWW.CERNOGROUP.COM](http://WWW.CERNOGROUP.COM)