




Aeris 30, walnut, brushed aluminum




Aeris 54, walnut, brushed aluminum

The Aeris was a collaboration with New York based designer Frank Carfaro of Desiron. The organic and often wild swirls of walnut grain are interrupted by rigorous slits and inlays that punctuate each face to create a beautiful juxtaposition, making each fixture unique. The glow of the illuminated wood seen through the cut slits creates a rich composition of light and shadow.

Nick Sheridan,
Designer



Aeris 30 / 54 linear pendant



Aeris 30 dimensions: 30" x 6", 8" | Aeris 54 dimensions: 54" x 6", 8"

Materials: solid wood, aluminum

Aeris 30 weight: 11 lb | Aeris 54 weight: 15 lb

Light source: integrated LED

Light output - total: 1720 Lumens (source)

Light output - downlight: 1030 Lumens (source)

Light output - uplight: 690 Lumens (source)

Light color: 2700 K or 3500 K

Color accuracy: 90+ CRI

Power usage: 16 W

Dimmable (see driver below)

Linear canopy included

Canopy dimensions: 20.6" x 4.6" x 1.7"

Canopy color matches fixture's metal color

Wood canopy covers are available:

Walnut (CM-001) cover: part # 60-241-001W

Dark Stained Walnut (CM-002) cover: part # 60-241-001D

White Washed Oak (CM-095) cover: part # 60-241-001O


See website for more canopy information

6'-0" drop length, field adjustable

Suitable for a sloped ceiling

Wood grain will vary

Specifications subject to change



linear canopy, brushed aluminum

MATERIAL & FINISH OPTIONS

Size

Aeris 30

Aeris 54

Metal Finish

brushed aluminum (CM-006)

black anodized aluminum (CM-007)

Wood Body

walnut (CM-001)

dark stained walnut (CM-002)

Lamping*

2700 K LED

3500 K LED


Driver

AC Input Voltage Range: 120-277 V

120 V input: TRIAC, ELV & 0-10 V dimmable

240 & 277 V input: only 0-10 V dimmable

Aeris part # 07-



brushed aluminum (CM-006)



black anodized aluminum (CM-007)



walnut (CM-001)



dark stained walnut (CM-002)

Includes: white polymer shade (CM-052)

*Available in 3000K, 4000K and other color temperatures upon request