ALISO LED CEILING MOUNT



Project						Contact		
F	ill in the shaded I	boxes u	sing the information	listed below				
Order Code	R-0015	-		-		-	-	-
	MODEL		(A) SIZE	B FINISH 1 - SIDE PANELS	C FINISH 2 - STRUCTURE	D LAMPING CCT	E LIGHT OUTPUT	(F) OPTION CODE
EXAMPLE ORDER CODE	R-0015	-	30	- 085	001	- 30	- L2	- EM

A SIZE 18

24

30

36

46

18" Ø X 8" H

24" Ø X 8" H

30" Ø X 10" H

36" Ø X 12" H

46" Ø X 16" H Custom sizes are available upon request.



Aliso 24", brushed brass side walls - walnut structure - 2700K

B FINISH 1 - SIDE PANELS

TRANSLUCENT SIDE PANELS					
051	Frosted Polymer				
OPAQUE SIDE PANELS					
085	Matte Black with Matte White Interior				
012	Brushed Aluminum				
047	Brushed Brass				
096	Distressed Brass				
046	Brushed Rose Gold				

054 Gloss White See page 3 for color swatches. C FINISH 2 - STRUCTURE

WOOD STRUCTURE

- 001 Walnut
- 002 Dark Stained Walnut 095 White Washed Oak

METAL STRUCTURE

119 Brushed Aluminum

- 120 Brushed Brass
- 049 Textured Black
- 060 Textured White

See page 3 for color swatches.

D LAMPING CCT

- 27 2700K LED 30 3000K LED
- 35 3500K LED
- 40 4000K LED

CRI 90+

(E) LIGHT OUTPUT

- L1 Low Output
- L2 Medium Output
- L3 High Output

See page 2 for output specifications on size of fixture and dimming information

(F) OPTION CODE

EM Emergency Backup option.

Height (H)



Specification subject to change without notice. The information contained in this drawing is the sole property of Cerno LLC. Any reproduction in part or in whole without the written permission of Cerno LLC is prohibited. © 2025 Cerno, L.L.C. All Rights Reserved. | 04.2025 949.715.1534 | SALES@CERNOGROUP.COM

white side walls - walnut structure detail



Diameter (Ø)



LUMEN OUTPUT / WATTAGE

Low Output: 1690 lm (source), 19.7 W. Available for 18 & 24 sizes only Medium Output: 3400 lm (source), 19.3 W. Available for all sizes High Output: 6000 lm (source), 36.4 W. Available for 30, 36, & 46 sizes only


All values above for 3000K CCT.

DRIVER SPECS

120-277V AC Input 0-10 V dimming down to 1% with dim to off Driver housed in canopy

FIXTURE ELEVATION


1.25" from the ceiling to the top on the fixture








RELATIVE SHAPE AND SCALE




18″Ø x 8″ H

24″Ø x 8″ H

30″ Ø x 10″ H





36" Ø x 12" H

46" Ø x 16" H



ARCHITECTURAL




B FINISH 1 - SIDE PANELS

C FINISH 2 - STRUCTURE





Brushed Aluminum CM-119



Brushed Brass CM-120



Textured Black CM-049



extured Whi CM-060

WOOD

