

Project									Contact						
Fill in the shaded boxes using the information listed below															
Order Code	R-0060	-		-		-		-		-		-		-	
	Model		SUSPENSION		B EXTERIOR SHADE FINISH		© INTERIOR SHADE FINISH		D LIGHT ENGINE DISC		E LAMPING CCT		E LIGHT OUTPUT		© OPTION CODE
EXAMPLE ORDER CODE	R-0060	-	R	-	049	-	060	-	095	-	30	-	F	-	EM



Rincon pendant, Corded, Textured Black exterior, Textured White interior, Walnut light engine disc, 3000K.




Distressed Brass exterior, Brushed Brass interior, White Washed Oak light engine disc.




Textured White exterior, Textured White interior, Walnut light engine disc.



(1) 1/4"Ø cord(3) 1/16"Ø suspension cables






## SUSPENSION

**W** Corded White









Rigid stem and canopy matches finish of shade exterior.

### **®** EXTERIOR SHADE FINISH

**049** Textured Black

**060** Textured White

119 Brushed Aluminum

120 Brushed Brass

**117** Distressed Brass

#### **(C)** INTERIOR SHADE FINISH

060 Textured White

119 Brushed Aluminum\*

120 Brushed Brass\*

117 Distressed Brass\*

\*finish will reduce delivered lumens

## **D** LIGHT ENGINE DISC

001 Walnut

**002** Dark Stained Walnut

**095** White Washed Oak

**049** Textured Black

**060** Textured White

119 Brushed Aluminum

120 Brushed Brass

**117** Distressed Brass

### **(E)** LAMPING CCT

**27** 2700K LED

**30** 3000K LED

**35** 3500K LED

**40** 4000K LED

CRI 90+

### **(F)** LIGHT OUTPUT

F Full Output - Wattage

**R** 50% Reduced Output - Wattage

C Custom Reduction Percentage

Full output: 1945 Lumens (delivered) 30 Watts Custom Reduction Percentage to reduce both lumens and wattage.

Full output based on Textured White shade interior with 3000K.

### **©** OPTION CODE

**XD** For custom drop lengths add "XD" followed by desired *Overall Height* in inches at end of order code. Otherwise a standard 72" drop length is provided which is field cuttable.

**EM** Emergency Backup option.













# **Fixture Specs**

Dimensions: 28" Ø x 12.75"

 ${\it Materials: Spun\ Aluminum\ Shade, Solid\ Wood\ or\ Spun\ Metal\ Accent,}$ 

**Protective Powder Coated Finishes** 

Product weight: 19 lb

Light source: Integrated LED

Light output: 1945 Lumens (Textured White shade interior)

Color accuracy: 90+ CRI

## **Driver Specs**

120-277VAC Input

0-10V dimming down to 1% with dim to off

LED driver integrated into fixture

## Suspension



Corded Suspension Canopy 5" Ø X 2"H


- Textured White (CM-060) or Textured Black (CM-049)
- 3x 1/16" Stainless Steel Cables (CM-053)
- Field adjustable drop length: 1'0" min 8'0" max
- Suitable for a sloped ceiling up to 30 degrees
- For extended cable length, please specify using XD designator in SKU builder
- -5-Conductor SVT Cable color to match canopy (3 wires for AC power & ground, 2 wires for 0-10V dimming control)



Rigid Suspension Canopy 8" Ø X 0.38"H

- Stem and canopy finish to match exterior shade finish
- 0.5" Ø rigid stem black or white
- Field cuttable: 1'0" min 8'0" max
- Suitable for a sloped ceiling up to 30 degrees
- For extended stem length, please specify using XD designator in SKU builder
- White 5-Conductor SVT Cable inside rigid stem (3 wires for AC power & ground, 2 wire for 0-10V dimming control)

### Photometric Polar Graph





### **(B)** EXTERIOR SHADE FINISH



049 Textured Black Powder Coat (CM-049)



060 Textured White Powder Coat (CM-060)



119 Brushed Aluminum (CM-119)



120 Brushed Brass (CM-120)



117 Distressed Brass (CM-117)

### **O INTERIOR SHADE FINISH**



060 Textured White Powder Coat (CM-060)



119 Brushed Aluminum (CM-119)



120 Brushed Brass (CM-120)



117 Distressed Brass (CM-117)

# **D** LIGHT ENGINE DISC FINISH



001 Walnut (CM-001)




002 Dark Stained Walnut (CM-002)



095 White Washed Oak (CM-095)



049 Textured Black Powder Coat (CM-049)



060 Textured White Powder Coat (CM-060)



119 Brushed Aluminum (CM-119)



120 Brushed Brass (CM-120)



117 Distressed Brass (CM-117)